

CLASSIFICATION OF THREE-DIMENSIONAL EXCEPTIONAL LOG CANONICAL HYPERSURFACE SINGULARITIES II

S. A. KUDRYAVTSEV

ABSTRACT. In this paper the detailed classification of three-dimensional exceptional canonical hypersurface singularities which don't satisfy the condition of well-formedness is given. This result completes the classification of three-dimensional exceptional log canonical hypersurface singularities started in [4].

Introduction

In this paper the classification of three-dimensional exceptional hypersurface singularities started in [4] is completed. The main classification theorem is the following one:

Main theorem. *Let $(X, 0) \subset (\mathbb{C}^4, 0)$ be a three-dimensional exceptional canonical (respectively strictly log canonical) hypersurface singularity defined by a polynomial f . Then there exists a biholomorphic coordinate change $\psi: (\mathbb{C}^4, 0) \rightarrow (\mathbb{C}_{t,z,x,y}^4, 0)$ and unique primitive vector $\mathbf{p} \in N_{\mathbb{R}}$ such that just one of the following two possibilities holds:*

1. *The quasihomogeneous polynomial $\tilde{f}_{\mathbf{p}} = (f \circ \psi)_{\mathbf{p}}$ defines an exceptional canonical (respectively strictly log canonical and canonical outside $\mathbf{0}$) singularity $(X_{\mathbf{p}}, 0) \subset (\mathbb{C}_{t,z,x,y}^4, 0)$. In this case $\mathbf{p}$ -blow-up of $\mathbb{C}^4$ induces purely log terminal blow-ups $\varphi: (Y, E) \rightarrow (X, 0)$ and $\varphi_{\mathbf{p}}: (Y_{\mathbf{p}}, E_{\mathbf{p}}) \rightarrow (X_{\mathbf{p}}, 0)$, where $(E, \text{Diff}_E(0)) = (E_{\mathbf{p}}, \text{Diff}_{E_{\mathbf{p}}}(0))$. That is, these singularities have the same type and in particular the same complement index.*

The canonical singularities satisfying the condition of well-formedness — $\text{Diff}_{E/\mathbb{P}(\mathbf{p})}(0) = 0$ are classified in the theorems 3.24, 3.28 of [4] and in the tables of chapter [4, §4]. The polynomial $\tilde{f}_{\mathbf{p}}; (E, \text{Diff}_E(0))$; minimal complement index are written in the tables.

The canonical singularities not satisfying the condition of well-formedness are classified in the tables of chapter §3. The polynomial $\tilde{f}_{\mathbf{p}}; (E, \text{Diff}_E(0))$; minimal complement index are written in the tables.

The strictly log canonical and canonical outside $\mathbf{0}$ quasihomogeneous singularities are always exceptional (in any dimension) by theorem [4, 2.13]. In the three-dimensional case $(E, \text{Diff}_E(0)) = (\tilde{f}_{\mathbf{p}} \subset \mathbb{P}(\mathbf{p}), 0)$ is K3 surface with Du Val singularities and $(X, 0)$ is 1-complementary.

2. $\tilde{f}_{\mathbf{p}} = t^3 + g_2^2(z, x, y)$, where g_2 is an irreducible homogeneous polynomial of degree two. In this case the purely log terminal blow-ups are constructed in the theorems [4, 3.3, 3.5]. Also it was obtained the similar classification depending on the type of jets $\tilde{f}_5$ and $\tilde{f}_6$.

Proof. According to the main theorem proved in [4] it is enough to classify the three-dimensional exceptional canonical quasihomogeneous singularities which are not well-formed. The required classification is given in the tables of chapter §3. $\square$

It follows from the classification that there are only finite number of types of three-dimensional exceptional log canonical hypersurface singularities. There is a conjecture that the similar result about the finite number of types is true in any dimension for the exceptional singularities. See also examples [4, 1.19, 1.20].

The present paper is the direct continuation of [4]. Therefore see [4] in connection with the notations, definitions and etc.

The paper is organized in the following way. In chapter §1 the purely log terminal blow-ups of not well-formed singularities are studied. In chapter §2 the three-dimensional quasihomogeneous not well-formed singularities are considered. In chapter §3 the summarizing tables are written.

I am grateful to Professor Yu.G.Prokhorov for useful discussions and valuable remarks.

The research was partially supported by a grant 99-01-01132 from the Russian Foundation of Basic Research and a grant INTAS-OPEN 2000#269.

1. Structure of purely log terminal blow-up of not well-formed singularity

Now we explain in detail the condition of well-formedness of quasihomogeneous singularity.

Let $(X, 0) \subset (\mathbb{C}^n, 0)$ be a quasihomogeneous log canonical, canonical outside $\mathbf{0}$ singularity with the integer weights $\mathbf{p} = (p_1, \dots, p_n)$ and quasihomogeneous degree d defined by a polynomial $g(x_1, \dots, x_n)$. Without loss of generality it can be assumed that $(p_1, \dots, p_n) = 1$.

Consider $\mathbf{p}$ -blow-up $\psi: \mathbb{C}^n(\mathbf{p}) \rightarrow \mathbb{C}^n$. The exceptional divisor of ψ is the weighted projective space $\mathbb{P}(\mathbf{p})$. This blow-up induces a

plt blow-up $\psi|_{X(\mathbf{p})}: (X(\mathbf{p}), E) \rightarrow (X, 0)$ (see theorem 2.13 [4]). Put $q_i = (p_1, \dots, \hat{p}_i, \dots, p_n)$. Then $E = (\tilde{g}(x_1, \dots, x_n) \subset \mathbb{P}(\tilde{p}_1, \dots, \tilde{p}_n)) = (g(x_1^{1/q_1}, \dots, x_n^{1/q_n}) \subset \mathbb{P}(p_1 q_1 / (q_1 \cdots q_n), \dots, p_n q_n / (q_1 \cdots q_n)))$. Put $q_{ij} = (\tilde{p}_1, \dots, \hat{\tilde{p}}_i, \dots, \hat{\tilde{p}}_j, \dots, \tilde{p}_n)$ if $i \neq j$. The quasihomogeneous degree of $\tilde{g}(x_1, \dots, x_n)$ is denoted by $\tilde{d}$.

Definition 1.1. [1] In the above-mentioned notations the quasihomogeneous singularity is called *well-formed singularity* if one of the following equivalent conditions holds:

1. $\text{Diff}_{E/\mathbb{P}(\mathbf{p})}(0) = 0$;
2. One have $q_{ij} | \tilde{d}$ for all $i \neq j$.

In opposite case our singularity is called *not well-formed singularity*. Let us remark that if we choose the other quasihomogeneous weights then it can happen that the condition of well-formedness is not fulfilled. For the weakly exceptional and consequently for the exceptional singularity the primitive vector $\mathbf{p}$ is unique [4, 2.13] and therefore the notion of well-formedness is uniquely defined.

Put $I_i = \{ j | 1 \leq j \leq n, j \neq i, q_{ij} \nmid \tilde{d} \}$.

Proposition 1.2.

$$\text{Diff}_E(0) = \sum_{i=1}^n \left(1 - \frac{1}{q_i}\right) \left(C_i \setminus \bigcup_{j \in I_i} C_{ij}\right) + \sum_{i < j; j \in I_i} \left(1 - \frac{1}{q_{ij} \cdot q_i \cdot q_j}\right) C_{ij},$$

where the divisors C_i and C_{ij} on E are defined by the equations $x_i = 0$ and $x_i = x_j = 0$ respectively. Moreover $C'_i \stackrel{\text{def}}{=} C_i \setminus \bigcup_{j \in I_i} C_{ij} = \{x_i = (\prod_{j \in I_i} x_j)^{-1} \cdot g(x_1, \dots, x_{i-1}, 0, x_{i+1}, \dots, x_n) = 0\}$, where $q_i \neq 1$.

Proof. To calculate the different we have to determine the codimension 2 components of $\text{Sing } X(\mathbf{p})$ in $X(\mathbf{p})$ which are lying in E . The variety $X(\mathbf{p})$ in the affine piece $U_k = \mathbb{C}_{x_1, \dots, x_n}^n / \mathbb{Z}_{p_k}(-p_1, \dots, -p_{k-1}, 1, -p_{k+1}, \dots, -p_n)$ of $\mathbf{p}$ -blow-up is given by a polynomial $g' = g(x_1, \dots, x_{k-1}, 1, x_{k+1}, \dots, x_n) = 0$. It is clear that the singularity defined by this polynomial g' has the codimension not less than 3 in $\mathbb{C}^{n-1} \cong \{x_k = 0\}$ and hence doesn't influence on $\text{Diff}_E(0)$ (recall that $E \cap U_k$ is given by a polynomial g' in $\{x_k = 0\} / \mathbb{Z}_{p_k}$). Thus $\text{Diff}_E(0)$ appears only because of the action of cyclic group. Since $q_{ij} \cdot q_i \cdot q_j = (p_1, \dots, \hat{p}_i, \dots, \hat{p}_j, \dots, p_n)$ then it remains to show the following statement: if $q_{ij} \nmid \tilde{d}$ then $\{x_i = x_j = 0\}$ defines a divisor on E . Actually, this condition means that x_i or x_j divides any monomial of g . $\square$

Remark 1.3. If $q_{ij} \nmid \tilde{d}$ then $g = x_i g_1(x_1, \dots, x_n) + x_j g_2(x_1, \dots, x_n)$. Moreover, if $q_i > 1$ and $q_{ij} \nmid \tilde{d}$ then $q_j = 1$. Indeed, if $q_j > 1$ then $g = x_i^{q_i} g_1(x_1, \dots, x_n) + x_j^{q_j} g_2(x_1, \dots, x_n)$. Hence g defines a nonnormal singularity.

The next proposition is proved in the same way as the previous proposition 1.2.

Proposition 1.4.

$$\text{Diff}_{E/\mathbb{P}(\mathbf{p})}(0) = \sum_{i < j; j \in I_i} \left(1 - \frac{1}{q_{ij}}\right) C_{ij}.$$

Corollary 1.5. (cf. [2, 2.10]) *Let $(X, 0) \subset (\mathbb{C}^n, 0)$ be a quasihomogeneous strictly log canonical, canonical outside $\mathbf{0}$ singularity with weight $\mathbf{p}$. Then it is well-formed (by theorem 2.13 [4] it is exceptional).*

Proof. Let $\psi: (X(\mathbf{p}), E) \rightarrow (X, 0)$ be a plt blow-up. Since $K_{X(\mathbf{p})} + E = \psi^* K_X$ is Cartier divisor then $\text{Diff}_E(0) = 0$. Hence by propositions 1.2 and 1.4 $\text{Diff}_{E/\mathbb{P}(\mathbf{p})}(0) = 0$. In particular E is $K3$ surface with Du Val singularities if $n = 4$ [1, 1.4.1]. $\square$

Example 1.6. Let $(X, 0) \subset (\mathbb{C}^3, 0)$ be a weakly exceptional Du Val singularity defined by a polynomial h . Then h is one of the following polynomials: $x_1^2 + x_2^2 x_3 + x_3^{n-1}$, $n \geq 4$ (type $\mathbb{D}_n$); $x_1^2 + x_2^3 + x_3^4$ (type $\mathbb{E}_6$); $x_1^2 + x_2^3 + x_3^3 x_2$ (type $\mathbb{E}_7$); $x_1^2 + x_2^3 + x_3^5$ (type $\mathbb{E}_8$) (see [5, 4.7]). Consider $\mathbf{p}$ -blow-ups corresponding to their quasihomogeneous weights. Then the singularities $\mathbb{D}_n$, $n \geq 5$ and $\mathbb{E}_7$ are not well-formed.

Singularity	$E \cong \mathbb{P}^1$	$\text{Diff}_{E/\mathbb{P}(\mathbf{p})}(0)$	$\text{Diff}_E(0)$
D_{2n} , $n \geq 3$	$x_1 + x_2^2 x_3 + x_3^{2n-1} \subset \mathbb{P}(2n-1, n-1, 1)$	$\frac{n-2}{n-1} P_3$	$\frac{1}{2} P_1 + \frac{1}{2} P_2 + \frac{2n-3}{2n-2} P_3$
D_{2n+1} , $n \geq 2$	$x_1^2 + x_2 x_3 + x_3^{2n} \subset \mathbb{P}(n, 2n-1, 1)$	$\frac{2n-2}{2n-1} P_3$	$\frac{1}{2} P_1 + \frac{1}{2} P_2 + \frac{2n-2}{2n-1} P_3$
E_7	$x_1 + x_2^3 + x_3 x_2 \subset \mathbb{P}(3, 1, 2)$	$\frac{1}{2} P_3$	$\frac{1}{2} P_1 + \frac{2}{3} P_2 + \frac{3}{4} P_3$

Definition 1.7. Let us define a $\mathbb{Q}$ -divisor $\hat{D} = \sum_{i=1}^n (1 - \frac{1}{q_i}) \{x_i = 0\}$ on $\mathbb{P}(\mathbf{p})$ and a $\mathbb{Q}$ -divisor $D = \sum_{i=1}^n (1 - \frac{1}{q_i}) C_i$ on E . Recall that, if $(X, 0)$ is a well-formed singularity then $D = \hat{D}|_E = \text{Diff}_E(0)$ (cf. [4,

3.12]). Nevertheless the following proposition takes place in the general case.

Proposition 1.8. $K_E + \text{Diff}_E(0) = (K_{\mathbb{P}(\mathbf{p})} + E + \widehat{D})|_E$.

Proof. By proposition 1.4, remark 1.3 and corollary [6, 3.10] $(K_{\mathbb{P}(\mathbf{p})} + E + \widehat{D})|_E = K_E + \text{Diff}_{E/\mathbb{P}(\mathbf{p})}(\widehat{D}) = K_E + \sum_{i < j; j \in I_i} \left[\left(1 - \frac{1}{q_{ij}}\right) C_{ij} + \frac{1}{q_{ij}} \cdot \left(1 - \frac{1}{q_i \cdot q_j}\right) C_{ij} \right] + \sum_{i=1}^n \left(1 - \frac{1}{q_i}\right) (C_i \setminus \bigcup_{j \in I_i} C_{ij})$. By proposition 1.2 the last expression is equal to $K_E + \text{Diff}_E(0)$. $\square$

Example 1.9. Let us return to the example 1.6. Then

Singularity	D	$\text{Diff}_E(0) = \text{Diff}_{E/\mathbb{P}(\mathbf{p})}(\widehat{D})$
$D_{2n}, n \geq 3$	$\frac{1}{2}P_1 + \frac{1}{2}P_2 + \frac{1}{2}P_3$	$\frac{1}{2}P_1 + \frac{1}{2}P_2 + \left(\frac{n-2}{n-1} + \frac{1}{n-1} \cdot \frac{1}{2}\right)P_3$
$D_{2n+1}, n \geq 2$	$\frac{1}{2}P_1 + \frac{1}{2}P_2$	$\frac{1}{2}P_1 + \frac{1}{2}P_2 + \left(\frac{2n-2}{2n-1} + \frac{1}{2n-1} \cdot 0\right)P_3$
E_7	$\frac{1}{2}P_1 + \frac{2}{3}P_2 + \frac{1}{2}P_3$	$\frac{1}{2}P_1 + \frac{2}{3}P_2 + \left(\frac{1}{2} + \frac{1}{2} \cdot \frac{1}{2}\right)P_3$

2. Investigation of three-dimensional not well-formed singularities on exceptionality

The next theorem is proved by exhaustion of all cases. This sorting is described in [4].

Theorem 2.1. *All three-dimensional not well-formed exceptional canonical quasihomogeneous singularities can be obtained by the rotations of Newton's line passing through the following parts of type $\mathcal{M}_2$:*

- (1) $t^2 + z^3 + x^m$, where $x^m = zx^5, zx^5y, zx^7, zx^6y, zx^5y^2$.
- (2) $t^2 + z^4 + x^m$, where $x^m = zx^4, zx^5, zx^4y$.
- (3) all parts of type $\Upsilon_2^{(2)}$ (they have the equation of the form $t^2 + z^3x + h(z, x, y)$).
- (4) $t^2 + z^3y + x^m$, where $x^m = x^7y, x^8y, zx^5, zx^6, zx^5y$.
- (5) $t^2 + z^5 + zx^5; t^2 + z^4x + x^m$, where $x^m = x^6, x^5y, x^4y^2, zx^5, zx^4y, zx^3y^2; t^2 + z^4y + x^m$, where $x^m = x^5y, zx^5, zx^4y; t^2 + z^3x^2 + x^m$, where $x^m = zx^5, zx^4y, zx^3y^2; t^2 + z^3y^2 + zx^5; t^2 + z^3xy + x^m$, where $x^m = x^6, x^5y, x^7, x^6y, x^5y^2, zx^5, zx^4y; t^2 + z^5 + zx^3y; t^2 + z^4x + zx^3y; t^2 + z^4x + x^4y; t^2 + z^3x^2 + zx^3y$.

(6) $t^3 + z^2xy + x^5$; $t^3 + z^2xy + x^4y$; $t^3 + z^4 + zx^2y$; $t^3 + z^4 + tx^3$; $t^3 + z^3x + x^m$, where $x^m = zx^2y, x^3y, tx^3, tx^2y$; $t^3 + z^3y + tx^3$; $t^3 + tz^3 + x^m$, where $x^m = z^2x^2, zx^3, zx^2y$; $t^3 + tz^2x + zx^2y$; $t^3 + tz^2x + x^2y^2$; $g_3(t, z) + zx^3$, where g_3 is a binary form of degree 3; $t^3 + z^2x + x^m$, where $x^m = x^4, x^5, x^4y, x^6 + tx^4, x^5y, x^4y^2, x^7, x^6y, x^5y^2, x^4y^3, x^8, x^7y, x^6y^2, x^5y^3, x^4y^4, tx^3, tx^3y, tx^5, tx^4y, tx^3y^2$; $t^3 + z^2y + x^7y$; $t^3 + z^2y + tx^5$.

(7) $t^2z + g_4(z, x)$, where g_4 is a binary form of degree 4; $t^2z + z^4 + x^m$, where $x^m = x^3y, x^5, x^4y, x^3y^2, tx^3, tx^2y$; $t^2z + z^3x + x^m$, where $x^m = x^3y, x^5, x^4y, x^3y^2, tx^3, tx^2y$; $t^2z + z^3y + x^m$, where $x^m = x^5, x^4y, zx^3, z^2x^2, tx^3$; $t^2z + z^2x^2 + x^m$, where $x^m = x^5, x^4y, x^3y^2, tx^2y$; $t^2z + z^2xy + x^5$; $t^2z + z^2xy + x^4y$; $t^2z + z^2x + x^m$, where $x^m = x^4, zx^3 + x^5, x^4y, x^6, x^5y, x^4y^2, tx^3, tx^4, tx^3y$; $t^2z + z^2y + x^m$, where $x^m = x^5y, zx^3, tx^4$.

(8) $t^2x + z^4 + x^m$, where $x^m = x^3y, x^5, x^4y, zx^2y, zx^4, zx^3y, zx^2y^2$; $t^2x + z^3x + x^m$, where $x^m = x^2y^2, x^5, x^4y, x^3y^2, x^2y^3, x^6, x^5y, x^4y^2, x^3y^3, x^2y^4, zx^2y, zx^4, zx^3y, zx^2y^2$; $t^2x + z^3y + x^m$, where $x^m = x^5, x^4y, x^6, x^5y, x^4y^2, zx^4, zx^3y, z^2x^2$.

(9) $t^2y + z^4 + zx^4$; $t^2y + z^3x + x^m$, where $x^m = x^5, x^6, x^5y, zx^4, tx^3$.

In investigating given singularities on the exceptionality it is convenient to use the proposition [4, 3.13] and corollary [4, 3.14]. In general case corollary [4, 3.15] is formulated in the following way.

Proposition 2.2. *Let $(X, 0) \subset (\mathbb{C}_{x_1, \dots, x_4}^4, 0)$ be a three-dimensional quasihomogeneous log canonical singularity with the weight $\mathbf{p}$. Assume that (X, H) is not lc for any hyperplane section H . Let $D = \sum d_i D_i$ (see definition 1.7). If $d_k \geq \frac{6}{7}$ for some k then $(X, 0)$ is exceptional.*

Proof. Suppose that $(X, 0)$ is not exceptional. Let $H_X = \{x_k = 0\}|_X$ be a hyperplane section and let $H_{X(\mathbf{p})}$ be a proper transform of H_X on $X(\mathbf{p})$. Then $K_{X(\mathbf{p})} + E + H_{X(\mathbf{p})} = \psi^*(K_X + H_X) + aE$. Let $C_k = \sum_i C_{ki}$, where C_{ki} are the irreducible curves (see proposition 1.2). One have $\text{Diff}_E(0) = \sum_i d_{ki} C_{ki} + \Xi$. The coefficients $d_{ki} \geq 6/7$ for all i since $d_{ki} = \frac{m_i - 1}{m_i} + \frac{1}{m_i} \cdot d_k \geq d_k$ [6, 3.10]. By proposition [4, 3.14] there exists 1,2,3,4 or 6-complement D^+ . By the definition of complement we have $D^+ \geq \sum_i C_{ki} + \Xi$. Therefore $-(K_E + \sum_i C_{ki} + \Xi)$ is nef and lc. Since $\text{Diff}_E(H_{X(\mathbf{p})}) = \text{Diff}_{E/\mathbb{P}(\mathbf{p})}(\widehat{D} + \{x_k = 0\})$, where $\{x_k = 0\}$ is the corresponding divisor on $\mathbb{P}(\mathbf{p})$ then $\text{Diff}_E(H_{X(\mathbf{p})}) = \sum_i C_{ki} + \Xi$. Hence $a \geq 0$ and (X, H_X) is lc. This contradiction concludes the proof. $\square$

Remark 2.3. Proposition 2.2 is hypothetically true in any dimension (see [4, 3.16]). In the two-dimensional case we must require that $d_k \geq \frac{2}{3}$ for some k .

Example 2.4. In proposition 2.2 we can't change D on $\text{Diff}_E(0)$. Let us show it in the following two examples.

(1) Let $(X, 0) \subset (\mathbb{C}^3, 0)$ be a Du Val singularity of type $\mathbb{D}_n$ defined by a polynomial $x_1^2 + x_2^2 x_3 + x_3^{n-1}$, where $n \geq 4$. The pair (X, H) is not lc for any hyperplane section H . If $n \geq 5$ then one of the coefficients of $\text{Diff}_E(0)$ is not less than $2/3$ and all coefficients of D are equal to $1/2$. This singularity is not exceptional by the definition since $K_X + \{x_1 = x_3 = 0\} \sim_{\mathbb{Q}} 0$ is 2-complement (see also example [4, 1.8]).


(2) Let $(X, 0) \subset (\mathbb{C}_{t,z,x,y}^4, 0)$ be a canonical singularity defined by a polynomial $t^3 + z^2 x + x^4 + xy^5$. The pair (X, H) is not lc for any hyperplane section H . The variety X has cA_2 singularity along the curve $C = \{t = x = z^2 + y^5 = 0\} = \text{Sing } X$ (outside $\mathbf{0}$). The divisor $T = \{t = x = 0\}$ on X is $\mathbb{Q}$ -Cartier since $3T \sim \{x = 0\}$. Therefore the divisor $(K_X + T)|_T = K_{\mathbb{C}_{z,y}^2} + \frac{2}{3}C$ is klt. Thus $(X, 0)$ is not weakly exceptional singularity [5, 4.6].

Now consider $(40, 45, 30, 18)$ -blow-up of $\mathbb{C}^4$. It induces a plt blow-up of $(X, 0)$. Then $(E, \text{Diff}_E(0)) = (t + zx + x^4 + xy \subset \mathbb{P}(4, 3, 1, 3), \frac{2}{3}(\{t = 0\} \setminus \{t = x = 0\}) + \frac{1}{2}\{z = 0\} + \frac{4}{5}\{y = 0\} + \frac{8}{9}\{t = x = 0\}) = (\mathbb{P}^2, \frac{2}{3}l_1 + \frac{1}{2}l_2 + \frac{4}{5}l_3 + \frac{8}{9}l_4)$, where l_i are the straight lines in general position. The divisor $K_{\mathbb{P}^2} + \frac{2}{3}l_1 + \frac{1}{2}l_2 + \frac{5}{6}l_3 + l_4 \sim_{\mathbb{Q}} 0$ is klt 6-complement of minimal index. Since the divisor $K_{\mathbb{P}^2} + \text{Diff}_E(0) + \frac{1}{9}l_4$ is anti-ample and non-klt then by criterion [3, 2.1] $(X, 0)$ is not weakly exceptional singularity again. In this example all coefficients of D are not more than $\frac{4}{5}$.

It is very interesting to compare the following example 2.5 with the previous example 2.4(2).

Example 2.5. Let $(X, 0) \subset (\mathbb{C}_{t,z,x,y}^4, 0)$ be a canonical singularity defined by a polynomial $t^3 + z^2 x + tx^3 + ty^5$. The variety X has cA_1 singularity along the curve $C = \{t = z = x^3 + y^5 = 0\} = \text{Sing } X$ (outside $\mathbf{0}$). Consider the divisor $T = \{t = z = 0\}$ on X . If T had been $\mathbb{Q}$ -Cartier divisor then the divisor $(K_X + T)|_T = K_{\mathbb{C}_{x,y}^2} + \frac{1}{2}C$ would have been klt and consequently $(X, 0)$ would have been not weakly exceptional singularity. Now we prove that T is not $\mathbb{Q}$ -Cartier divisor and $(X, 0)$ is an exceptional singularity.

Consider $\mathbf{p} = (30, 35, 20, 12)$ -blow-up of $\mathbb{C}^4$. It induces a plt blow-up $\psi: (X(\mathbf{p}), E) \rightarrow (X, 0)$. Then $E = (t^3 + zx + tx^3 + ty \subset \mathbb{P}(3, 7, 2, 6))$, $\text{Diff}_E(0) = \frac{1}{2}\{z = t^2 + x^3 + y = 0\} + \frac{3}{4}\{t = z = 0\} + \frac{4}{5}\{y = 0\} = \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2 + \frac{4}{5}L$. In the next picture we illustrate the situation of these curves and the singularities of surface E .



Assume that T is $\mathbb{Q}$ -Cartier divisor. Then $K_{X(\mathbf{p})} + E + T_Y = \psi^*(K_X + T) + aE$ is anti-ample divisor over X since $a > 0$. Hence $K_E + \text{Diff}_E(T_Y) = K_E + \frac{1}{2}\Delta + \Gamma_2 + \frac{4}{5}L$ is anti-ample divisor. It is not true since $(K_E + \text{Diff}_E(T_Y)) \cdot \Delta = (K_E + \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2 + \frac{11}{12}L) \cdot \Delta + (\frac{1}{4}\Gamma_2 + (\frac{4}{5} - \frac{11}{12})L) \cdot \Delta = (K_{\mathbb{P}(\mathbf{p})} + E + \frac{1}{2}\{z=0\} + \frac{11}{12}\{y=0\}) \cdot \Delta + \frac{1}{4} - \frac{7}{60} = 0 + \frac{1}{4} - \frac{7}{60} > 0$. Here $\{z=0\}$ and $\{y=0\}$ are denoted the corresponding divisors on $\mathbb{P}(\mathbf{p})$.

The divisor $K_E + \text{Diff}_{E/\mathbb{P}(\mathbf{p})}(\frac{3}{5}\{z=0\} + \frac{4}{5}\{y=0\}) = K_E + \frac{3}{5}\Delta + \frac{4}{5}\Gamma_2 + \frac{4}{5}L$ is 5-complement of minimal index. It is easy to show that there is only the following 6-complement $K_E + \text{Diff}_{E/\mathbb{P}(\mathbf{p})}(\frac{1}{6}\{t=0\} + \frac{1}{2}\{z=0\} + \frac{5}{6}\{y=0\}) = K_E + \frac{1}{2}\Delta + \frac{5}{6}\Gamma_2 + \frac{5}{6}L + \frac{1}{6}\{t=x=0\} \sim_{\mathbb{Q}} 0$ among 1,2,3,4 and 6-complements. It is clear that this divisor is klt. Therefore $(X, 0)$ is an exceptional singularity.

Finally let us consider one more example showing the investigation process of given singularities on the exceptionality.

Example 2.6. Let $(X, 0) \subset (\mathbb{C}_{t,z,x,y}^4, 0)$ be a canonical singularity defined by a polynomial $f = t^2x + z^3x + zx^2y + atz^2y + bz^2y^3 + cxy^4$. Consider $\mathbf{p} = (6, 4, 5, 3)$ -blow-up of $\mathbb{C}^4$. Then $(E, \text{Diff}_E(0)) = (f \subset \mathbb{P}(6, 4, 5, 3), \frac{2}{3}\Delta_3 + \frac{1}{2}\Upsilon_4)$, where $\Delta_3 = \{z=x=0\}$ and $\Upsilon_4 = \{x=y=0\}$. Let us prove that the divisor $(K_{\mathbb{P}(\mathbf{p})} + E + \frac{1}{4}\{z=0\})|_E = K_E + \frac{3}{4}\Delta_3 + \frac{1}{2}\Upsilon_4 + \frac{1}{2}\{t=z=0\}$ is non-klt 4-complement if $c=0$ (then $b \neq 0$). It implies that $(X, 0)$ is not exceptional singularity if $c=0$. Since the klt and lc properties of pair remain true by the finite dominant morphisms then it is enough to prove that $(Z, \frac{1}{4}T)$ is lc, but not klt pair, where $Z = \{t^2x + z^3x + zx^2 + atz^2 + z^2 = 0\} \subset \mathbb{C}_{t,z,x}^3$ and $T = \{z=0\}|_Z$. Note that $(Z, 0)$ is the singularity of type $\mathbb{D}_5$. The blow-up of $\mathbb{C}^3$ with the weights $(3, 4, 2)$ induces a blow-up $\psi: (\tilde{Z}, C) \rightarrow Z$. Besides $K_{\tilde{Z}} + C + \frac{1}{4}T_{\tilde{Z}} = \psi^*(K_Z + \frac{1}{4}T)$. The exceptional divisor C is not well-formed hypersurface $tx + zx^2 + z^2 \subset \mathbb{P}(3, 2, 1)$. The divisor $K_C + \text{Diff}_C(\frac{1}{4}T_{\tilde{Z}}) = K_C + \frac{1}{2}P_1 + (\frac{1}{2} + \frac{1}{2} \cdot \frac{1}{2})P_2 + (\frac{2}{3} + \frac{1}{3} \cdot \frac{1}{4})P_3$ is klt. By Inversion of Adjunction we complete the proof. If $c \neq 0$ then by the same argument one can prove that $(X, 0)$ is an exceptional singularity.

3. Classification of three-dimensional exceptional not well-formed singularities

The comments to the tables. All agreements of §4 [4] about the notations and records in the tables remain valid. The underlying monomials (see point (I) of §4 [4]) are written without the coefficients before them.

If log Del Pezzo surface $E = (\tilde{f} \subset \mathbb{P}(\tilde{p}_1, \dots, \tilde{p}_4))$ is a linear cone, i.e. $\tilde{d} = \tilde{p}_k$ for some k then we write the simplified form of E

$$E = \mathbb{P}\left(\frac{\tilde{p}_1}{s_1}, \dots, \frac{\tilde{p}_{k-1}}{s_{k-1}}, \frac{\tilde{p}_{k+1}}{s_{k+1}}, \dots, \frac{\tilde{p}_4}{s_4}\right), \text{ where } s_m = \prod_{\substack{q_{ij} \nmid \tilde{d} \\ i < j; i, j \neq m}} q_{ij}$$

For the record of different $\text{Diff}_E(0)$ one use the following notations. The curves C'_i , where $i = 1, \dots, 4$ (see proposition 1.2) are denoted by $\Gamma, \Delta, \Upsilon, \Omega$ respectively. The curves $\{t = z = 0\}, \{t = x = 0\}, \{t = y = 0\}, \{z = x = 0\}, \{z = y = 0\}, \{x = y = 0\}$ are denoted by $\Gamma_2, \Gamma_3, \Gamma_4, \Delta_3, \Delta_4, \Upsilon_4$ respectively.

If there is a symbol $*$ in the description of different cases then this marked case has the other different. Then the different differs by the addition of other curve marked by $*$ or the different is completely another one marked by $*$ also.

1. Singularity $-t^2 + z^3 + g(z, x, y)$

No.	$g(z, x, y)$	Log Del Pezzo	Index
1	$zx^i f_{5-i}(x, y^3)$	$t + z^3 + zx^i f_{5-i}(x, y^3) \subset \mathbb{P}(15, 5, 2, 2)$ $\mathbb{P}(5, 1, 1)$, Diff= $(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
2	$zx^5 + zy^n$ $n = 7; 9; 11; 13; 17, 19$	$t + z^3 + zx + zy \subset \mathbb{P}(3, 1, 2, 2)$ $\mathbb{P}^2$, Diff= $(0, 0, \frac{4}{5}, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,10,12 16,20
3	$zx^5 + zxy^n$ $n = 5; 7; 9, 11; 13, 15$	$t + z^3 + zx^5 + zxy \subset \mathbb{P}(15, 5, 2, 8)$ $\mathbb{P}(5, 1, 4)$, Diff= $(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	6,8,12 16
4	$zx^5 + azx^3y^n + bzxxy^{2n}$ $n = 3 \ b \neq 0; 5, 7$	$t + z^3 + zx^5 + azx^3y + bzxxy^2 \subset \mathbb{P}(15, 5, 2, 4)$ $\mathbb{P}(5, 1, 2)$, Diff= $(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4,8
5	$zx^5 + zx^2y^n$ $n = 5, 7; 11$	$t + z^3 + zx^5 + zx^2y \subset \mathbb{P}(15, 5, 2, 6)$ $\mathbb{P}(5, 1, 3)$, Diff= $(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,12
6	$zx^5y + zy^n$ $n = 7; 9; 13; 15$	$t + z^3 + zxy + zy^n \subset \mathbb{P}(3n, n, 2n - 2, 2)$ $\mathbb{P}(n, n - 1, 1)$, Diff= $(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,12,16 20
7	$zyx^i f_{5-i}(x, y^2)$	$t + z^3 + zx^i f_{5-i}(x, y^2) \subset \mathbb{P}(33, 11, 4, 2)$ $\mathbb{P}(11, 2, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
8	$zx^5y + zxy^n$ $n = 6; 8, 10; 12$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(15n - 3, 5n - 1, 2n - 2, 8)$ $\mathbb{P}(5n - 1, n - 1, 4)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,12,16
9	$zx^5y + azx^3y^{n+1} + bzxxy^{2n+1}$ $n = 3 \ b \neq 0; 5$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(15n + 6, 5n + 2, 2n, 4)$ $\mathbb{P}(5n + 2, n, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4,8
10	$zx^5y + zx^2y^n$ $n = 5; 9$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(15n - 6, 5n - 2, 2n - 2, 6)$ $\mathbb{P}(5n - 2, n - 1, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,12
11	$zx^i f_{7-i}(x, y)$ $i \leq 2$	$t + z^3 + zx^i f_{7-i}(x, y) \subset \mathbb{P}(21, 7, 2, 2)$ $\mathbb{P}(7, 1, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
12	$zx^7 + zy^9$	$t + z^3 + zx + zy \subset \mathbb{P}(3, 1, 2, 2)$ $\mathbb{P}^2$, Diff= $(0, 0, \frac{6}{7}, \frac{8}{9}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	28
13	$zx^7 + zxy^7$	$t + z^3 + zx^7 + zxy \subset \mathbb{P}(21, 7, 2, 12)$ $\mathbb{P}(7, 1, 6)$, Diff= $(0, 0, 0, \frac{6}{7}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8
14	$zx^7 + zx^3y^5$	$t + z^3 + zx^7 + zx^3y \subset \mathbb{P}(21, 7, 2, 8)$ $\mathbb{P}(7, 1, 4)$, Diff= $(0, 0, 0, \frac{4}{5}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	16
15	$zx^6y + azx^3y^5 + bzy^9$	$t + z^3 + zx^2y + azxy^5 + bzy^9 \subset \mathbb{P}(27, 9, 8, 2)$ $\mathbb{P}(9, 4, 1)$, Diff= $(0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
16	$zx^6y + zxy^n$ $n = 7; 8$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(18n - 3, 6n - 1, 2n - 2, 10)$ $\mathbb{P}(6n - 1, n - 1, 5)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,20
17	$zx^5y^2 + zy^n$ $n = 9; 11$	$t + z^3 + zxy^2 + zy^n \subset \mathbb{P}(3n, n, 2n - 4, 2)$ $\mathbb{P}(n, n - 2, 1)$, Diff= $(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	16,20
18	$zx^5y^2 + zxy^n$ $n = 7; 9$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(15n - 6, 5n - 2, 2n - 4, 8)$ $\mathbb{P}(5n - 2, n - 2, 4)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12,16
19	$zx^5y^2 + azx^3y^5 + bzxxy^8$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(57, 19, 6, 4)$ $\mathbb{P}(19, 3, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8
20	$zx^5y^2 + zx^2y^7$	$t + z^3 + g(z, x, y) \subset \mathbb{P}(93, 31, 10, 6)$ $\mathbb{P}(31, 5, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12

2. Singularity $-t^2 + z^4 + g(z, x, y)$

1	$zx^i f_{4-i}(x, y^2)$	$t^2 + z^4 + zx^i f_{4-i}(x, y) \subset \mathbb{P}(8, 4, 3, 3)$ Diff = $(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Gamma_2$	3
2	$zx^4 + zy^n$ $n = 5; 7; 11$	$t^2 + z^4 + zx + zy \subset \mathbb{P}(2, 1, 3, 3)$ Diff = $(0, 0, \frac{3}{4}, \frac{n-1}{n}) + \frac{2}{3}\Gamma_2$	5, 8, 12
3	$zx^4 + azx^2y^5 + bzy^{10}$	$t^2 + z^4 + zx^2 + azxy + bzy^2 \subset \mathbb{P}(4, 2, 3, 3)$ Diff = $(0, 0, \frac{1}{5}, \frac{4}{5}) + \frac{2}{3}\Gamma_2$	6
4	$zx^4 + zxy^n$ $n = 4, 5; 7, 8$	$t^2 + z^4 + zx^4 + zxy \subset \mathbb{P}(8, 4, 3, 9)$ Diff = $(0, 0, 0, \frac{n-1}{n}) + \frac{2}{3}\Gamma_2$	5, 9
5	$zx^i f_{5-i}(x, y)$ $i = 1$	$t^2 + z^4 + zx^i f_{5-i}(x, y) \subset \mathbb{P}(10, 5, 3, 3)$ Diff = $\frac{2}{3}\Gamma_2$	3
6	$zx^5 + zy^7$	$t^2 + z^4 + zx + zy \subset \mathbb{P}(2, 1, 3, 3)$ Diff = $(0, 0, \frac{4}{5}, \frac{6}{7}) + \frac{2}{3}\Gamma_2$	15
7	$zx^5 + zxy^5$	$t^2 + z^4 + zx^5 + zxy \subset \mathbb{P}(10, 5, 3, 12)$ Diff = $(0, 0, 0, \frac{4}{5}) + \frac{2}{3}\Gamma_2$	6
8	$zx^5 + zx^2y^4$	$t^2 + z^4 + zx^5 + zx^2y \subset \mathbb{P}(10, 5, 3, 9)$ Diff = $(0, 0, 0, \frac{3}{4}) + \frac{2}{3}\Gamma_2$	9
9	$zx^4y + azx^2y^4 + bzy^7$	$t^2 + z^4 + zx^2y + azxy^4 + bzy^7 \subset \mathbb{P}(14, 7, 9, 3)$ Diff = $(0, 0, \frac{1}{5}, 0) + \frac{2}{3}\Gamma_2$	6
10	$zx^4y + zy^8$	$t^2 + z^4 + zxy + zy^8 \subset \mathbb{P}(16, 8, 21, 3)$ Diff = $(0, 0, \frac{3}{4}, 0) + \frac{2}{3}\Gamma_2$	12
11	$zx^4y + zxy^n$ $n = 5; 6$	$t^2 + z^4 + g(z, x, y) \subset \mathbb{P}(8n - 2, 4n - 1, 3n - 3, 9)$ Diff = $\frac{2}{3}\Gamma_2$	6, 9

3. Singularity – $t^2 + z^3x + g(z, x, y)$

1	$x^5 + xy^n$ $n = 7; 11; 13; 17; 19, 23$	$t + zx + x^5 + xy \subset \mathbb{P}(5, 4, 1, 4)$ $\mathbb{P}^2$, Diff = $(0, \frac{2}{3}, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 12, 16 18, 24
2	$x^5 + azx^3y^3 + bxy^{12} +$ $cx^3y^9 + dxy^{18}, b + d \neq 0$	$t + z^3x + g(z, x, y^{1/3}) \subset \mathbb{P}(15, 4, 3, 2)$ $\mathbb{P}(2, 3, 1)$, Diff = $(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
3	$x^5 + azxy^{2n} + bxy^{3n}$ $n = 3, 5, 7$	$t + z^3x + g(z, x, y^{1/n}) \subset \mathbb{P}(15, 4, 3, 4)$ $\mathbb{P}(1, 3, 1)$, Diff = $(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
4	$x^5 + ax^3y^n + bxy^{2n}$ $n = 5 \ b \neq 0; 7, 11$	$t + zx + x^5 + ax^3y + bxy^2 \subset \mathbb{P}(5, 4, 1, 2)$ $\mathbb{P}(2, 1, 1)$, Diff = $(0, \frac{2}{3}, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	6, 12
5	$x^5 + zxy^n$ $n = 5, 7; 9; 11, 13, 15$	$t + z^3x + x^5 + zxy \subset \mathbb{P}(15, 4, 3, 8)$ $\mathbb{P}(1, 3, 2)$, Diff = $(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 10, 16
6	$x^6 + azxy^{2n} + bxy^{3n}$ $n = 3, 4$	$t^2 + z^3x + g(z, x, y^{1/n}) \subset \mathbb{P}(9, 5, 3, 5)$ Diff = $(0, 0, 0, \frac{n-1}{n}) + \frac{4}{5}\Gamma_3$	5
7	$x^6 + xy^n$ $n = 7; 8; 11; 13, 14$	$t^2 + zx + x^6 + xy \subset \mathbb{P}(3, 5, 1, 5)$ Diff = $(0, \frac{2}{3}, 0, \frac{n-1}{n}) + \frac{4}{5}\Gamma_3$	7, 9, 12 15
8	$x^6 + zxy^n$ $n = 7; 9$	$t^2 + z^3x + x^6 + zxy \subset \mathbb{P}(9, 5, 3, 10)$ Diff = $(0, 0, 0, \frac{n-1}{n}) + \frac{4}{5}\Gamma_3$	7, 10
9	$x^5y + azxy^{2n} + bxy^{3n}$ $n = 4, 6$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(15n - 1, 4n, 3n - 1, 4)$ $\mathbb{P}(n, 3n - 1, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
10	$x^5y + ax^3y^n + bxy^{2n-1}$ $(n = 4; 6) \& b \neq 0; 10$	$t + zx + g(z, x, y) \subset \mathbb{P}(5n - 3, 4n - 2, n - 1, 2)$ $\mathbb{P}(2n - 1, n - 1, 1)$, Diff = $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4, 6, 12
11	$x^5y + xy^n$ $n = 8; 10; 14; 16; 20$	$t + zx + g(z, x, y) \subset \mathbb{P}(5n - 1, 4n, n - 1, 4)$ $\mathbb{P}(n, n - 1, 1)$, Diff = $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	9, 12, 16 18, 24

12	$x^5y + azx^3y^3 + bzy^{10} + cx^3y^8 + dxy^{15}$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(37, 10, 7, 2)$ $\mathbb{P}(5, 7, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
13	$x^5y + zxy^n$ $n = 5, 7; 9; 11, 13$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(15n - 2, 4n, 3n - 2, 8)$ $\mathbb{P}(n, 3n - 2, 2), \text{Diff} = \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 10, 16
14	$\underline{zx^5} + \underline{x^7} + xy^n$ $n = 7; 11$	$t + z^3x + g(z, x, y^{1/n}) \subset \mathbb{P}(7, 2, 1, 6)$ $\mathbb{P}(1, 1, 3), \text{Diff} = (0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	8, 12
15	$ax^{2i+1}y^{3k}f_{2-i-k}(x^2, y^3) + bx^{2j+1}y^{3l}f_{3-j-l}(x^2, y^3)$ $(k = 0 l \leq 1) \& (i = 0 j = 0)$	$t + z^3x + g(z, x, y^{1/3}) \subset \mathbb{P}(7, 2, 1, 2)$ $\mathbb{P}^2, \text{Diff} = (0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	6
16	$\underline{zx^5} + \underline{x^7} + azxy^n + bx^3y^n$ $n = 5 \ a \neq 0; 7$	$t + z^3x + g(z, x, y^{1/n}) \subset \mathbb{P}(7, 2, 1, 4)$ $\mathbb{P}(1, 1, 2), \text{Diff} = (0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	6, 8
17	$x^6y + xy^n$ $n = 7, 8; 10; 13$	$t + zx + g(z, x, y) \subset \mathbb{P}(6n - 1, 5n, n - 1, 5)$ $\mathbb{P}(n, n - 1, 1), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	10, 12, 30
18	$x^6y + azxy^{2n} + bxy^{3n}$ $n = 3, 4$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(18n - 1, 5n, 3n - 1, 5)$ $\mathbb{P}(n, 3n - 1, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	10
19	$x^6y + zxy^n$ $n = 5, 7$	$t^2 + z^3x + g(z, x, y) \subset \mathbb{P}(9n - 1, 5n, 3n - 2, 10)$ $\text{Diff} = \frac{4}{5}\Gamma_3$	5
20	$x^5y^2 + xy^n$ $n = 7; 11; 13; 17$	$t + zx + g(z, x, y) \subset \mathbb{P}(5n - 2, 4n, n - 2, 4)$ $\mathbb{P}(n, n - 2, 1), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	9, 16, 18 24
21	$x^5y^2 + ax^3y^n + bxy^{2n-2}$ $n = 5 \ b \neq 0; 9$	$t + zx + g(z, x, y) \subset \mathbb{P}(5n - 6, 4n - 4, n - 2, 2)$ $\mathbb{P}(2n - 2, n - 2, 1), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	6, 12
22	$x^5y^2 + azxy^{2n} + bxy^{3n}$ $n = 3, 5$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(15n - 2, 4n, 3n - 2, 4)$ $\mathbb{P}(n, 3n - 2, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
23	$x^5y^2 + azx^3y^3 + bzy^{8} + cx^3y^7 + dxy^{12}$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(29, 8, 5, 2)$ $\mathbb{P}(4, 5, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
24	$x^5y^2 + zxy^n$ $n = 5; 7; 9, 11$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(15n - 4, 4n, 3n - 4, 8)$ $\mathbb{P}(n, 3n - 4, 2), \text{Diff} = \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 10, 16
25	$x^8 + xy^n$ $n = 8; 10$	$t^2 + zx + x^8 + xy \subset \mathbb{P}(4, 7, 1, 7)$ $\text{Diff} = (0, \frac{2}{3}, 0, \frac{n-1}{n}) + \frac{6}{7}\Gamma_3$	9, 21
26	$x^8 + azxy^6 + bxy^9$	$t^2 + z^3x + x^8 + azxy^2 + bxy^3 \subset \mathbb{P}(12, 7, 3, 7)$ $\text{Diff} = (0, 0, 0, \frac{2}{3}) + \frac{6}{7}\Gamma_3$	7
27	$x^8 + zxy^5$	$t^2 + z^3x + x^8 + zxy \subset \mathbb{P}(12, 7, 3, 14)$ $\text{Diff} = (0, 0, 0, \frac{4}{5}) + \frac{6}{7}\Gamma_3$	7
28	$x^7y + azx^3y^3 + xy^8$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(55, 16, 7, 6)$ $\mathbb{P}(8, 7, 3), \text{Diff} = \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
29	$\underline{x^7y} + \underline{zx^4y^2} + azxy^6 + bx^4y^5 + cxy^9$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(31, 9, 4, 3)$ $\mathbb{P}(3, 4, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
30	$\underline{x^7y} + \underline{x^5y^4} + ax^3y^7 + bxy^{10}$	$t + zx + g(z, x, y) \subset \mathbb{P}(23, 20, 3, 2)$ $\mathbb{P}(10, 3, 1), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	12
31	$x^7y + zxy^n$ $n = 5; 7$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(21n - 2, 6n, 3n - 2, 12)$ $\mathbb{P}(n, 3n - 2, 2), \text{Diff} = \frac{1}{2}\Gamma + \frac{11}{12}\Gamma_3$	12, 24
32	$x^6y^2 + xy^n$ $n = 8; 10; 11$	$t^2 + zx + g(z, x, y) \subset \mathbb{P}(3n - 1, 5n, n - 2, 5)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{4}{5}\Gamma_3$	9, 12, 15
33	$x^6y^2 + azxy^6 + bxy^9$	$t^2 + z^3x + g(z, x, y) \subset \mathbb{P}(26, 15, 7, 5)$	5

		$\text{Diff}=\frac{4}{5}\Gamma_3$	
34	$x^6y^2 + zxy^n$ $n = 5; 7$	$t^2 + z^3x + g(z, x, y) \subset \mathbb{P}(9n - 2, 5n, 3n - 4, 10)$ $\text{Diff}=\frac{4}{5}\Gamma_3$	7,10
35	$x^5y^3 + xy^n$ $n = 8; 10; 14$	$t + zx + g(z, x, y) \subset \mathbb{P}(5n - 3, 4n, n - 3, 4)$ $\mathbb{P}(n, n - 3, 1), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	12,16,24
36	$x^5y^3 + azxy^8 + bxy^{12}$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(57, 16, 9, 4)$ $\mathbb{P}(4, 9, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
37	$x^5y^3 + ax^3y^8 + bxy^{13}$	$t + zx + g(z, x, y) \subset \mathbb{P}(31, 26, 5, 2)$ $\mathbb{P}(13, 5, 1), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	12
38	$x^5y^3 + zxy^n$ $n = 5; 7$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(15n - 6, 4n, 3n - 6, 8)$ $\mathbb{P}(n, 3n - 6, 2), \text{Diff}=\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8,10
39	$x^5y^3 + zxy^9$	$t + z^3x + x^5y + zxy^3 \subset \mathbb{P}(43, 12, 7, 8)$ $\mathbb{P}(3, 7, 2), \text{Diff}=(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	16
40	$x^9 + azxy^6 + bxy^9$	$t + z^3x + x^9 + azxy^2 + bxy^3 \subset \mathbb{P}(27, 8, 3, 8)$ $\mathbb{P}(1, 3, 1), \text{Diff}=(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{15}{16}\Gamma_3$	16
41	$x^9 + x^3y^7$	$t + zx + x^9 + x^3y \subset \mathbb{P}(9, 8, 1, 6)$ $\mathbb{P}(4, 1, 3), \text{Diff}=(0, \frac{2}{3}, 0, \frac{6}{7}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	36
42	$x^8y + azxy^6 + bxy^9$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(71, 21, 8, 7)$ $\mathbb{P}(3, 8, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{13}{14}\Gamma_3$	14
43	$x^7y^2 + azxy^6 + bxy^9$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(61, 18, 7, 6)$ $\mathbb{P}(3, 7, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{11}{12}\Gamma_3$	12
44	$x^7y^2 + x^3y^7$	$t + zx + g(z, x, y) \subset \mathbb{P}(43, 38, 5, 4)$ $\mathbb{P}(19, 5, 2), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	24
45	$\underline{zx^6} + \underline{x^6y^3} + azxy^6 + bxy^9$	$t + z^3x + g(z, x, y^{1/3}) \subset \mathbb{P}(17, 5, 2, 5)$ $\mathbb{P}(1, 2, 1), \text{Diff}=(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	10
46	$x^6y^3 + xy^{10}$	$t + zx + g(z, x, y) \subset \mathbb{P}(57, 50, 7, 5)$ $\mathbb{P}(10, 7, 1), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	30
47	$\underline{zx^5y} + \underline{x^5y^4} + azxy^6 + bxy^9$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(41, 12, 5, 4)$ $\mathbb{P}(3, 5, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
48	$x^5y^4 + xy^{11}$	$t + zx + g(z, x, y) \subset \mathbb{P}(51, 44, 7, 4)$ $\mathbb{P}(11, 7, 1), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	24
49	$x^5y^4 + zxy^7$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(97, 28, 13, 8)$ $\mathbb{P}(7, 13, 2), \text{Diff}=\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	16
50	$zx^4 + xy^n$ $n = 7; 11; 13; 17$	$t + z^3x + zx^4 + xy \subset \mathbb{P}(11, 3, 2, 9)$ $\mathbb{P}(1, 2, 3), \text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	7,12,14 18
51	$zx^4 + azxy^8 + bx^4y^4 + cxy^{12}$	$t^2 + z^3x + g(z, x, y^{1/2}) \subset \mathbb{P}(11, 6, 4, 3)$ $\text{Diff}=(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Gamma_3$	3
52	$zx^4 + xy^{2n}$ $n = 4, 5; 7, 8$	$t^2 + z^3x + zx^4 + xy^2 \subset \mathbb{P}(11, 6, 4, 9)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{2}{3}\Gamma_3$	5,9
53	$zx^4 + azxy^{10} + bx^4y^5 + cxy^{15}$	$t + z^3x + g(z, x, y^{1/5}) \subset \mathbb{P}(11, 3, 2, 3)$ $\mathbb{P}(1, 2, 1), \text{Diff}=(0, 0, 0, \frac{4}{5}) + \frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
54	$zx^if_{4-i}(x, y^3)$	$t + z^3x + zx^if_{4-i}(x, y) \subset \mathbb{P}(11, 3, 2, 2)$ $\mathbb{P}(3, 1, 1), \text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
55	$zx^4 + zy^n$	$t + z^3x + zx^4 + zy \subset \mathbb{P}(11, 3, 2, 8)$	5,8,10

	$n = 5; 7; 9; 11; 13, 15$	$\mathbb{P}(3, 1, 4), \text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12,16
56	$zx^4 + azx^2y^n + bzy^{2n}$ $n = 3 \ b \neq 0; 5, 7$	$t + z^3x + g(z, x, y^{1/n}) \subset \mathbb{P}(11, 3, 2, 4)$ $\mathbb{P}(3, 1, 2), \text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4,8
57	$zx^4 + zxy^n$ $n = 5; 7; 11$	$t + z^3x + zx^4 + zxy \subset \mathbb{P}(11, 3, 2, 6)$ $\mathbb{P}^2, \text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_3$	6,8,12
58	$zx^4y + xy^{2n+1}$ $n = 3; 5, 6$	$t^2 + z^3x + g(z, x, y) \subset \mathbb{P}(11n + 4, 6n + 3, 4n - 1, 9)$ $\text{Diff}=\frac{2}{3}\Gamma_3$	5,9
59	$zx^4y + xy^n$ $n = 8; 10; 14$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(11n - 3, 3n, 2n - 3, 9)$ $\mathbb{P}(n, 2n - 3, 3), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	10,12,18
60	$zx^4y + azxy^6 + bx^4y^4 + cxy^9$	$t^2 + z^3x + g(z, x, y) \subset \mathbb{P}(16, 9, 5, 3)$ $\text{Diff}=\frac{2}{3}\Gamma_3$	3
61	$zx^4y + azxy^8 + bx^4y^5 + cxy^{12}$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(43, 12, 7, 3)$ $\mathbb{P}(4, 7, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
62	$zx^4y + zxy^n$ $n = 6; 8; 10; 12$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(11n + 1, 3n + 1, 2n - 2, 8)$ $\mathbb{P}(3n + 1, n - 1, 4), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,10,12 16
63	$zx^4y + azx^2y^n + bzy^{2n-1}$ $n = 4 \& b \neq 0; 6$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(11n - 5, 3n - 1, 2n - 2, 4)$ $\mathbb{P}(3n - 1, n - 1, 2), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4,8
64	$zyx^i f_{4-i}(x, y^2)$	$t + z^3x + zx^i f_{4-i}(x, y) \subset \mathbb{P}(25, 7, 4, 2)$ $\mathbb{P}(7, 2, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
65	$zx^4y + zxy^n$ $n = 5; 9$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(11n - 2, 3n, 2n - 2, 6)$ $\mathbb{P}(n, n - 1, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_3$	6,12
66	$zx^6 + xy^8$	$t^2 + z^3x + zx^6 + xy^2 \subset \mathbb{P}(17, 10, 4, 15)$ $\text{Diff}=(0, 0, 0, \frac{3}{4}) + \frac{4}{5}\Gamma_3$	5
67	$zx^i(x+y)^j y^k f_{6-i}(x, y)$ $i \leq 1 \& j \leq 2 \& k \leq 2$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(17, 5, 2, 2)$ $\mathbb{P}(5, 1, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
68	$zx^6 + zy^7$	$t + z^3x + zx^6 + zy \subset \mathbb{P}(17, 5, 2, 12)$ $\mathbb{P}(5, 1, 6), \text{Diff}=(0, 0, 0, \frac{6}{7}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8
69	$zx^6 + zx^2y^5$	$t + z^3x + zx^6 + zx^2y \subset \mathbb{P}(17, 5, 2, 8)$ $\mathbb{P}(5, 1, 4), \text{Diff}=(0, 0, 0, \frac{4}{5}) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	16
70	$zx^5y + xy^n$ $n = 8; 10$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(14n - 3, 4n, 2n - 3, 12)$ $\mathbb{P}(n, 2n - 3, 3), \text{Diff}=\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	10,24
71	$zx^5y + x^3y^7$	$t + z^3x + zx^5y + x^3y^7 \subset \mathbb{P}(89, 26, 11, 8)$ $\mathbb{P}(13, 11, 4), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	16
72	$zx^5y + zy^n$ $n = 7; 8$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(14n + 1, 4n + 1, 2n - 2, 10)$ $\mathbb{P}(4n + 1, n - 1, 5), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8,20
73	$zx^5y + zx^2y^5$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(65, 19, 8, 6)$ $\mathbb{P}(19, 4, 3), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
74	$zx^4y^2 + xy^8$	$t^2 + z^3x + g(z, x, y) \subset \mathbb{P}(41, 24, 10, 9)$ $\text{Diff}=\frac{2}{3}\Gamma_3$	5
75	$zx^4y^2 + xy^{10}$	$t^2 + z^3x + zx^4y + xy^5 \subset \mathbb{P}(26, 15, 7, 9)$ $\text{Diff}=(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Gamma_3$	9
76	$zx^4y^2 + xy^{11}$	$t + z^3x + zx^4y^2 + xy^{11} \subset \mathbb{P}(115, 33, 16, 9)$ $\mathbb{P}(11, 16, 3), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	18
77	$zx^4y^2 + zy^n$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(11n + 2, 3n + 2, 2n - 4, 8)$	12,16

	$n = 7; 9$	$\mathbb{P}(3n+2, n-2, 4), \text{Diff}=\frac{1}{2}\Gamma+\frac{3}{4}\Gamma_2$	
78	$zx^4y^2 + azx^2y^5 + bzy^8$	$t + z^3x + g(z, x, y) \subset \mathbb{P}(45, 13, 6, 4)$ $\mathbb{P}(13, 3, 2), \text{Diff}=\frac{1}{2}\Gamma+\frac{3}{4}\Gamma_2$	8
79	$zx^4y^2 + zxy^7$	$t + z^3x + zx^4y^2 + zxy^7 \subset \mathbb{P}(73, 21, 10, 6)$ $\mathbb{P}(7, 5, 1), \text{Diff}=\frac{1}{2}\Gamma+\frac{3}{4}\Gamma_2+\frac{5}{6}\Gamma_3$	12

4. Singularity $-t^2 + z^3y + g(z, x, y)$

1	$x^7y + y^n$ $n = 9; 11; 17; 21$	$t + zy + xy + y^n \subset \mathbb{P}(n, n-1, n-1, 1)$ $\mathbb{P}^2, \text{Diff}=(0, \frac{2}{3}, \frac{6}{7}, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	16,21,36 42
2	$x^7y + azy^{4n+3} + by^{6n+4}$ $n = 1, 2$	$t^2 + z^3y + g(z, x^{1/7}, y) \subset \mathbb{P}(3n+2, 2n+1, 6n+3, 1)$ $\text{Diff}=(0, 0, \frac{6}{7}, 0) + \frac{2n}{2n+1}\Gamma_4$	7
3	$x^7y + y^{2n}$ $n = 6, 7; 9, 10$	$t^2 + zy + xy + y^{2n} \subset \mathbb{P}(n, 2n-1, 2n-1, 1)$ $\text{Diff}=(0, \frac{2}{3}, \frac{6}{7}, 0) + \frac{2n-2}{2n-1}\Gamma_4$	15,21
4	$x^7y + azy^{2n+1} + by^{3n+1}$ $n = 4; 6$	$t + z^3y + g(z, x^{1/7}, y) \subset \mathbb{P}(3n+1, n, 3n, 1)$ $\mathbb{P}(1, 3, 1), \text{Diff}=(0, 0, \frac{6}{7}, 0) + \frac{1}{2}\Gamma + \frac{2n-1}{2n}\Gamma_4$	8,14
5	$yx^7f_{7-i}(x, y^2)$	$t + zy + yx^7f_{7-i}(x, y^2) \subset \mathbb{P}(15, 14, 2, 1)$ $\mathbb{P}(7, 1, 1), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	6
6	$x^7y + xy^n$ $n = 8; 12; 14; 18$	$t + zy + x^7y + xy^n \subset \mathbb{P}(7n-1, 7n-7, n-1, 6)$ $\mathbb{P}(7, 1, 6), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	15,22,30 36
7	$x^7y + ax^4y^n + bxy^{2n-1}$ $n = 5; 9$	$t + zy + g(z, x, y) \subset \mathbb{P}(7n-4, 7n-7, n-1, 3)$ $\mathbb{P}(7, 1, 3), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	12,18
8	$x^7y + ax^4y^{2n} + bxy^{4n-1}$ $n = 3, 4$	$t^2 + zy + g(z, x, y) \subset \mathbb{P}(7n-2, 14n-7, 2n-1, 3)$ $\mathbb{P}(7, 1, 3), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{2n-2}{2n-1}\Gamma_4$	9
9	$x^7y + ax^5y^6 + bx^3y^{11} + cxy^{16}$	$t + zy + g(z, x, y) \subset \mathbb{P}(37, 35, 5, 2)$ $\mathbb{P}(7, 1, 2), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_4$	12
10	$x^7y + azx^3y^n + bx^2y^{3n-2}$ $n = 3 \text{ } b \neq 0; 5$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(21n-16, 7n-7, 3n-3, 5)$ $\mathbb{P}(7, 3, 5), \text{Diff}=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	4,10
11	$x^7y + x^2y^{2n}$ $n = 4; 6, 7$	$t^2 + zy + g(z, x, y) \subset \mathbb{P}(7n-1, 14n-7, 2n-1, 5)$ $\text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{2n-2}{2n-1}\Gamma_4$	9,15
12	$x^7y + x^2y^n$ $n = 9; 15$	$t + zy + g(z, x, y) \subset \mathbb{P}(7n-2, 7n-7, n-1, 5)$ $\mathbb{P}(7, 1, 5), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	16,30
13	$x^7y + azx^3y^4 + bx^2y^{10}$	$t^2 + z^3y + g(z, x, y) \subset \mathbb{P}(34, 21, 9, 5)$ $\text{Diff}=\frac{2}{3}\Gamma_4$	5
14	$x^7y + x^3y^n$ $n = 6; 8; 12$	$t + zy + g(z, x, y) \subset \mathbb{P}(7n-3, 7n-7, n-1, 4)$ $\mathbb{P}(7, 1, 4), \text{Diff}=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,18,24
15	$x^7y + azx^2y^7 + bx^3y^{10}$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(67, 21, 9, 4)$ $\mathbb{P}(7, 3, 4), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_4$	8
16	$x^7y + zy^n$ $n = 6; 10, 12; 14$	$t + z^3y + xy + zy^n \subset \mathbb{P}(3n-1, n-1, 3n-3, 2)$ $\mathbb{P}(1, 3, 2), \text{Diff}=(0, 0, \frac{6}{7}, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,22,28
17	$x^7y + zxy^n$ $n = 5; 7, 9; 11$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(21n-10, 7n-7, 3n-3, 11)$ $\mathbb{P}(7, 3, 11), \text{Diff}=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	8,16,22
18	$x^7y + zxy^{2n}$ $n = 3; 4, 5$	$t^2 + z^3y + g(z, x, y) \subset \mathbb{P}(21n-5, 14n-7, 6n-3, 11)$ $\text{Diff}=\frac{2n-2}{2n-1}\Gamma_4$	5,11
19	$x^7y + zx^2y^n$ $n = 4, 6; 8$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(21n-13, 7n-7, 3n-3, 8)$ $\mathbb{P}(7, 3, 8), \text{Diff}=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,16

20	$x^8y + az^7y^7 + by^{10}$	$t^2 + z^3y + xy + az^7y^7 + by^{10} \subset \mathbb{P}(5, 3, 9, 1)$ Diff $=(0, 0, \frac{7}{8}, 0) + \frac{2}{3}\Gamma_4$	8
21	$x^8y + ax^4y^6 + by^{11}$	$t^2 + zy + x^4y + ax^2y^6 + by^{11} \subset \mathbb{P}(11, 20, 5, 2)$ Diff $=(0, \frac{2}{3}, \frac{1}{2}, 0) + \frac{4}{5}\Gamma_4$	12
22	$x^8y + y^{12}$	$t^2 + zy + xy + y^{12} \subset \mathbb{P}(6, 11, 11, 1)$ Diff $=(0, \frac{2}{3}, \frac{7}{8}, 0) + \frac{10}{11}\Gamma_4$	24
23	$x^8y + xy^n$ $n = 9; 11$	$t + zy + g(z, x, y) \subset \mathbb{P}(8n - 1, 8n - 8, n - 1, 7)$ $\mathbb{P}(8, 1, 7)$, Diff $=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	18, 42
24	$x^8y + azx^3y^4 + bxy^{10}$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(79, 24, 9, 7)$ $\mathbb{P}(8, 3, 7)$, Diff $=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_4$	14
25	$x^8y + x^2y^8$	$t^2 + zy + x^8y + x^2y^8 \subset \mathbb{P}(31, 56, 7, 6)$ Diff $=(0, \frac{2}{3}, 0, 0) + \frac{6}{7}\Gamma_4$	9
26	$x^8y + ax^5y^5 + bx^2y^9$	$t + zy + g(z, x, y) \subset \mathbb{P}(35, 32, 4, 3)$ $\mathbb{P}(8, 1, 3)$, Diff $=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	18
27	$x^8y + azx^2y^5 + bx^3y^7$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(53, 16, 6, 5)$ $\mathbb{P}(8, 3, 5)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	10
28	$x^8y + x^3y^8$	$t + zy + x^8y + x^3y^8 \subset \mathbb{P}(61, 56, 7, 5)$ $\mathbb{P}(8, 1, 5)$, Diff $=(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{13}{14}\Gamma_4$	30
29	$x^8y + zy^8$	$t^2 + z^3y + x^2y + zy^8 \subset \mathbb{P}(23, 14, 21, 4)$ Diff $=(0, 0, \frac{3}{4}, 0) + \frac{6}{7}\Gamma_4$	16
30	$x^8y + zxy^n$ $n = 6; 7$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(24n - 11, 8n - 8, 3n - 3, 13)$ $\mathbb{P}(8, 3, 13)$, Diff $=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10, 26
31	$zx^5 + zy^n$ $n = 6; 8; 12; 14$	$t + z^3y + zx + zy^n \subset \mathbb{P}(3n - 1, n - 1, 2n, 2)$ $\mathbb{P}(n - 1, n, 1)$, Diff $=(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8, 10, 16 20
32	$zx^i f_{5-i}(x, y^2)$	$t + z^3y + zx^i f_{5-i}(x, y^2) \subset \mathbb{P}(29, 9, 4, 2)$ $\mathbb{P}(9, 2, 1)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
33	$zx^5 + zxy^n$ $n = 5; 7, 9; 11$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 4, 5n - 4, 2n, 8)$ $\mathbb{P}(5n - 4, n, 4)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	6, 12, 16
34	$zx^5 + azx^3y^n + bzy^{2n}$ $n = 3 \text{ } b \neq 0; 5$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 2, 5n - 2, 2n, 4)$ $\mathbb{P}(5n - 2, n, 2)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4, 8
35	$zx^5 + zx^2y^n$ $n = 4; 8$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 3, 5n - 3, 2n, 6)$ $\mathbb{P}(5n - 3, n, 3)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8, 12
36	$zx^6 + azx^3y^4 + bzy^8$	$t + z^3y + zx^2 + azxy^4 + bzy^8 \subset \mathbb{P}(23, 7, 8, 2)$ $\mathbb{P}(7, 4, 1)$, Diff $=(0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
37	$zx^6 + zxy^n$ $n = 6; 7$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(18n - 5, 6n - 5, 2n, 10)$ $\mathbb{P}(6n - 5, n, 5)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8, 20
38	$zx^5y + y^n$ $n = 9; 15$	$t + z^3y + zxy + y^n \subset \mathbb{P}(3n, n - 1, 2n - 2, 3)$ $\mathbb{P}(1, 2, 3)$, Diff $=(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	16, 30
39	$zx^5y + az^7y^7 + bx^5y^4 + cy^{10}, a + c \neq 0$	$t^2 + z^3y + g(z, x^{1/5}, y) \subset \mathbb{P}(5, 3, 6, 1)$ Diff $=(0, 0, \frac{4}{5}, 0) + \frac{2}{3}\Gamma_4$	5
40	$zx^5y + azx^2y^5 + bx^6y^3 + cx^3y^7 + dy^{11}$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(33, 10, 4, 3)$ $\mathbb{P}(5, 2, 3)$, Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	6
41	$zx^5y + y^{2n}$ $n = 6; 7$	$t^2 + z^3y + zxy + y^{2n} \subset \mathbb{P}(3n, 2n - 1, 4n - 2, 3)$ Diff $=(0, 0, \frac{4}{5}, 0) + \frac{2n-2}{2n-1}\Gamma_4$	11, 15

42	$zx^5y + az^9y^9 + bx^5y^5 + cy^{13}$	$t + z^3y + g(z, x^{1/5}, y) \subset \mathbb{P}(13, 4, 8, 1)$ $\mathbb{P}(1, 2, 1)$, Diff= $(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	10
43	$zx^5y + xy^{2n}$ $n = 4, 5; 6$	$t^2 + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 1, 10n - 5, 4n - 2, 13)$ Diff= $\frac{2n-2}{2n-1}\Gamma_4$	9,13
44	$zx^5y + xy^n$ $n = 9; 11; 13$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 2, 5n - 5, 2n - 2, 13)$ $\mathbb{P}(5, 2, 13)$, Diff= $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	16,22,26
45	$zx^5y + x^2y^n$ $n = 7; 9; 11$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 4, 5n - 5, 2n - 2, 11)$ $\mathbb{P}(5, 2, 11)$, Diff= $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	12,18,22
46	$zx^5y + x^2y^{2n}$ $n = 4; 5$	$t^2 + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 2, 10n - 5, 4n - 2, 11)$ Diff= $\frac{2n-2}{2n-1}\Gamma_4$	7,11
47	$zx^5y + x^3y^{2n}$ $n = 3; 4$	$t^2 + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 3, 10n - 5, 4n - 2, 9)$ Diff= $\frac{2n-2}{2n-1}\Gamma_4$	5,9
48	$zx^5y + x^3y^9$	$t + z^3y + zx^5y + x^3y^9 \subset \mathbb{P}(129, 40, 16, 9)$ $\mathbb{P}(5, 2, 9)$, Diff= $\frac{1}{2}\Gamma + \frac{15}{16}\Gamma_4$	18
49	$zx^5y + x^4y^n$ $n = 5; 7$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 8, 5n - 5, 2n - 2, 7)$ $\mathbb{P}(5, 2, 7)$, Diff= $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,14
50	$zx^5y + x^4y^6$	$t^2 + z^3y + zx^5y + x^4y^6 \subset \mathbb{P}(41, 25, 10, 7)$ Diff= $\frac{4}{5}\Gamma_4$	7
51	$zx^5y + zy^n$ $n = 8; 10$	$t + z^3y + zxy + zy^n \subset \mathbb{P}(3n - 1, n - 1, 2n - 2, 2)$ $\mathbb{P}^2$, Diff= $(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{2n-3}{2n-2}\Gamma_4$	16,20
52	$zx^5y + zxy^n$ $n = 6; 8$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(15n - 7, 5n - 5, 2n - 2, 8)$ $\mathbb{P}(5, 1, 4)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{2n-3}{2n-2}\Gamma_4$	12,16
53	$zx^5y + azx^3y^4 + bzy^7$	$t + z^3y + g(z, x, y) \subset \mathbb{P}(49, 15, 6, 4)$ $\mathbb{P}(5, 1, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_4$	8
54	$zx^5y + zx^2y^6$	$t + z^3y + zx^5y + zx^2y^6 \subset \mathbb{P}(81, 25, 10, 6)$ $\mathbb{P}(5, 1, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{9}{10}\Gamma_4$	12

5. Singularity $-t^2 + g_5 + g(z, x, y)$.

1	$z^5 + zx^if_{5-i}(x, y)$	$t + z^5 + zx^if_{5-i}(x, y) \subset \mathbb{P}(25, 5, 4, 4)$ $\mathbb{P}(5, 1, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_2$	8
2	$z^5 + zx^3y^2 + az^3y^3 + bzy^6$	$t + z^5 + zxy^2 + az^3y^3 + bzy^6 \subset \mathbb{P}(15, 3, 8, 2)$ $\mathbb{P}(3, 4, 1)$, Diff= $(0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
3	$z^5 + zx^3y^2 + zy^7$	$t + z^5 + zxy^2 + zy^7 \subset \mathbb{P}(35, 7, 20, 4)$ $\mathbb{P}(7, 5, 1)$, Diff= $(0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_2$	24
4	$z^5 + zx^3y^2 + zxy^5$	$t + z^5 + zx^3y^2 + zxy^5 \subset \mathbb{P}(65, 13, 12, 8)$ $\mathbb{P}(13, 3, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_2$	16
5	$z^4x + x^6 + az^2xy^3 + bxy^6$	$t^2 + z^2x + x^6 + azxy + bxy^2 \subset \mathbb{P}(6, 5, 2, 5)$ Diff= $(0, \frac{1}{2}, 0, \frac{2}{3}) + \frac{4}{5}\Gamma_3$	10
6	$z^4x + x^6 + zxy^4$	$t^2 + z^4x + x^6 + zxy \subset \mathbb{P}(12, 5, 4, 15)$ Diff= $(0, 0, 0, \frac{3}{4}) + \frac{4}{5}\Gamma_3$	5
7	$z^4x + x^5y + \frac{zx^3y^2}{az^2xy^3 + bxy^6}$	$t + z^4x + g(z, x, y) \subset \mathbb{P}(29, 6, 5, 4)$ $\mathbb{P}(3, 5, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	8
8	$z^4x + x^5y + zxy^n$ $n = 4; 5$	$t + z^4x + x^5y + zxy^n \subset \mathbb{P}(20n - 3, 4n, 4n - 3, 12)$ $\mathbb{P}(n, 4n - 3, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	10,24
9	$z^4x + x^4y^2 + az^2xy^3 +$	$t^2 + z^2x + x^4y^2 + azxy^3 + bxy^6 \subset \mathbb{P}(11, 9, 4, 3)$	6

	$bx y^6$	$\text{Diff}=(0, \frac{1}{2}, 0, 0)+\frac{2}{3}\Gamma_3$	
10	$z^4x + x^4y^2 + xy^7$	$t^2 + zx + x^4y^2 + xy^7 \subset \mathbb{P}(13, 21, 5, 3)$ $\text{Diff}=(0, \frac{3}{4}, 0, 0)+\frac{2}{3}\Gamma_3$	12
11	$z^4x + x^4y^2 + zxy^n$ $n = 4; 5$	$t^2 + z^4x + g(z, x, y) \subset \mathbb{P}(8n - 3, 3n, 4n - 6, 9)$ $\text{Diff}=\frac{2}{3}\Gamma_3$	5,9
12	$z^4x + zx^5 + az^2xy^3 + bxy^6$	$t + z^4x + zx^5 + az^2xy + bxy^2 \subset \mathbb{P}(19, 4, 3, 8)$ $\mathbb{P}(1, 3, 2), \text{Diff}=(0, 0, 0, \frac{2}{3})+\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	16
13	$z^4x + zx^i y^j f_{5-i-j}(x, y)$ $i \leq 1 \ \& \ j \leq 2$	$t + z^4x + zx^i y^j f_{5-i-j}(x, y) \subset \mathbb{P}(19, 4, 3, 3)$ $\mathbb{P}(4, 1, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	6
14	$z^4x + zx^4y + az^2xy^3 + bxy^6$	$t + z^4x + g(z, x, y) \subset \mathbb{P}(43, 9, 7, 6)$ $\mathbb{P}(3, 7, 2), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	12
15	$z^4x + zx^4y + zy^6$	$t + z^4x + zx^4y + zy^6 \subset \mathbb{P}(91, 19, 15, 12)$ $\mathbb{P}(19, 5, 4), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	24
16	$z^4x + zx^3y^2 + xy^7$	$t + z^4x + zx^3y^2 + xy^7 \subset \mathbb{P}(69, 14, 13, 8)$ $\mathbb{P}(7, 13, 4), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	16
17	$z^4x + zx^3y^2 + zy^6$	$t^2 + z^4x + zx^3y + zy^3 \subset \mathbb{P}(17, 7, 6, 9)$ $\text{Diff}=(0, 0, 0, \frac{1}{2})+\frac{2}{3}\Gamma_2$	9
18	$z^4x + zx^3y^2 + zy^7$	$t + z^4x + zx^3y^2 + zy^7 \subset \mathbb{P}(79, 16, 15, 9)$ $\mathbb{P}(16, 5, 3), \text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	18
19	$z^4x + zx^3y^2 + zxy^5$	$t + z^4x + zx^3y^2 + zxy^5 \subset \mathbb{P}(49, 10, 9, 6)$ $\mathbb{P}(5, 3, 1), \text{Diff}=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2 + \frac{3}{4}\Gamma_3$	12
20	$z^4y + x^5y + az^2y^4 + by^7$	$t^2 + z^4y + xy + az^2y^4 + by^7 \subset \mathbb{P}(7, 3, 12, 2)$ $\text{Diff}=(0, 0, \frac{4}{5}, 0)+\frac{2}{3}\Gamma_4$	5
21	$z^4y + x^5y + y^{2n}$ $n = 4; 5$	$t^2 + zy + xy + y^{2n} \subset \mathbb{P}(n, 2n - 1, 2n - 1, 1)$ $\text{Diff}=(0, \frac{3}{4}, \frac{4}{5}, 0)+\frac{2n-2}{2n-1}\Gamma_4$	16,20
22	$z^4y + x^5y + ay^5 f_2(z, y^2)$	$t + z^4y + xy + ay^5 f_2(z, y^2) \subset \mathbb{P}(9, 2, 8, 1)$ $\mathbb{P}(1, 4, 1), \text{Diff}=(0, 0, \frac{4}{5}, 0)+\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	10
23	$z^4y + x^5y + xy^n$ $n = 6; 8$	$t^2 + z^2y + g(z, x, y) \subset \mathbb{P}(5n - 1, 5n - 5, 2n - 2, 8)$ $\text{Diff}=(0, \frac{1}{2}, 0, 0)+\frac{n-2}{n-1}\Gamma_4$	12,16
24	$z^4y + x^5y + ax^3y^4 + bxy^7$	$t^2 + z^2y + g(x, y) \subset \mathbb{P}(17, 15, 6, 4)$ $\text{Diff}=(0, \frac{1}{2}, 0, 0)+\frac{2}{3}\Gamma_4$	8
25	$z^4y + x^5y + x^2y^6$	$t^2 + zy + x^5y + x^2y^6 \subset \mathbb{P}(14, 25, 5, 3)$ $\text{Diff}=(0, \frac{3}{4}, 0, 0)+\frac{4}{5}\Gamma_4$	12
26	$z^4y + x^5y + zy^n$ $n = 5; 8$	$t + z^4y + xy + zy^n \subset \mathbb{P}(4n - 1, n - 1, 4n - 4, 3)$ $\mathbb{P}(1, 4, 3), \text{Diff}=(0, 0, \frac{4}{5}, 0)+\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,30
27	$z^4y + x^5y + zxy^n$ $n = 4; 5; 6$	$t + z^4y + g(z, x, y) \subset \mathbb{P}(20n - 9, 5n - 5, 4n - 4, 11)$ $\mathbb{P}(5, 4, 11), \text{Diff}=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	6,18,22
28	$z^4y + x^5y + zx^2y^n$ $n = 3; 4$	$t + z^4y + g(z, x, y) \subset \mathbb{P}(20n - 13, 5n - 5, 4n - 4, 7)$ $\mathbb{P}(5, 4, 7), \text{Diff}=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,14
29	$z^4y + zx^5 + zy^6$	$t + z^4y + zx + zy^6 \subset \mathbb{P}(23, 5, 18, 3)$ $\mathbb{P}(5, 6, 1), \text{Diff}=(0, 0, \frac{4}{5}, 0)+\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	30
30	$z^4y + zx^4y + az^2y^4 + by^7$	$t^2 + z^4y + zxy + az^2y^4 + by^7 \subset \mathbb{P}(7, 3, 9, 2)$ $\text{Diff}=(0, 0, \frac{3}{4}, 0)+\frac{2}{3}\Gamma_4$	8
31	$z^4y + zx^4y + y^8$	$t^2 + z^4y + zxy + y^8 \subset \mathbb{P}(16, 7, 21, 4)$	16

		Diff=(0, 0, $\frac{3}{4}$, 0) + $\frac{6}{7}\Gamma_4$	
32	$z^4y + zx^4y + xy^n$ $n = 6; 7$	$t + z^4y + g(z, x, y) \subset \mathbb{P}(16n - 3, 4n - 4, 3n - 3, 13)$ $\mathbb{P}(4, 3, 13)$, Diff = $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10, 26
33	$z^4y + zx^4y + az^2xy^3 +$ $+bx^2y^5$	$t + z^4y + g(z, x, y) \subset \mathbb{P}(37, 8, 6, 5)$ $\mathbb{P}(4, 3, 5)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	10
34	$z^4y + zx^4y + x^3y^4$	$t + z^4y + zx^4y + x^3y^4 \subset \mathbb{P}(55, 12, 9, 7)$ $\mathbb{P}(4, 3, 7)$, Diff = $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_4$	14
35	$z^4y + zx^4y + zy^6$	$t^2 + z^4y + zx^2y + zy^6 \subset \mathbb{P}(23, 10, 15, 6)$ Diff=(0, 0, $\frac{1}{2}$, 0) + $\frac{2}{3}\Gamma_2 + \frac{4}{5}\Gamma_4$	12
36	$z^4y + zx^4y + zxy^5$	$t + z^4y + zx^4y + zxy^5 \subset \mathbb{P}(73, 16, 12, 9)$ $\mathbb{P}(4, 1, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2 + \frac{7}{8}\Gamma_4$	18
37	$z^3x^2 + zx^iy^jf_{5-i-j}(x, y)$ $i \leq 1 \ \& \ j \leq 2$	$t + z^3x^2 + g(z, x, y) \subset \mathbb{P}(13, 3, 2, 2)$ $\mathbb{P}(3, 1, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
38	$z^3xy + zx^i(x+y)^jf_{5-i-j}(x, y)$, $i \leq 1 \ \& \ j \leq 2$	$t + z^3x^2 + g(z, x, y) \subset \mathbb{P}(13, 3, 2, 2)$ $\mathbb{P}(3, 1, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4
39	$z^3x^2 + zx^5 + zxy^5$	$t + z^3x^2 + zx^5 + zxy \subset \mathbb{P}(13, 3, 2, 8)$ $\mathbb{P}(3, 1, 4)$, Diff=(0, 0, 0, $\frac{4}{5}$) + $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	16
40	$z^3x^2 + zx^4y + zxy^5$	$t + z^3x^2 + zx^4y + zxy^5 \subset \mathbb{P}(49, 11, 8, 6)$ $\mathbb{P}(11, 4, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
41	$z^3x^2 + zx^3y^2 + zy^7$	$t + z^3x^2 + zx^3y^2 + zy^7 \subset \mathbb{P}(53, 11, 10, 6)$ $\mathbb{P}(11, 5, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
42	$z^3x^2 + zx^3y^2 + az^3y^3 +$ $+bzxy^5$	$t + z^3x^2 + zx^3y^2 + az^3y^3 + zxy^5 \subset \mathbb{P}(33, 7, 6, 4)$ $\mathbb{P}(7, 3, 2)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8
43	$z^3y^2 + zx^5 + zy^n$ $n = 7; 9$	$t + z^3y^2 + zx + zy^n \subset \mathbb{P}(3n - 2, n - 2, 2n, 2)$ $\mathbb{P}(n - 2, n, 1)$, Diff=(0, 0, $\frac{4}{5}$, 0) + $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	16, 20
44	$z^3y^2 + zx^5 + zxy^n$ $n = 5; 7$	$t + z^3y^2 + g(z, x, y) \subset \mathbb{P}(15n - 8, 5n - 8, 2n, 8)$ $\mathbb{P}(5n - 8, n, 4)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12, 16
45	$z^3y^2 + zx^5 + azx^3y^3 +$ $+bzxy^6$	$t + z^3y^2 + g(z, x, y) \subset \mathbb{P}(41, 11, 6, 4)$ $\mathbb{P}(11, 3, 2)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8
46	$z^3y^2 + zx^5 + zx^2y^5$	$t + z^3y^2 + zx^5 + zx^2y^5 \subset \mathbb{P}(69, 19, 10, 6)$ $\mathbb{P}(19, 5, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
47	$z^3xy + x^5 + xy^n$ $n = 5; 9, 11; 15$	$t + zxy + x^5 + xy^n \subset \mathbb{P}(5n, 4n - 4, n, 4)$ $\mathbb{P}(n - 1, n, 1)$, Diff=(0, $\frac{2}{3}$, 0, 0) + $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 16, 24
48	$z^5 + zx^3y + azx^2y^{n+1} +$ $+czy^{3n+1}$, $n = 2, 4$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(15n + 5, 3n + 1, 4n, 4)$ $\mathbb{P}(3n + 1, n, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_2$	8
49	$z^3xy + x^5 + azx^3y^2 +$ $bzxy^7 + cx^3y^5 + dxy^{10}$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(25, 6, 5, 2)$ $\mathbb{P}(3, 5, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
50	$z^3xy + x^5 + azxy^9 +$ bxy^{13}	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(65, 16, 13, 4)$ $\mathbb{P}(4, 13, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
51	$z^3xy + x^5 + zxy^n$ $n = 4, 6; 8, 10$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(15n - 5, 4n - 4, 3n - 1, 8)$ $\mathbb{P}(n - 1, 3n - 1, 2)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 16
52	$z^3xy + x^6 + xy^n$ $n = 6; 8; 9$	$t^2 + zxy + g(x, y) \subset \mathbb{P}(3n, 5n - 5, n, 5)$ Diff=(0, $\frac{2}{3}$, 0, 0) + $\frac{4}{5}\Gamma_3$	9, 12, 15
53	$z^3xy + x^6 + azxy^5 +$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(21, 10, 7, 5)$	5

	bxy^7	$\text{Diff} = \frac{4}{5}\Gamma_3$	
54	$z^3xy + x^6 + zxy^n$ $n = 4; 6$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(9n - 3, 5n - 5, 3n - 1, 10)$ $\text{Diff} = \frac{4}{5}\Gamma_3$	5,10
55	$z^3xy + x^5y + ax^2y^{n+1} + by^{3n+1}, n = 2, b \neq 0; 4$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(15n + 5, 4n, 3n, 5)$ $\mathbb{P}(4, 3, 5), \text{Diff} = \frac{1}{2}\Gamma + \frac{2n-1}{2n}\Gamma_4$	4,10
56	$z^3xy + x^5y + y^{2n}$ $n = 4; 6; 7$	$t^2 + zxy + g(x, y) \subset \mathbb{P}(5n, 8n - 4, 2n - 1, 5)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{2n-2}{2n-1}\Gamma_4$	7,15
57	$z^3xy + x^5y + y^n$ $n = 9; 15$	$t + zxy + g(z, x, y) \subset \mathbb{P}(5n, 4n - 4, n - 1, 5)$ $\mathbb{P}(4, 1, 5), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	16,30
58	$z^3xy + x^5y + ax^2y^4 + by^{10}$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(25, 12, 9, 5)$ $\text{Diff} = \frac{2}{3}\Gamma_4$	5
59	$z^3xy + yx^i f_{5-i}(x, y^2)$	$t + zxy + g(z, x, y) \subset \mathbb{P}(11, 8, 2, 1)$ $\mathbb{P}(4, 1, 1), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	6
60	$z^3xy + x^5y + xy^n$ $n = 6; 8; 12$	$t + zxy + g(z, x, y) \subset \mathbb{P}(5n - 1, 4n - 4, n - 1, 4)$ $\mathbb{P}^2, \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3 + \frac{2n-3}{2n-2}\Gamma_4$	10,16,24
61	$z^3xy + x^5y + ax^2x^3 + bx^3y^2 + cxy^5 + dx^3y^4 + exy^7, e + c \neq 0$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(17, 4, 3, 2)$ $\mathbb{P}(2, 3, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
62	$z^3xy + x^5y + axxy^7 + bxy^{10}$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(49, 12, 9, 4)$ $\mathbb{P}(1, 3, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3 + \frac{5}{6}\Gamma_4$	8
63	$z^3xy + x^5y + ax^3y^6 + bxy^{11}$	$t + zxy + g(z, x, y) \subset \mathbb{P}(27, 20, 5, 2)$ $\mathbb{P}(2, 1, 1), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3 + \frac{9}{10}\Gamma_4$	12
64	$z^3xy + x^5y + x^2y^n$ $n = 5; 9$	$t + zxy + g(z, x, y) \subset \mathbb{P}(5n - 2, 4n - 4, n - 1, 3)$ $\mathbb{P}(4, 1, 3), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,18
65	$z^3xy + x^5y + x^2y^{2n}$ $n = 3; 4$	$t^2 + zxy + g(z, x, y) \subset \mathbb{P}(5n - 1, 8n - 4, 2n - 1, 3)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{2n-2}{2n-1}\Gamma_4$	9
66	$z^3xy + x^5y + zy^n$ $n = 5; 7; 9; 11$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(15n - 4, 4n - 4, 3n - 3, 11)$ $\mathbb{P}(4, 3, 11), \text{Diff} = \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	8,14,16 22
67	$z^3xy + x^5y + zy^{2n}$ $n = 3; 4, 5$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(15n - 2, 8n - 4, 6n - 3, 11)$ $\text{Diff} = \frac{2n-2}{2n-1}\Gamma_4$	5,11
68	$z^3xy + x^5y + zxy^n$ $n = 4; 6; 8$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(15n - 7, 4n - 4, 3n - 3, 8)$ $\mathbb{P}(1, 3, 2), \text{Diff} = \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3 + \frac{2n-3}{2n-2}\Gamma_4$	8,10,16
69	$z^3xy + x^5y + z^2y^{2n}$ $n = 2; 3$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(15n - 4, 8n - 4, 6n - 3, 7)$ $\text{Diff} = \frac{2n-2}{2n-1}\Gamma_4$	6,7
70	$z^3xy + x^5y + z^2y^n$ $n = 5; 7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(15n - 8, 4n - 4, 3n - 3, 7)$ $\mathbb{P}(4, 3, 7), \text{Diff} = \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	8,14
71	$z^3xy + x^7 + axxy^5 + bxy^7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(49, 12, 7, 6)$ $\mathbb{P}(2, 7, 1), \text{Diff} = \frac{1}{2}\Gamma + \frac{11}{12}\Gamma_4$	12
72	$z^3xy + x^7 + x^3y^5$	$t + zxy + x^7 + x^3y^5 \subset \mathbb{P}(35, 26, 5, 4)$ $\mathbb{P}(13, 5, 2), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	24
73	$z^3xy + x^6y + y^8$	$t^2 + zxy + x^6y + y^8 \subset \mathbb{P}(24, 35, 7, 6)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{6}{7}\Gamma_4$	9
74	$z^3xy + x^6y + ax^3y^5 + by^9$	$t + zxy + x^6y + ax^3y^5 + by^9 \subset \mathbb{P}(27, 20, 4, 3)$ $\mathbb{P}(5, 1, 3), \text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	18

75	$z^3xy + x^6y + axy^5 + bxy^7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(41, 10, 6, 5)$ $\mathbb{P}(1, 3, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3 + \frac{3}{4}\Gamma_4$	10
76	$z^3xy + x^6y + xy^8$	$t + zxy + x^6y + xy^8 \subset \mathbb{P}(47, 35, 7, 5)$ $\mathbb{P}^2$, Diff = $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3 + \frac{13}{14}\Gamma_4$	30
77	$z^3xy + x^6y + x^2y^6$	$t^2 + zxy + x^6y + x^2y^6 \subset \mathbb{P}(17, 25, 5, 4)$ Diff = $(0, \frac{2}{3}, 0, 0) + \frac{4}{5}\Gamma_4$	12
78	$z^3xy + x^6y + zy^n$ $n = 6; 7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(18n - 5, 5n - 5, 3n - 3, 13)$ $\mathbb{P}(5, 3, 13)$, Diff = $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10, 26
79	$z^3xy + x^6y + zx^2y^4$	$t + z^3xy + x^6y + zx^2y^4 \subset \mathbb{P}(61, 15, 9, 7)$ $\mathbb{P}(5, 3, 7)$, Diff = $\frac{1}{2}\Gamma + \frac{2}{3}\Gamma_4$	14
80	$z^3xy + x^6y + z^2y^4$	$t^2 + z^3xy + x^6y + z^2y^4 \subset \mathbb{P}(31, 15, 9, 8)$ Diff = $\frac{2}{3}\Gamma_4$	8
81	$z^3xy + zx^5 + x^5y^2 + axy^5 + bxy^7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(33, 8, 5, 4)$ $\mathbb{P}(2, 5, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
82	$z^3xy + x^5y^2 + ax^3y^5 + bxy^8$	$t + zxy + g(x, y) \subset \mathbb{P}(19, 14, 3, 2)$ $\mathbb{P}(7, 3, 1)$, Diff = $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	12
83	$z^3xy + x^5y^2 + xy^9$	$t + zxy + x^5y^2 + xy^9 \subset \mathbb{P}(43, 32, 7, 4)$ $\mathbb{P}(8, 7, 1)$, Diff = $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	24
84	$z^3xy + x^5y^2 + zxy^6$	$t + z^3xy + x^5y^2 + zxy^6 \subset \mathbb{P}(81, 20, 13, 8)$ $\mathbb{P}(5, 13, 2)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	16
85	$z^3xy + zx^5 + xy^n$ $n = 6; 8$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(14n + 1, 4n - 4, 2n + 1, 12)$ $\mathbb{P}(n - 1, 2n + 1, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8, 24
86	$z^3xy + zx^5 + x^3y^5$	$t + z^3xy + zx^5 + x^3y^5 \subset \mathbb{P}(73, 18, 11, 8)$ $\mathbb{P}(9, 11, 4)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	16
87	$z^3xy + zx^5 + zy^n$ $n = 6; 7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(14n - 5, 4n - 5, 2n, 10)$ $\mathbb{P}(4n - 5, n, 5)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8, 20
88	$z^3xy + zx^5 + zx^2y^4$	$t + z^3xy + zx^5 + zx^2y^4 \subset \mathbb{P}(53, 13, 8, 6)$ $\mathbb{P}(13, 4, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
89	$z^3xy + zx^4y + y^n$ $n = 7; 9; 11$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(11n, 3n - 3, 2n - 2, 11)$ $\mathbb{P}(3, 2, 11)$, Diff = $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	12, 16, 22
90	$z^3xy + zx^4y + y^{2n}$ $n = 4; 5$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(11n, 6n - 3, 4n - 2, 11)$ Diff = $\frac{2n-2}{2n-1}\Gamma_4$	7, 11
91	$z^3xy + zx^4y + xy^{2n}$ $n = 3; 4$	$t^2 + z^3xy + g(z, x, y) \subset \mathbb{P}(11n - 1, 6n - 3, 4n - 2, 9)$ Diff = $\frac{2}{3}\Gamma_3 + \frac{2n-2}{2n-1}\Gamma_4$	5, 9
92	$z^3xy + zx^4y + axy^5 + bx^4y^3 + cxy^7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(25, 6, 4, 3)$ $\mathbb{P}(1, 2, 1)$, Diff = $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3 + \frac{3}{4}\Gamma_4$	6
93	$z^3xy + zx^4y + xy^9$	$t + z^3xy + zx^4y + xy^9 \subset \mathbb{P}(97, 24, 16, 9)$ $\mathbb{P}(1, 2, 3)$, Diff = $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3 + \frac{15}{16}\Gamma_4$	18
94	$z^3xy + zx^4y + x^2y^n$ $n = 5; 7$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(11n - 4, 3n - 3, 2n - 2, 7)$ $\mathbb{P}(3, 2, 7)$, Diff = $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	8, 14
95	$z^3xy + zx^4y + x^2y^6$	$t^2 + z^3xy + zx^4y + x^2y^6 \subset \mathbb{P}(31, 15, 10, 7)$ Diff = $\frac{4}{5}\Gamma_4$	7
96	$z^3xy + zx^4y + az^2y^4 + bx^3y^4, a \neq 0$	$t^2 + z^3xy + zx^4y + az^2y^4 + bx^3y^4 \subset \mathbb{P}(19, 9, 6, 5)$ Diff = $\frac{2}{3}\Gamma_4$	5

97	$z^3xy + zx^4y + az^2y^5 + bx^3y^5$	$t + z^3xy + zx^4y + az^2y^5 + bx^3y^5 \subset \mathbb{P}(49, 12, 8, 5)$ $\mathbb{P}(3, 2, 5)$, Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	10
98	$z^3xy + zx^4y + zy^n$ $n = 6; 8$	$t + z^3xy + g(z, x, y) \subset \mathbb{P}(11n - 3, 3n - 3, 2n - 2, 8)$ $\mathbb{P}(3, 1, 4)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{2n-3}{2n-2}\Gamma_4$	10,16
99	$z^3xy + zx^4y + zy^7$	$t + z^3xy + zx^4y + zy^7 \subset \mathbb{P}(37, 9, 6, 4)$ $\mathbb{P}(3, 1, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_4$	8
100	$z^3xy + zx^4y + zxy^6$	$t + z^3xy + zx^4y + zxy^6 \subset \mathbb{P}(61, 15, 10, 6)$ $\mathbb{P}^2$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_3 + \frac{9}{10}\Gamma_4$	12
101	$z^4x + zx^3y + xy^n$ $n = 5; 7; 9; 11$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(11n - 4, 2n, 3n - 4, 8)$ $\mathbb{P}(n, 3n - 4, 4)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	6,10,12 16
102	$z^4x + zx^3y + az^2xy^n + bxy^{2n}$, $n = 3$ $b \neq 0; 5$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(11n - 2, 2n, 3n - 2, 4)$ $\mathbb{P}(n, 3n - 2, 2)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4,8
103	$z^4x + zx^3y + az^2xy^4 + bzxxy^6 + cx^3y^3 + dxy^8$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(21, 4, 5, 2)$ $\mathbb{P}(2, 5, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
104	$z^4x + zx^3y + zy^{2n+1}$ $n = 2; 4, 5$	$t^2 + g_5 + g(z, x, y) \subset \mathbb{P}(11n + 6, 4n + 3, 6n, 9)$ Diff= $\frac{2}{3}\Gamma_2$	3,9
105	$z^4x + zx^3y + zy^n$ $n = 6; 8; 12$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(11n + 1, 2n + 1, 3n - 3, 9)$ $\mathbb{P}(2n + 1, n - 1, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	8,12,18
106	$z^4x + zx^3y + azx^2y^3 + bzxxy^5 + czy^7$, $ b + c \neq 0$	$t^2 + g_5 + g(z, x, y) \subset \mathbb{P}(13, 5, 6, 3)$ Diff= $\frac{2}{3}\Gamma_2$	3
107	$z^4x + zx^3y + azx^2y^4 + bzxxy^7 + czy^{10}$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(37, 7, 9, 3)$ $\mathbb{P}(7, 3, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	6
108	$z^4x + zx^3y + zxy^n$ $n = 4; 8$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(11n - 3, 2n, 3n - 3, 6)$ $\mathbb{P}(n, n - 1, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2 + \frac{3}{4}\Gamma_3$	6,12
109	$z^4x + x^4y + xy^n$ $n = 5; 9$	$t^2 + z^2x + x^4y + xy^n \subset \mathbb{P}(4n - 1, 3n, 2n - 2, 6)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma_3$	3,12
110	$z^4x + x^4y + az^2xy^3 + bxy^6$	$t^2 + g_5 + g(z, x, y) \subset \mathbb{P}(23, 9, 10, 6)$ Diff= $\frac{2}{3}\Gamma_3$	3
111	$z^4x + x^4y + az^2xy^4 + bzxxy^6 + cxy^8$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(31, 6, 7, 3)$ $\mathbb{P}(2, 7, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
112	$z^4x + x^4y + zxy^n$ $n = 4, 5; 7$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(16n - 3, 3n, 4n - 3, 9)$ $\mathbb{P}(n, 4n - 3, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6,18
113	$z^3x^2 + zx^3y + zy^n$ $n = 5; 9$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(7n + 2, n + 2, 2n - 2, 6)$ $\mathbb{P}(n + 2, n - 1, 3)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	6,12
114	$z^3x^2 + zx^3y + az^3xy^2 + bz^5y + czx^2y^3 + dzxy^5 + ezy^7$	$t + g_5 + g(z, x, y) \subset \mathbb{P}(17, 3, 4, 2)$ $\mathbb{P}(3, 2, 1)$, Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	4

6. Singularity $-t^3 + g(z, x, y)$.

1	$z^2xy + x^5 + xy^5$	$t + z^2xy + x^5 + xy^5 \subset \mathbb{P}(25, 8, 5, 4)$ $\mathbb{P}(2, 5, 1)$, Diff= $\frac{2}{3}\Gamma + \frac{11}{12}\Gamma_3$	12
2	$z^2xy + x^4y + aty^4 + by^6$	$t^3 + zxy + x^4y + aty^4 + by^6 \subset \mathbb{P}(8, 15, 5, 4)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{4}{5}\Gamma_4$	8
3	$z^2xy + x^4y + ax^2y^4 + by^7$	$t + zxy + x^4y + ax^2y^4 + by^7 \subset \mathbb{P}(14, 9, 3, 2)$ $\mathbb{P}(3, 1, 2)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_4$	12
4	$z^2xy + x^4y + y^8$	$t + zxy + x^4y + y^8 \subset \mathbb{P}(32, 21, 7, 4)$ $\mathbb{P}(3, 1, 4)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{20}{21}\Gamma_4$	24

5	$z^2xy + x^4y + xy^5$	$t + z^2xy + x^4y + xy^5 \subset \mathbb{P}(19, 6, 4, 3)$ $\mathbb{P}(1, 2, 1), \text{Diff} = \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3 + \frac{5}{6}\Gamma_4$	9
6	$z^2xy + x^4y + xy^6$	$t + zxy + x^4y + xy^6 \subset \mathbb{P}(23, 15, 5, 3)$ $\mathbb{P}^2, \text{Diff} = (0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3 + \frac{14}{15}\Gamma_4$	18
7	$z^2xy + x^4y + zy^n$ $n = 4; 5$	$t + g(z, x, y) \subset \mathbb{P}(8n - 3, 3n - 3, 2n - 2, 5)$ $\mathbb{P}(3, 2, 5), \text{Diff} = \frac{2}{3}\Gamma + \frac{3n-4}{3n-3}\Gamma_4$	9, 15
8	$z^2xy + x^4y + ty^5$	$t^3 + zxy + x^4y + ty^5 \subset \mathbb{P}(20, 39, 13, 8)$ $\text{Diff} = (0, \frac{1}{2}, 0, 0) + \frac{12}{13}\Gamma_4$	16
9	$z^2xy + x^4y + txy^3$	$t^3 + zxy + x^4y + txy^3 \subset \mathbb{P}(11, 21, 7, 5)$ $\text{Diff} = (0, \frac{1}{2}, 0, 0) + \frac{6}{7}\Gamma_4$	10
10	$z^4 + zx^2y + zy^n$ $n = 4; 8$	$t + z^4 + zxy + zy^n \subset \mathbb{P}(4n, n, 3n - 3, 3)$ $\mathbb{P}(n, n - 1, 1), \text{Diff} = (0, 0, \frac{1}{2}, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_2$	9, 18
11	$z^4 + zx^2y + zy^{2n+1}$ $n = 2, 3$	$t + g(z, x, y) \subset \mathbb{P}(8n + 4, 2n + 1, 3n, 3)$ $\mathbb{P}(2n + 1, n, 1), \text{Diff} = \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_2$	9
12	$z^4 + tx^i f_{3-i}(x, y)$	$t^3 + z + tx^i f_{3-i}(x, y) \subset \mathbb{P}(3, 9, 2, 2)$ $\mathbb{P}(3, 1, 1), \text{Diff} = \frac{3}{4}\Delta + \frac{7}{8}\Gamma_2$	8
13	$z^3x + zx^2y + atz^2y +$ $btxy^2 + cxy^4, a + c \neq 0$	$t^3 + g(z, x, y) \subset \mathbb{P}(7, 5, 6, 4)$ $\text{Diff} = \frac{1}{2}\Gamma_2$	4
14	$z^3x + zx^2y + azxy^3 +$ $+ bzy^5$	$t + g(z, x, y) \subset \mathbb{P}(13, 3, 4, 2)$ $\mathbb{P}(3, 2, 1), \text{Diff} = \frac{2}{3}\Gamma + \frac{5}{6}\Gamma_2$	6
15	$z^3x + zx^2y + zy^6$	$t + z^3x + zx^2y + zy^6 \subset \mathbb{P}(31, 7, 10, 4)$ $\mathbb{P}(7, 5, 2), \text{Diff} = \frac{2}{3}\Gamma + \frac{5}{6}\Gamma_2$	12
16	$z^3x + zx^2y + ty^n$ $n = 3; 5$	$t^3 + g(z, x, y) \subset \mathbb{P}(5n, 3n + 2, 6n - 6, 10)$ $\text{Diff} = \frac{1}{2}\Gamma_2$	4, 10
17	$z^3x + x^3y + atz^2y +$ $+ bxy^4$	$t^3 + g(z, x, y) \subset \mathbb{P}(11, 8, 9, 6)$ $\text{Diff} = \frac{1}{2}\Gamma_3$	6
18	$z^3x + x^3y + zxy^3$	$t + z^3x + x^3y + zxy^3 \subset \mathbb{P}(25, 6, 7, 4)$ $\mathbb{P}(3, 7, 2), \text{Diff} = \frac{2}{3}\Gamma + \frac{5}{6}\Gamma_3$	12
19	$z^3x + x^3y + ty^3$	$t^3 + zx + x^3y + ty^3 \subset \mathbb{P}(9, 20, 7, 6)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma_3$	4
20	$z^3x + x^3y + tzy^2$	$t^3 + g(z, x, y) \subset \mathbb{P}(19, 14, 15, 12)$ $\text{Diff} = \frac{1}{2}\Gamma_3$	4
21	$z^3x + tx^3 + xy^4$	$t^3 + zx + tx^3 + xy \subset \mathbb{P}(3, 7, 2, 7)$ $\text{Diff} = (0, \frac{2}{3}, 0, \frac{3}{4}) + \frac{6}{7}\Gamma_3$	21
22	$z^3x + tx^i y^j f_{3-i-j}(x, y)$ $i = 0 \ \& \ j \leq 1$	$t^3 + zx + tx^i y^j f_{3-i-j}(x, y) \subset \mathbb{P}(3, 7, 2, 2)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{5}{6}\Gamma_2$	6
23	$z^3x + tx^2y + xy^4$	$t^3 + zx + tx^2y + xy^4 \subset \mathbb{P}(7, 16, 5, 4)$ $\text{Diff} = (0, \frac{2}{3}, 0, 0) + \frac{3}{4}\Gamma_3$	12
24	$z^3x + tx^2y + zy^4$	$t^3 + g(z, x, y) \subset \mathbb{P}(25, 19, 18, 14)$ $\text{Diff} = \frac{1}{2}\Gamma_2$	14
25	$z^3x + tx^2y + tzy^2$	$t^3 + g(z, x, y) \subset \mathbb{P}(13, 10, 9, 8)$ $\text{Diff} = \frac{1}{2}\Gamma_3$	8
26	$z^3y + tx^3 + atzy^2 +$ $+ by^5$	$t^3 + z^3y + tx + atzy^2 + by^5 \subset \mathbb{P}(5, 4, 10, 3)$ $\text{Diff} = (0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Gamma_4$	9

27	$z^3y + tx^3 + x^2y^3$	$t^3 + zy + tx^3 + x^2y^3 \subset \mathbb{P}(9, 22, 6, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma_4$	15
28	$z^3y + tx^3 + zy^4$	$t^3 + z^3y + tx + zy^4 \subset \mathbb{P}(11, 9, 22, 6)$ Diff= $(0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Gamma_2$	18
29	$tz^i f_{3-i}(z, y) + \frac{z^2x^2}{a} +$ $+zx^2y + ax^2y^2$ $(a \neq 0 \ \& \ i \leq 2) \parallel i = 0$	$t^3 + g(z, x^{1/2}, y) \subset \mathbb{P}(3, 2, 5, 2)$ Diff= $\frac{1}{2}\Upsilon + \frac{3}{4}\Gamma_3$	4
30	$tz^3 + zx^3 + xy^3$	$t^3 + tz^3 + zx^3 + xy \subset \mathbb{P}(9, 6, 7, 20)$ Diff= $(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma_3$	4
31	$tz^3 + zx^3 + zy^4$	$t^3 + tz^3 + zx + zy \subset \mathbb{P}(3, 2, 7, 7)$ Diff= $(0, 0, \frac{2}{3}, \frac{3}{4}) + \frac{6}{7}\Gamma_2$	21
32	$tz^3 + zx^2y + xy^n$ $n = 3; 5$	$t^3 + g(z, x, y) \subset \mathbb{P}(6n - 3, 4n - 2, 7n - 9, 11)$ Diff= $\frac{1}{2}\Gamma_4$	4, 11
33	$tz^3 + zx^2y + zy^n$ $n = 4; 6$	$t^3 + tz^3 + zxy + zy^n \subset \mathbb{P}(3n, 2n, 7n - 7, 7)$ Diff= $(0, 0, \frac{1}{2}, 0) + \frac{6}{7}\Gamma_2$	7, 14
34	$tz^3 + zx^2y + zy^5$	$t^3 + tz^3 + zx^2y + zy^5 \subset \mathbb{P}(15, 10, 14, 7)$ Diff= $\frac{6}{7}\Gamma_2 + \frac{1}{2}\Gamma_4$	7
35	$\frac{atz^3 + txy^2}{a} + zx^2y +$ $+bz^2y^3, a \neq 0$	$t^3 + g(z, x, y) \subset \mathbb{P}(9, 6, 8, 5)$ Diff= $\frac{1}{2}\Gamma_4$	5
36	$tz^3 + zx^2y + ty^5$	$t^3 + tz^3 + zxy + ty^5 \subset \mathbb{P}(15, 10, 29, 6)$ Diff= $\frac{1}{2}\Upsilon + \frac{3}{4}\Gamma_3$	12
37	$tz^3 + zx^2y + tzy^3$	$t^3 + tz^3 + zxy + tzy^3 \subset \mathbb{P}(9, 6, 17, 4)$ Diff= $\frac{1}{2}\Upsilon + \frac{3}{4}\Gamma_3$	8
38	$tz^2x + zx^2y + y^5$	$t^3 + g(z, x, y) \subset \mathbb{P}(15, 8, 14, 9)$ Diff= $\frac{1}{2}\Gamma_4$	8
39	$tz^2x + zx^2y + zy^4$	$t^3 + g(z, x, y) \subset \mathbb{P}(13, 7, 12, 8)$ Diff= $\frac{3}{4}\Gamma_2$	8
40	$tz^2x + x^2y^2 + z^3y^2$	$t^3 + tz^2x + x^2y + z^3y \subset \mathbb{P}(7, 4, 6, 9)$ Diff= $\frac{1}{2}\Omega + \frac{3}{4}\Gamma_4$	8
41	$g_3(t, z) + zx^3 +$ $+(zy^5 \parallel ty^5)$	$g_3(t, z) + zx + (zy \parallel ty) \subset \mathbb{P}(1, 1, 2, 2)$ Diff= $(0, 0, \frac{2}{3}, \frac{4}{5}) + \frac{1}{2}\Gamma_2$	6
42	$g_3(t, z) + zx^3 +$ $+(zxy^3 \parallel txy^3)$	$g_3(t, z) + zx^3 + (zxy \parallel txy) \subset \mathbb{P}(3, 3, 2, 4)$ Diff= $(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma_2$	4
43	$z^2x + x^4 + xy^{2n}$ $n = 4, 5, 7, 8$	$t + z^2x + x^4 + xy^2 \subset \mathbb{P}(8, 3, 2, 3)$ $\mathbb{P}(1, 2, 1)$, Diff= $(0, 0, 0, \frac{n-1}{n}) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9
44	$z^2x + x^4 + xy^n$ $n = 7; 11; 13, 17$	$t + zx + x^4 + xy \subset \mathbb{P}(4, 3, 1, 3)$ $\mathbb{P}^2$, Diff= $(0, \frac{1}{2}, 0, \frac{n-1}{n}) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9, 12, 18
45	$z^2x + x^5 + xy^n$ $n = 7; 11$	$t + z^2x + x^5 + xy \subset \mathbb{P}(5, 2, 1, 4)$ $\mathbb{P}(1, 1, 2)$, Diff= $(0, 0, 0, \frac{n-1}{n}) + \frac{2}{3}\Gamma + \frac{5}{6}\Gamma_3$	7, 12
46	$z^2x + ty^2(az + bx^2 +$ $+cy^3) + x^5 + dx^3y^3 +$ $+exy^6, a + c \neq 0$	$t^3 + g(z, x, y) \subset \mathbb{P}(5, 6, 3, 2)$ Diff= $\frac{1}{2}\Gamma_3$	2
47	$z^2x + ty^3(az + bx^2) +$ $+x^5 + cxy^9$	$t^3 + g(z, x, y^{1/3}) \subset \mathbb{P}(5, 6, 3, 4)$ Diff= $(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma_3$	4

48	$z^2x + x^5 + ax^3y^5 + xy^{10}$	$t + z^2x + x^5 + ax^3y + xy^2 \subset \mathbb{P}(5, 2, 1, 2)$ $\mathbb{P}^2$, Diff $=(0, 0, 0, \frac{4}{5}) + \frac{2}{3}\Gamma + \frac{5}{6}\Gamma_3$	6
49	$z^2x + x^5 + ty^n$ $n = 7; 9$	$t^3 + z^2x + x^5 + ty \subset \mathbb{P}(5, 6, 3, 10)$ Diff $=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Gamma_3$	7,10
50	$z^2x + x^4y + xy^n$ $n = 9; 11; 15$	$t + g(z^{1/2}, x, y) \subset \mathbb{P}(4n - 1, 3n, n - 1, 3)$ $\mathbb{P}(n, n - 1, 1)$, Diff $=(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	10,12,18
51	$z^2x + x^4y + xy^{2n}$ $n = 4, 6, 7$	$t + g(z, x, y) \subset \mathbb{P}(8n - 1, 3n, 2n - 1, 3)$ $\mathbb{P}(n, 2n - 1, 1)$, Diff $=\frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9
52	$z^2x + \underline{x^6} + \underline{tx^4} + xy^8$	$t^3 + z^2x + \underline{x^6} + \underline{tx^4} + xy^2 \subset \mathbb{P}(4, 5, 2, 5)$ Diff $=(0, 0, 0, \frac{3}{4}) + \frac{4}{5}\Gamma_3$	5
53	$z^2x + \underline{x^6} + \underline{tx^4} + xy^n$, $n = 7; 9$	$t^3 + zx + \underline{x^6} + \underline{tx^4} + xy \subset \mathbb{P}(2, 5, 1, 5)$ Diff $=(0, \frac{1}{2}, 0, \frac{n-1}{n}) + \frac{4}{5}\Gamma_3$	8,10
54	$z^2x + x^5y + xy^{10}$	$t + z^2x + x^5y + xy^{10} \subset \mathbb{P}(49, 20, 9, 4)$ $\mathbb{P}(5, 9, 1)$, Diff $=\frac{2}{3}\Gamma + \frac{11}{12}\Gamma_3$	12
55	$z^2x + x^5y + atx^2y^3 + xy^8$	$t^3 + g(z, x, y) \subset \mathbb{P}(13, 16, 7, 4)$ Diff $=\frac{3}{4}\Gamma_3$	4
56	$z^2x + x^5y + tzy^n$ $n = 2, 3$	$t^3 + g(z, x, y) \subset \mathbb{P}(10n + 1, 12n + 2, 6n - 1, 8)$ Diff $=\frac{1}{2}\Gamma_3$	8
57	$z^2x + x^4y^2 + xy^{10}$	$t + z^2x + x^4y^2 + xy^{10} \subset \mathbb{P}(38, 15, 8, 3)$ $\mathbb{P}(5, 8, 1)$, Diff $=\frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9
58	$z^2x + x^4y^2 + xy^{12}$	$t + z^2x + x^4y + xy^6 \subset \mathbb{P}(23, 9, 5, 3)$ $\mathbb{P}(3, 5, 1)$, Diff $=(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9
59	$z^2x + x^4y^2 + xy^n$ $n = 7; 9; 13$	$t + zx + x^4y^2 + xy^n \subset \mathbb{P}(4n - 2, 3n, n - 2, 3)$ $\mathbb{P}(n, n - 2, 1)$, Diff $=(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9,12,18
60	$z^2x + x^7 + xy^7$	$t + z^2x + x^7 + xy \subset \mathbb{P}(7, 3, 1, 6)$ $\mathbb{P}(1, 1, 2)$, Diff $=(0, 0, 0, \frac{6}{7}) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9
61	$z^2x + \underline{x^7} + \underline{x^4y^4} + xy^8$	$t + z^2x + \underline{x^7} + \underline{x^4y} + xy^2 \subset \mathbb{P}(7, 3, 1, 3)$ $\mathbb{P}^2$, Diff $=(0, 0, 0, \frac{3}{4}) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9
62	$z^2x + x^6y + xy^n$ $n = 7; 9$	$t + zx + x^6y + xy^n \subset \mathbb{P}(6n - 1, 5n, n - 1, 5)$ $\mathbb{P}(n, n - 1, 1)$, Diff $=(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{14}{15}\Gamma_3$	15,30
63	$z^2x + x^6y + xy^8$	$t + z^2x + x^6y + xy^8 \subset \mathbb{P}(47, 20, 7, 5)$ $\mathbb{P}(4, 7, 1)$, Diff $=\frac{2}{3}\Gamma + \frac{14}{15}\Gamma_3$	15
64	$z^2x + x^5y^2 + ty^2(az + bx^2y) + cxy^7$	$t^3 + g(z, x, y) \subset \mathbb{P}(11, 14, 5, 4)$ Diff $=\frac{1}{2}\Gamma_3$	4
65	$z^2x + x^5y^2 + ax^3y^5 + xy^8$	$t + g(z, x, y) \subset \mathbb{P}(19, 8, 3, 2)$ $\mathbb{P}(4, 3, 1)$, Diff $=\frac{2}{3}\Gamma + \frac{5}{6}\Gamma_3$	6
66	$z^2x + x^5y^2 + xy^9$	$t + z^2x + x^5y^2 + xy^9 \subset \mathbb{P}(43, 18, 7, 4)$ $\mathbb{P}(9, 7, 2)$, Diff $=\frac{2}{3}\Gamma + \frac{5}{6}\Gamma_3$	12
67	$z^2x + x^5y^2 + ty^n$ $n = 5; 7$	$t^3 + g(z, x, y) \subset \mathbb{P}(5n, 6n + 2, 3n - 4, 10)$ Diff $=\frac{1}{2}\Gamma_3$	7,10
68	$z^2x + x^4y^3 + xy^n$ $n = 7; 11$	$t + zx + x^4y^3 + xy^n \subset \mathbb{P}(4n - 3, 3n, n - 3, 3)$ $\mathbb{P}(n, n - 3, 1)$, Diff $=(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	10,18
69	$z^2x + x^4y^3 + xy^{2n}$ $n = 4, 5$	$t + g(z, x, y) \subset \mathbb{P}(8n - 3, 3n, 2n - 3, 3)$ $\mathbb{P}(n, 2n - 3, 1)$, Diff $=\frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	9

70	$z^2x + x^8 + xy^8$	$t + z^2x + x^8 + xy^2 \subset \mathbb{P}(16, 7, 2, 7)$ $\mathbb{P}(1, 2, 1), \text{Diff}=(0, 0, 0, \frac{3}{4}) + \frac{2}{3}\Gamma + \frac{20}{21}\Gamma_3$	21
71	$z^2x + x^7y + xy^8$	$t + z^2x + x^7y + xy^8 \subset \mathbb{P}(55, 24, 7, 6)$ $\mathbb{P}(4, 7, 1), \text{Diff}=\frac{2}{3}\Gamma + \frac{17}{18}\Gamma_3$	18
72	$z^2x + x^7y + tzy^2$	$t^3 + z^2x + x^7y + tzy^2 \subset \mathbb{P}(29, 38, 11, 10)$ $\text{Diff}=\frac{1}{2}\Gamma_3$	10
73	$z^2x + x^6y^2 + xy^8$	$t + z^2x + x^6y + xy^4 \subset \mathbb{P}(23, 10, 3, 5)$ $\mathbb{P}(2, 3, 1), \text{Diff}=(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Gamma + \frac{14}{15}\Gamma_3$	15
74	$z^2x + x^5y^3 + xy^8$	$t + z^2x + x^5y^3 + xy^8 \subset \mathbb{P}(37, 16, 5, 4)$ $\mathbb{P}(4, 5, 1), \text{Diff}=\frac{2}{3}\Gamma + \frac{11}{12}\Gamma_3$	12
75	$z^2x + x^5y^3 + tzy^2$	$t^3 + z^2x + x^5y^3 + tzy^2 \subset \mathbb{P}(23, 30, 9, 8)$ $\text{Diff}=\frac{1}{2}\Gamma_3$	8
76	$z^2x + x^4y^4 + xy^9$	$t + zx + x^4y^4 + xy^9 \subset \mathbb{P}(32, 27, 5, 3)$ $\mathbb{P}(9, 5, 1), \text{Diff}=(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_3$	18
77	$z^2x + tx^3 + xy^{2n}$ $n = 4, 5, 6$	$t^3 + z^2x + tx^3 + xy^2 \subset \mathbb{P}(6, 7, 4, 7)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{6}{7}\Gamma_3$	7
78	$z^2x + tx^3 + xy^n$ $n = 9; 11, 13$	$t^3 + zx + tx^3 + xy \subset \mathbb{P}(3, 7, 2, 7)$ $\text{Diff}=(0, \frac{1}{2}, 0, \frac{n-1}{n}) + \frac{6}{7}\Gamma_3$	10,14
79	$z^2x + tx^i f_{3-i}(x, y^3)$	$t^3 + zx + tx^i f_{3-i}(x, y) \subset \mathbb{P}(3, 7, 2, 2)$ $\text{Diff}=(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	4
80	$z^2x + tx^3 + ty^n$ $n = 5; 7; 11$	$t^3 + zx + tx^3 + ty \subset \mathbb{P}(3, 7, 2, 6)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	5,8,12
81	$z^2x + tx^3 + txy^n$ $n = 5, 7$	$t^3 + zx + tx^3 + txy \subset \mathbb{P}(3, 7, 2, 4)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n}) + \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	8
82	$z^2x + tx^3y + xy^{2n}$ $n = 4, 5$	$t^3 + g(z, x, y) \subset \mathbb{P}(6n - 1, 7n, 4n - 3, 7)$ $\text{Diff}=\frac{6}{7}\Gamma_3$	7
83	$z^2x + tx^3y + xy^n$ $n = 7; 9; 11$	$t^3 + g(z^{1/2}, x, y) \subset \mathbb{P}(3n - 1, 7n, 2n - 3, 7)$ $\text{Diff}=(0, \frac{1}{2}, 0, 0) + \frac{6}{7}\Gamma_3$	8,10,14
84	$z^2x + tyf_3(x, y^2)$	$t^3 + zx + tyf_3(x, y^2) \subset \mathbb{P}(7, 17, 4, 2)$ $\text{Diff}=\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	4
85	$z^2x + tx^3y + ty^n$ $n = 5; 9$	$t^3 + g(z^{1/2}, x, y) \subset \mathbb{P}(3n, 7n + 2, 2n - 2, 6)$ $\text{Diff}=\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	6,12
86	$z^2x + tx^3y + txy^6$	$t^3 + zx + tx^3y + txy^6 \subset \mathbb{P}(17, 41, 10, 4)$ $\text{Diff}=\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	8
87	$z^2x + tx^5 + xy^7$	$t^3 + zx + tx^5 + xy \subset \mathbb{P}(5, 13, 2, 13)$ $\text{Diff}=(0, \frac{1}{2}, 0, \frac{6}{7}) + \frac{12}{13}\Gamma_3$	14
88	$z^2x + tx^5 + xy^8$	$t^3 + z^2x + tx^5 + xy^2 \subset \mathbb{P}(10, 13, 4, 13)$ $\text{Diff}=(0, 0, 0, \frac{3}{4}) + \frac{12}{13}\Gamma_3$	13
89	$z^2x + tx^i y^j f_{5-i-j}(x, y)$ $i = 0 \text{ \& } j \leq 2$	$t^3 + zx + tx^i y^j f_{5-i-j}(x, y) \subset \mathbb{P}(5, 13, 2, 2)$ $\text{Diff}=\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	4
90	$z^2x + tx^5 + txy^5$	$t^3 + zx + tx^5 + txy \subset \mathbb{P}(5, 13, 2, 8)$ $\text{Diff}=(0, 0, 0, \frac{4}{5}) + \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	16
91	$z^2x + tx^4y + xy^7$	$t^3 + z^2x + tx^4y + xy^7 \subset \mathbb{P}(27, 35, 11, 10)$ $\text{Diff}=\frac{4}{5}\Gamma_3$	5

92	$z^2x + tx^4y + xy^8$	$t^3 + z^2x + tx^4y + xy^8 \subset \mathbb{P}(31, 40, 13, 10)$ Diff= $\frac{9}{10}\Gamma_3$	10
93	$z^2x + tx^4y + tzy^2 + bx^3y^5$	$t^3 + g(z, x, y) \subset \mathbb{P}(17, 22, 7, 6)$ Diff= $\frac{1}{2}\Gamma_3$	6
94	$z^2x + tx^4y + txy^5$	$t^3 + zx + tx^4y + txy^5 \subset \mathbb{P}(19, 49, 8, 6)$ Diff= $\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	12
95	$z^2x + tx^3y^2 + xy^n$ $n = 7; 9$	$t^3 + g(z^{1/2}, x, y) \subset \mathbb{P}(3n - 2, 7n, 2n - 6, 7)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{6}{7}\Gamma_3$	10, 14
96	$z^2x + tx^3y^2 + xy^8$	$t^3 + z^2x + tx^3y + xy^4 \subset \mathbb{P}(11, 14, 5, 7)$ Diff= $(0, 0, 0, \frac{1}{2}) + \frac{6}{7}\Gamma_3$	7
97	$z^2x + tx^3y^2 + ty^7$	$t^3 + zx + tx^3y^2 + ty^7 \subset \mathbb{P}(21, 53, 10, 6)$ Diff= $\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	12
98	$z^2x + tx^3y^2 + txy^5$	$t^3 + zx + tx^3y^2 + txy^5 \subset \mathbb{P}(13, 33, 6, 4)$ Diff= $\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	8
99	$z^2y + x^7y + ty^2(az + by^4) + cy^9$	$t^3 + g(z, x^{1/7}, y) \subset \mathbb{P}(3, 4, 8, 1)$ Diff= $(0, 0, \frac{6}{7}, 0) + \frac{3}{4}\Gamma_4$	7
100	$z^2y + x^7y + y^n$ $n = 10; 14$	$t + zy + xy + y^n \subset \mathbb{P}(n, n - 1, n - 1, 1)$ $\mathbb{P}^2$, Diff= $(0, \frac{1}{2}, \frac{6}{7}, 0) + \frac{2}{3}\Gamma + \frac{3n-4}{3n-3}\Gamma_4$	28, 42
101	$z^2y + x^7y + y^{2n+1}$ $n = 5; 6$	$t + z^2y + xy + y^{2n+1} \subset \mathbb{P}(2n + 1, n, 2n, 1)$ $\mathbb{P}(1, 2, 1)$, Diff= $(0, 0, \frac{6}{7}, 0) + \frac{2}{3}\Gamma + \frac{3n-1}{3n}\Gamma_4$	15, 21
102	$z^2y + x^7y + aty^8 + by^{12}$	$t^3 + zy + xy + aty^8 + by^{12} \subset \mathbb{P}(4, 11, 11, 1)$ Diff= $(0, \frac{1}{2}, \frac{6}{7}, 0) + \frac{10}{11}\Gamma_4$	14
103	$z^2y + x^7y + xy^n$ $n = 8; 12$	$t + g(z^{1/2}, x, y) \subset \mathbb{P}(7n - 1, 7n - 7, n - 1, 6)$ $\mathbb{P}(7, 1, 6)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{3n-4}{3n-3}\Gamma_4$	22, 36
104	$z^2y + x^7y + ax^4y^5 + bxy^9$	$t + g(z, x, y) \subset \mathbb{P}(31, 14, 4, 3)$ $\mathbb{P}(7, 2, 3)$, Diff= $\frac{2}{3}\Gamma + \frac{5}{6}\Gamma_4$	22
105	$z^2y + xyf_3(x^2, y^3)$	$t + zy + xyf_3(x^2, y^3) \subset \mathbb{P}(23, 21, 3, 2)$ $\mathbb{P}(7, 1, 2)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{8}{9}\Gamma_4$	12
106	$z^2y + x^7y + ax^4y^6 + bxy^{11}$	$t + zy + x^7y + ax^4y^6 + bxy^{11} \subset \mathbb{P}(38, 35, 5, 3)$ $\mathbb{P}(7, 1, 3)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{14}{15}\Gamma_4$	18
107	$z^2y + x^7y + x^2y^{2n+1}$ $n = 3; 4$	$t + g(z, x, y) \subset \mathbb{P}(14n + 5, 7n, 2n, 5)$ $\mathbb{P}(7, 2, 5)$, Diff= $\frac{2}{3}\Gamma + \frac{3n-1}{3n}\Gamma_4$	9, 15
108	$z^2y + x^7y + atx^3y^3 + bx^2y^8$	$t^3 + g(z^{1/2}, x, y) \subset \mathbb{P}(18, 49, 7, 5)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{6}{7}\Gamma_4$	10
109	$z^2y + x^7y + x^2y^{10}$	$t + zy + x^7y + x^2y^{10} \subset \mathbb{P}(68, 63, 9, 5)$ $\mathbb{P}(7, 1, 5)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{26}{27}\Gamma_4$	30
110	$z^2y + x^7y + atx^2y^4 + bx^3y^6$	$t^3 + g(z^{1/2}, x, y) \subset \mathbb{P}(13, 35, 5, 4)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{4}{5}\Gamma_4$	8
111	$z^2y + x^7y + x^3y^8$	$t + zy + x^7y + x^3y^8 \subset \mathbb{P}(53, 49, 7, 4)$ $\mathbb{P}(7, 1, 4)$, Diff= $(0, \frac{1}{2}, 0, 0) + \frac{2}{3}\Gamma + \frac{20}{21}\Gamma_4$	24
112	$z^2y + x^7y + ty^n$ $n = 7; 9$	$t^3 + zy + xy + ty^n \subset \mathbb{P}(n, 3n - 2, 3n - 2, 2)$ Diff= $(0, \frac{1}{2}, \frac{6}{7}, 0) + \frac{3n-3}{3n-2}\Gamma_4$	22, 28
113	$z^2y + x^7y + txy^n$ $n = 5; 7$	$t^3 + g(z^{1/2}, x, y) \subset \mathbb{P}(7n - 1, 21n - 14, 3n - 2, 11)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{3n-3}{3n-2}\Gamma_4$	16, 22

114	$z^2y + x^7y + txy^6$	$t^3 + z^2y + x^7y + txy^6 \subset \mathbb{P}(41, 56, 16, 11)$ Diff= $\frac{7}{8}\Gamma_4$	11
115	$z^2y + x^7y + tx^2y^5$	$t^3 + zy + x^7y + tx^2y^5 \subset \mathbb{P}(33, 91, 13, 8)$ Diff= $(0, \frac{1}{2}, 0, 0) + \frac{12}{13}\Gamma_4$	16
116	$z^2y + tx^5 + ty^2(az + by^4) + cx^5y^3 + dy^9$ $ a + b + d \neq 0$	$t^3 + g(z, x^{1/5}, y) \subset \mathbb{P}(3, 4, 6, 1)$ Diff= $(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma_4$	5
117	$z^2y + tx^5 + y^{13}$	$t^3 + z^2y + tx + y^{13} \subset \mathbb{P}(13, 18, 26, 3)$ Diff= $(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma_4$	15
118	$z^2y + tx^5 + xy^{4n+3}$ $n = 1; 2$	$t^3 + g(z, x, y) \subset \mathbb{P}(20n + 15, 30n + 16, 8n + 6, 13)$ Diff= $\frac{1}{2}\Gamma_4$	9, 13
119	$z^2y + tx^5 + x^2y^9$	$t^3 + z^2y + tx^5 + x^2y^9 \subset \mathbb{P}(45, 62, 18, 11)$ Diff= $\frac{1}{2}\Gamma_4$	11
120	$z^2y + tx^5 + x^3y^7$	$t^3 + z^2y + tx^5 + x^3y^7 \subset \mathbb{P}(35, 48, 14, 9)$ Diff= $\frac{1}{2}\Gamma_4$	9
121	$z^2y + tx^5 + x^4y^5$	$t^3 + z^2y + tx^5 + x^4y^5 \subset \mathbb{P}(25, 34, 10, 7)$ Diff= $\frac{1}{2}\Gamma_4$	7
122	$z^2y + tx^5 + ty^n$ $n = 7; 9$	$t^3 + zy + tx + ty^n \subset \mathbb{P}(n, 3n - 2, 2n, 2)$ Diff= $(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	16, 20
123	$z^2y + tx^5 + txy^n$ $n = 5; 7$	$t^3 + zy + tx^5 + txy^n \subset \mathbb{P}(5n, 15n - 8, 2n, 8)$ Diff= $\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	12, 16
124	$z^2y + txf_2(x^2, y^3)$	$t^3 + zy + txf_2(x^2, y^3) \subset \mathbb{P}(15, 41, 6, 4)$ Diff= $\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	8
125	$z^2y + tx^5 + tx^2y^5$	$t^3 + zy + tx^5 + tx^2y^5 \subset \mathbb{P}(25, 69, 10, 6)$ Diff= $\frac{1}{2}\Delta + \frac{3}{4}\Gamma_2$	12

7. Singularity $-t^2z + g(z, x, y)$.

1	$z^i x^j f_{4-i-j}(z, x) + axy^4 + bzy^4 + cxy^2$ $(i \leq 1 \& c \neq 0) \& (j \leq 1 \& b \neq 0)$	$t^2z + g(z, x, y^{1/2}) \subset \mathbb{P}(3, 2, 2, 3)$ Diff= $(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Delta_3$	3
2	$z^i x^j f_{4-i-j}(z, x) + (zy^5 xy^5)$ $(j \leq 2) \& (i = 0 i \leq 1)$	$tz + g(z, x, y^{1/5}) \subset \mathbb{P}(3, 1, 1, 3)$ Diff= $(\frac{1}{2}, 0, 0, \frac{4}{5}) + \frac{2}{3}\Delta_3$	6
3	$z^4 + yx^i f_{3-i}(x, y^3) + (az^2xy^2 az^2y^5)$	$tz + g(z, x, y) \subset \mathbb{P}(15, 5, 6, 2)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	4
4	$z^4 + x^3y + xy^n$ $n = 4; 10$	$tz + g(z, x, y) \subset \mathbb{P}(9n - 3, 3n - 1, 4n - 4, 8)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	7, 16
5	$z^4 + x^3y + zy^{2n}$ $n = 4, 5$	$t^2z + z^4 + xy + zy^{2n} \subset \mathbb{P}(3n, 2n, 8n - 3, 3)$ Diff= $\frac{2}{3}\Upsilon + \frac{8}{9}\Delta_3$	9
6	$z^4 + x^3y + zy^n$ $n = 5; 7; 11$	$tz + z^4 + xy + zy^n \subset \mathbb{P}(3n, n, 4n - 3, 3)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Upsilon + \frac{8}{9}\Delta_3$	9, 10, 18
7	$z^4 + x^3y + aty^4 + bzy^3, a \neq 0$	$t^2z + z^4 + x^3y + aty^4 + bzy^3 \subset \mathbb{P}(12, 8, 9, 5)$ Diff= $\frac{2}{3}\Delta_4$	4
8	$z^4 + x^3y + zxy^6$	$tz + z^4 + x^3y + zxy^6 \subset \mathbb{P}(51, 17, 21, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	10
9	$z^4 + x^5 + zy^4$	$t^2z + z^4 + x + zy^2 \subset \mathbb{P}(3, 2, 8, 3)$	15

		$\mathbb{P}(1, 2, 1), \text{Diff}=(0, 0, 0, \frac{1}{2}) + \frac{4}{5}\Upsilon + \frac{14}{15}\Delta_3$	
10	$z^4 + x^4y + zy^4$	$t^2z + z^4 + xy + zy^4 \subset \mathbb{P}(6, 4, 13, 3)$ $\text{Diff}=\frac{3}{4}\Upsilon + \frac{11}{12}\Delta_3$	12
11	$z^4 + x^4y + zxy^3$	$tz + z^4 + x^4y + zxy^3 \subset \mathbb{P}(33, 11, 9, 8)$ $\text{Diff}=(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	16
12	$z^4 + x^3y^2 + xy^5$	$tz + z^4 + x^3y^2 + xy^5 \subset \mathbb{P}(39, 13, 12, 8)$ $\text{Diff}=(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	16
13	$z^4 + \frac{x^3y^2}{+zy^4} + \frac{tx^3}{+zy^4}$	$t^2z + z^4 + xy + tx + zy^2 \subset \mathbb{P}(3, 2, 5, 3)$ $\text{Diff}=(0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Upsilon + \frac{8}{9}\Delta_3$	9
14	$z^4 + x^3y^2 + zy^5$	$tz + z^4 + xy^2 + zy^5 \subset \mathbb{P}(15, 5, 14, 3)$ $\text{Diff}=(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Upsilon + \frac{8}{9}\Delta_3$	18
15	$z^4 + x^3y^2 + zxy^3$	$tz + z^4 + x^3y^2 + zxy^3 \subset \mathbb{P}(21, 7, 6, 5)$ $\text{Diff}=(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	10
16	$z^4 + tx^i f_{3-i}(x, y)$	$t^2z + z^4 + tx^i f_{3-i}(x, y) \subset \mathbb{P}(9, 6, 5, 5)$ $\text{Diff}=\frac{4}{5}\Gamma_2$	5
17	$z^4 + tx^2y + xy^4$	$t^2z + z^4 + tx^2y + xy^4 \subset \mathbb{P}(21, 14, 12, 11)$ $\text{Diff}=\frac{2}{3}\Delta_4$	6
18	$z^4 + tx^2y + azy^4 +$ $+bx^2y^3$	$t^2z + z^4 + txy + azy^4 + bxy^3 \subset \mathbb{P}(6, 4, 7, 3)$ $\text{Diff}=\frac{1}{2}\Upsilon + \frac{5}{6}\Delta_3$	6
19	$z^4 + tx^2y + zy^5$	$t^2z + z^4 + txy + zy^5 \subset \mathbb{P}(15, 10, 19, 6)$ $\text{Diff}=\frac{1}{2}\Upsilon + \frac{5}{6}\Delta_3$	12
20	$z^4 + tx^2y + zxy^3$	$t^2z + z^4 + tx^2y + zxy^3 \subset \mathbb{P}(15, 10, 9, 7)$ $\text{Diff}=\frac{2}{3}\Delta_4$	7
21	$z^4 + tx^2y + ty^4$	$t^2z + z^4 + txy + ty^4 \subset \mathbb{P}(12, 8, 15, 5)$ $\text{Diff}=(0, 0, \frac{1}{2}, 0) + \frac{4}{5}\Gamma_2 + \frac{2}{3}\Delta_4$	10
22	$z^3x + x^3y + ax^2y^3 +$ $+bxy^5 + cy^7, b + c \neq 0$	$t^2z + g(z, x, y) \subset \mathbb{P}(8, 5, 6, 3)$ $\text{Diff}=\frac{1}{2}\Delta_4$	3
23	$z^3x + x^3y + xy^n$ $n = 4; 8$	$tz + g(z, x, y) \subset \mathbb{P}(7n - 3, 2n, 3n - 3, 6)$ $\text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	5,12
24	$z^3x + x^3y + az^2xy^2 +$ $+bzxxy^4 + cxy^6$	$tz + g(z, x, y) \subset \mathbb{P}(13, 4, 5, 2)$ $\text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
25	$z^3x + x^3y + zy^{2n}$ $n = 3, 4$	$t^2z + g(z, x, y) \subset \mathbb{P}(7n, 4n + 1, 6n - 2, 7)$ $\text{Diff}=\frac{6}{7}\Delta_3 + \frac{n-3}{n-2}\Delta_4$	7
26	$z^3x + x^3y + zy^n$ $n = 5; 7; 9$	$tz + g(z, x, y) \subset \mathbb{P}(7n, 2n + 1, 3n - 2, 7)$ $\text{Diff}=(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Delta_3$	7,10,14
27	$z^3x + x^3y + zxy^5$	$tz + z^3x + x^3y + zxy^5 \subset \mathbb{P}(33, 10, 13, 4)$ $\text{Diff}=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	8
28	$z^3x + x^3y + ty^n$ $n = 3; 5; 7$	$t^2z + g(z, x, y) \subset \mathbb{P}(7n - 1, 4n + 1, 6n - 4, 11)$ $\text{Diff}=\frac{1}{2}\Delta_4$	4,7,11
29	$z^3x + x^5 + zy^4$	$t^2z + z^3x + x^5 + zy^2 \subset \mathbb{P}(11, 8, 6, 11)$ $\text{Diff}=(0, 0, 0, \frac{1}{2}) + \frac{10}{11}\Delta_3$	11
30	$z^3x + x^5 + zxy^3$	$tz + z^3x + x^5 + zxy \subset \mathbb{P}(11, 4, 3, 8)$ $\text{Diff}=(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	16
31	$z^3x + x^4y + zy^4$	$t^2z + z^3x + x^4y + zy^4 \subset \mathbb{P}(18, 13, 10, 9)$	9

		Diff= $\frac{8}{9}\Delta_3 + \frac{1}{2}\Delta_4$	
32	$z^3x + x^4y + zxy^3$	$tz + z^3x + x^4y + zxy^3 \subset \mathbb{P}(25, 9, 7, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	12
33	$z^3x + x^3y^2 + y^6$	$t^2z + z^3x + x^3y + y^3 \subset \mathbb{P}(10, 7, 6, 9)$ Diff= $\frac{1}{2}\Omega + \frac{3}{4}\Delta_4$	9
34	$z^3x + x^3y^2 + xy^5$	$tz + z^3x + x^3y^2 + xy^5 \subset \mathbb{P}(29, 10, 9, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	12
35	$z^3x + \underline{x^3y^2} + \underline{tx^3} +$ $+zy^4$	$t^2z + z^3x + \underline{x^3y} + \underline{tx^3} + zy^2 \subset \mathbb{P}(7, 5, 4, 7)$ Diff= $(0, 0, 0, \frac{1}{2}) + \frac{6}{7}\Delta_3$	7
36	$z^3x + x^3y^2 + zy^5$	$tz + z^3x + x^3y^2 + zy^5 \subset \mathbb{P}(35, 12, 11, 7)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Delta_3$	14
37	$z^3x + x^3y^2 + zxy^3$	$tz + z^3x + x^3y^2 + zxy^3 \subset \mathbb{P}(17, 6, 5, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	8
38	$z^3x + tx^3 + xy^4$	$t^2z + z^3x + tx^3 + xy \subset \mathbb{P}(7, 5, 4, 15)$ Diff= $(0, 0, 0, \frac{3}{4}) + \frac{4}{5}\Gamma_3$	5
39	$z^3x + tx^3 + zxy^3$	$t^2z + z^3x + tx^3 + zxy \subset \mathbb{P}(7, 5, 4, 10)$ Diff= $(0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma_2 + \frac{4}{5}\Gamma_3$	10
40	$z^3x + tx^i y^j f_{3-i-j}(x, y)$ $i = 0 \& j \leq 1$	$t^2z + g(z, x, y) \subset \mathbb{P}(7, 5, 4, 4)$ Diff= $\frac{3}{4}\Gamma_2$	4
41	$z^3x + tx^2y + y^n$ $n = 5; 7$	$t^2z + g(z, x, y) \subset \mathbb{P}(5n - 1, 3n + 2, 4n - 6, 13)$ Diff= $\frac{1}{2}\Delta_4$	9,13
42	$z^3x + tx^2y + xy^n$ $n = 4; 5$	$t^2z + g(z, x, y) \subset \mathbb{P}(5n - 3, 3n, 4n - 6, 9)$ Diff= $\frac{2}{3}\Gamma_3 + \frac{n-4}{n-3}\Delta_4$	5,9
43	$z^3x + tx^2y + azy^4 +$ $+bx^2y^3, a \neq 0$	$t^2z + g(z, x, y) \subset \mathbb{P}(10, 7, 6, 5)$ Diff= $\frac{4}{5}\Delta_3 + \frac{1}{2}\Delta_4$	5
44	$z^3x + tx^2y + zy^5$	$t^2z + g(z, x, y) \subset \mathbb{P}(25, 17, 16, 10)$ Diff= $\frac{4}{5}\Delta_3 + \frac{1}{2}\Gamma_2$	10
45	$z^3x + tx^2y + zxy^3$	$t^2z + g(z, x, y) \subset \mathbb{P}(13, 9, 8, 6)$ Diff= $\frac{2}{3}\Gamma_3 + \frac{1}{2}\Gamma_2$	6
46	$z^3x + tx^2y + z^2y^3$	$t^2z + g(z, x, y) \subset \mathbb{P}(16, 11, 10, 7)$ Diff= $\frac{1}{2}\Delta_4$	7
47	$z^3x + tx^2y + ty^4$	$t^2z + g(z, x, y) \subset \mathbb{P}(19, 13, 12, 8)$ Diff= $\frac{3}{4}\Gamma_2$	8
48	$z^3y + x^5 + zy^4$	$t^2z + z^3y + x + zy^4 \subset \mathbb{P}(4, 3, 11, 2)$ $\mathbb{P}(2, 3, 1)$, Diff= $\frac{4}{5}\Upsilon + \frac{9}{10}\Delta_3$	10
49	$z^3y + x^4y + y^6$	$t^2z + z^3y + x^2y + y^6 \subset \mathbb{P}(13, 10, 15, 6)$ Diff= $(0, 0, \frac{1}{2}, 0) + \frac{4}{5}\Gamma_4$	12
50	$z^3y + x^4y + xy^5$	$tz + g(z, x, y) \subset \mathbb{P}(41, 16, 12, 9)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	18
51	$z^3y + x^4y + zy^4$	$t^2z + z^3y + xy + zy^4 \subset \mathbb{P}(4, 3, 9, 2)$ Diff= $\frac{3}{4}\Upsilon + \frac{7}{8}\Delta_3 + \frac{2}{3}\Gamma_4$	8
52	$z^3y + x^4y + zxy^3$	$tz + g(z, x, y) \subset \mathbb{P}(21, 8, 6, 5)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4 + \frac{2}{3}\Delta_4$	10
53	$z^3y + x^4y + ty^4$	$t^2z + z^3y + xy + ty^4 \subset \mathbb{P}(9, 7, 21, 4)$	16

		$\text{Diff}=(0,0,\frac{3}{4},0)+\frac{6}{7}\Gamma_4+\frac{2}{3}\Delta_4$	
54	$z^3y+zx^3+y^8$	$tz+z^3y+zx+y^8 \subset \mathbb{P}(17,7,17,3)$ $\text{Diff}=(\frac{1}{2},0,\frac{2}{3},0)+\frac{16}{17}\Delta_4$	18
55	$z^3y+zx^3+az^2y^3+by^5+cx^3y^2+dy^7$	$tz+g(z,x^{1/3},y) \subset \mathbb{P}(5,2,5,1)$ $\text{Diff}=(\frac{1}{2},0,\frac{2}{3},0)+\frac{4}{5}\Delta_4$	6
56	$z^3y+zx^3+xy^n$ $n=5;6$	$tz+g(z,x,y) \subset \mathbb{P}(6n+3,3n-2,2n+1,7)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{2n}{2n+1}\Delta_4$	11,14
57	$z^3y+zx^3+x^2y^n$ $n=3;4$	$tz+g(z,x,y) \subset \mathbb{P}(6n+3,3n-1,2n+1,5)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{2n}{2n+1}\Delta_4$	7,10
58	$z^3y+zx^3+atx^2y+btty^4+czxy^3$	$t^2z+g(z,x,y) \subset \mathbb{P}(9,7,6,4)$ $\text{Diff}=\frac{1}{2}\Gamma_2+\frac{2}{3}\Delta_4$	4
59	$z^3y+zx^3+ty^5$	$t^2z+z^3y+zx+ty^5 \subset \mathbb{P}(11,9,22,4)$ $\text{Diff}=(0,0,\frac{2}{3},0)+\frac{1}{2}\Gamma_2+\frac{10}{11}\Delta_4$	12
60	$z^3y+zx^3+txy^n$ $n=2;3$	$t^2z+g(z,x,y) \subset \mathbb{P}(6n+3,6n-1,4n+2,8)$ $\text{Diff}=\frac{1}{2}\Gamma_2+\frac{2n}{2n+1}\Delta_4$	5,8
61	$z^3y+z^2x^2+ax^2y^3+by^4+ctx^2y, c \neq 0$	$t^2z+g(z,x^{1/2},y) \subset \mathbb{P}(4,3,5,2)$ $\text{Diff}=\frac{1}{2}\Upsilon+\frac{3}{4}\Delta_3$	4
62	$z^3y+tx^3+xy^n$ $n=4;5$	$t^2z+g(z,x,y) \subset \mathbb{P}(6n+2,6n-5,4n-1,14)$ $\text{Diff}=\frac{1}{2}\Delta_3$	5,14
63	$z^3y+tx^3+zy^4+ax^3y^2$	$t^2z+g(z,x^{1/3},y) \subset \mathbb{P}(4,3,7,2)$ $\text{Diff}=\frac{2}{3}\Upsilon+\frac{5}{6}\Delta_3$	6
64	$z^3y+tx^3+zxxy^3$	$t^2z+g(z,x,y) \subset \mathbb{P}(17,13,10,8)$ $\text{Diff}=\frac{1}{2}\Gamma_2$	8
65	$z^3y+tx^3+ty^4$	$t^2z+z^3y+tx+ty^4 \subset \mathbb{P}(9,7,16,4)$ $\text{Diff}=(0,0,\frac{2}{3},0)+\frac{3}{4}\Gamma_2$	12
66	$z^2x^2+x^5+zy^4$	$t^2z+z^2x^2+x^5+zy^2 \subset \mathbb{P}(7,6,4,7)$ $\text{Diff}=(0,0,0,\frac{1}{2})+\frac{6}{7}\Delta_3$	7
67	$z^2x^2+x^4y+xy^5$	$tz+z^2x^2+x^4y+xy^5 \subset \mathbb{P}(27,11,8,6)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{2}{3}\Delta_3$	12
68	$z^2x^2+x^4y+zy^4$	$t^2z+z^2x+x^2y+zy^4 \subset \mathbb{P}(6,5,7,3)$ $\text{Diff}=\frac{1}{2}\Upsilon+\frac{5}{6}\Delta_3$	6
69	$z^2x^2+x^3y^2+atx^3+zy^4$	$t^2z+z^2x^2+x^3y+atx^3+zy^2 \subset \mathbb{P}(5,4,3,5)$ $\text{Diff}=(0,0,0,\frac{1}{2})+\frac{4}{5}\Delta_3$	5
70	$z^2x^2+x^3y^2+zy^5$	$tz+z^2x^2+x^3y^2+zy^5 \subset \mathbb{P}(25,9,8,5)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{4}{5}\Delta_3$	10
71	$z^2x^2+tx^2y+zy^5$	$t^2z+z^2x+txy+zy^5 \subset \mathbb{P}(10,7,13,4)$ $\text{Diff}=\frac{1}{2}\Upsilon+\frac{3}{4}\Delta_3$	8
72	$z^2x^2+tx^2y+aty^4+by^2y^3$	$t^2z+g(z,x^{1/2},y) \subset \mathbb{P}(7,5,9,3)$ $\text{Diff}=(0,0,\frac{1}{2},0)+\frac{2}{3}\Gamma_2$	6
73	$z^2x^2+tx^iy^j f_{3-i-j}(x,y)$ $i=0 \& j \leq 1$	$t^2z+g(z,x,y) \subset \mathbb{P}(5,4,3,3)$ $\text{Diff}=\frac{2}{3}\Gamma_2$	3
74	$z^2xy+tx^i(x+y)^j \cdot f_{3-i-j}(x,y), i=0 \& j \leq 1$	$t^2z+g(z,x,y) \subset \mathbb{P}(5,4,3,3)$ $\text{Diff}=\frac{2}{3}\Gamma_2$	3
75	$z^2xy+x^5+azxy^3+$	$tz+g(z,x,y) \subset \mathbb{P}(17,8,5,4)$	8

	$+bxy^5$	$\text{Diff}=\frac{1}{2}\Gamma+\frac{7}{8}\Gamma_3$	
76	$z^2xy+x^5+x^2y^4$	$tz+z^2xy+x^5+x^2y^4 \subset \mathbb{P}(27, 13, 8, 6)$ $\text{Diff}=(\frac{1}{2}, 0, 0, 0)+\frac{2}{3}\Delta_3$	12
77	$z^2xy+x^5+zy^4$	$t^2z+g(z, x, y) \subset \mathbb{P}(12, 11, 7, 6)$ $\text{Diff}=\frac{5}{6}\Delta_3$	6
78	$z^2xy+x^5+txy^3$	$t^2z+g(z, x, y) \subset \mathbb{P}(22, 21, 13, 10)$ $\text{Diff}=\frac{1}{2}\Delta_3$	10
79	$z^2xy+x^4y+y^n$ $n=6; 8$	$tz+g(z, x, y) \subset \mathbb{P}(5n+3, 3n-3, 2n-2, 8)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{2n-3}{2n-2}\Gamma_4$	10,16
80	$z^2xy+x^4y+ax^2y^4+$ $+by^7$	$tz+g(z, x, y) \subset \mathbb{P}(19, 9, 6, 4)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_4$	8
81	$z^2xy+x^4y+azxy^3+$ $+bxy^5$	$tz+g(z, x, y) \subset \mathbb{P}(13, 6, 4, 3)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{3}{4}\Gamma_4+\frac{5}{6}\Gamma_3$	6
82	$z^2xy+x^4y+xy^6$	$tz+g(z, x, y) \subset \mathbb{P}(31, 15, 10, 6)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{9}{10}\Gamma_4+\frac{5}{6}\Gamma_3$	12
83	$z^2xy+x^4y+zy^4$	$t^2z+g(z, x, y) \subset \mathbb{P}(10, 9, 6, 5)$ $\text{Diff}=\frac{4}{5}\Delta_3+\frac{2}{3}\Gamma_4+\frac{1}{2}\Delta_4$	5
84	$z^2xy+x^4y+zy^5$	$tz+g(z, x, y) \subset \mathbb{P}(25, 12, 8, 5)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{7}{8}\Gamma_4+\frac{4}{5}\Delta_3$	10
85	$z^2xy+x^4y+ty^n$ $n=4; 5$	$t^2z+g(z, x, y) \subset \mathbb{P}(5n+3, 6n-3, 4n-2, 11)$ $\text{Diff}=\frac{2n-2}{2n-1}\Gamma_4+\frac{n-4}{n-3}\Delta_4$	7,11
86	$z^2xy+x^4y+txy^3$	$t^2z+g(z, x, y) \subset \mathbb{P}(16, 15, 10, 7)$ $\text{Diff}=\frac{4}{5}\Gamma_4+\frac{1}{2}\Delta_4$	7
87	$z^2x+x^4+atx^2y^2+$ $+bzxxy^4+cxy^8$	$t^2z+g(z, x, y^{1/2}) \subset \mathbb{P}(5, 6, 4, 3)$ $\text{Diff}=(0, 0, 0, \frac{1}{2})+\frac{2}{3}\Gamma_3$	3
88	$z^2x+x^4+xy^n$ $n=5; 7; 11$	$tz+z^2x+x^4+xy \subset \mathbb{P}(5, 3, 2, 6)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n})+\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_3$	6,7,12
89	$z^2x+x^4+azxy^5+$ $+bxy^{10}$	$tz+z^2x+x^4+azxy+bxy^2 \subset \mathbb{P}(5, 3, 2, 3)$ $\text{Diff}=(0, 0, 0, \frac{4}{5})+\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_3$	6
90	$z^2x+x^4+zy^n$ $n=7, 9$	$tz+z^2x+x^4+zy \subset \mathbb{P}(5, 3, 2, 5)$ $\text{Diff}=(\frac{1}{2}, 0, 0, \frac{n-1}{n})+\frac{4}{5}\Delta_3$	10
91	$z^2x+x^4+zy^{2n}$ $n=3, 4$	$t^2z+z^2x+x^4+zy^2 \subset \mathbb{P}(5, 6, 4, 5)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n})+\frac{4}{5}\Delta_3$	5
92	$\frac{z^2x+zx^3+x^5}{xy^n}, n=5; 7$	$tz+z^2x+zx^3+x^5+xy \subset \mathbb{P}(3, 2, 1, 4)$ $\text{Diff}=(0, 0, 0, \frac{n-1}{n})+\frac{1}{2}\Gamma+\frac{3}{4}\Gamma_3$	5,8
93	$\frac{z^2x+zx^3+x^5}{+ax^3y^3+xy^6}$	$tz+g(z, x, y^{1/3}) \subset \mathbb{P}(3, 2, 1, 2)$ $\text{Diff}=(0, 0, 0, \frac{2}{3})+\frac{1}{2}\Gamma+\frac{3}{4}\Gamma_3$	4
94	$\frac{z^2x+zx^3+x^5+atx^2y^2}{+bzy^4+cx^2y^4}, b \neq 0$	$t^2z+g(z, x, y^{1/2}) \subset \mathbb{P}(3, 4, 2, 3)$ $\text{Diff}=(0, 0, 0, \frac{1}{2})+\frac{2}{3}\Delta_3$	3
95	$\frac{z^2x+zx^3+x^5}{+azy^5+bx^2y^5}$	$tz+g(z, x, y^{1/5}) \subset \mathbb{P}(3, 2, 1, 3)$ $\text{Diff}=(\frac{1}{2}, 0, 0, \frac{4}{5})+\frac{2}{3}\Delta_3$	6
96	$z^2x+x^4y+xy^n$ $n=5; 9$	$tz+g(z, x, y) \subset \mathbb{P}(5n-2, 3n, 2n-2, 6)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_3$	6,12
97	$z^2x+x^4y+atx^2y^2+$	$t^2z+g(z, x, y) \subset \mathbb{P}(7, 9, 5, 3)$	3

	$+bzy^3 + cxy^6$	$\text{Diff} = \frac{2}{3}\Gamma_3$	
98	$z^2x + x^4y + azxy^4 + bxy^8$	$tz + g(z, x, y) \subset \mathbb{P}(19, 12, 7, 3)$ $\text{Diff} = \frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
99	$z^2x + x^4y + zy^{2n}$ $n = 2, 3$	$t^2z + g(z, x, y) \subset \mathbb{P}(5n, 6n + 1, 4n - 1, 5)$ $\text{Diff} = \frac{4}{5}\Delta_3$	5
100	$z^2x + x^4y + zy^n$ $n = 5; 7$	$tz + g(z, x, y) \subset \mathbb{P}(5n, 3n + 1, 2n - 1, 5)$ $\text{Diff} = (\frac{1}{2}, 0, 0, 0) + \frac{4}{5}\Delta_3$	6, 10
101	$z^2x + x^6 + azxy^3 + bxy^6$	$tz + z^2x + x^6 + azxy + bxy^2 \subset \mathbb{P}(7, 5, 2, 5)$ $\text{Diff} = (0, 0, 0, \frac{2}{3}) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	10
102	$z^2x + x^6 + zy^4$	$t^2z + z^2x + x^6 + zy^2 \subset \mathbb{P}(7, 10, 4, 7)$ $\text{Diff} = (0, 0, 0, \frac{1}{2}) + \frac{6}{7}\Delta_3$	7
103	$z^2x + x^5y + azxy^3 + bxy^6$	$tz + g(z, x, y) \subset \mathbb{P}(17, 12, 5, 4)$ $\text{Diff} = \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
104	$z^2x + x^5y + x^2y^5$	$tz + z^2x + x^5y + x^2y^5 \subset \mathbb{P}(27, 19, 8, 6)$ $\text{Diff} = (\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_3$	12
105	$z^2x + x^5y + zy^4$	$t^2z + z^2x + x^5y + zy^4 \subset \mathbb{P}(12, 17, 7, 6)$ $\text{Diff} = \frac{5}{6}\Delta_3$	6
106	$z^2x + x^5y + txy^4$	$t^2z + z^2x + x^5y + txy^4 \subset \mathbb{P}(22, 31, 13, 10)$ $\text{Diff} = \frac{1}{2}\Delta_3$	10
107	$z^2x + x^4y^2 + azxy^3 + bxy^6$	$tz + g(z, x, y) \subset \mathbb{P}(13, 9, 4, 3)$ $\text{Diff} = \frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
108	$z^2x + x^4y^2 + xy^7$	$tz + z^2x + x^4y^2 + xy^7 \subset \mathbb{P}(31, 21, 10, 6)$ $\text{Diff} = \frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	12
109	$z^2x + \frac{x^4y^2}{+zy^4} + \frac{tx^4}{+zy^4}$	$t^2z + z^2x + \frac{x^4y}{+tx^4} + \frac{tx^4}{+zy^2} \subset \mathbb{P}(5, 7, 3, 5)$ $\text{Diff} = (0, 0, 0, \frac{1}{2}) + \frac{4}{5}\Delta_3$	5
110	$z^2x + x^4y^2 + zy^5$	$tz + z^2x + x^4y^2 + zy^5 \subset \mathbb{P}(25, 17, 8, 5)$ $\text{Diff} = (\frac{1}{2}, 0, 0, 0) + \frac{4}{5}\Delta_3$	10
111	$z^2x + tx^3 + azxy^n + bxy^{2n}, n = 3, 4$	$t^2z + z^2x + tx^3 + azxy + bxy^2 \subset \mathbb{P}(4, 5, 3, 5)$ $\text{Diff} = (0, 0, 0, \frac{n-1}{n}) + \frac{4}{5}\Gamma_3$	5
112	$z^2x + tx^3 + atxy^3 + bx^2y + cxy^4 + dx^3y^2 + exy^5, c + e \neq 0$	$t^2z + g(z, x, y) \subset \mathbb{P}(4, 5, 3, 2)$ $\text{Diff} = \frac{1}{2}\Delta_3$	2
113	$z^2x + tx^3 + xy^n$ $n = 7; 9$	$t^2z + z^2x + tx^3 + xy \subset \mathbb{P}(4, 5, 3, 10)$ $\text{Diff} = (0, 0, 0, \frac{n-1}{n}) + \frac{4}{5}\Gamma_3 + \frac{1}{2}\Delta_3$	7, 10
114	$z^2x + tx^3 + zy^6 + bx^3y^3$	$t^2z + z^2x + tx^3 + zy^2 + bx^3y \subset \mathbb{P}(4, 5, 3, 4)$ $\text{Diff} = (0, 0, 0, \frac{2}{3}) + \frac{3}{4}\Delta_3$	4
115	$z^2x + tx^3 + zy^n$ $n = 5; 7$	$t^2z + z^2x + tx^3 + zy \subset \mathbb{P}(4, 5, 3, 8)$ $\text{Diff} = (0, 0, 0, \frac{n-1}{n}) + \frac{3}{4}\Delta_3$	5, 8
116	$z^2x + tx^i f_{3-i}(x, y^2)$	$t^2z + z^2x + tx^i f_{3-i}(x, y) \subset \mathbb{P}(4, 5, 3, 3)$ $\text{Diff} = (0, 0, 0, \frac{1}{2}) + \frac{2}{3}\Gamma_2$	3
117	$z^2x + tx^3 + ty^n$ $n = 4; 5; 7, 8$	$t^2z + z^2x + tx^3 + ty \subset \mathbb{P}(4, 5, 3, 9)$ $\text{Diff} = (0, 0, 0, \frac{n-1}{n}) + \frac{2}{3}\Gamma_2$	4, 5, 9
118	$z^2x + tx^3 + txy^5$	$t^2z + z^2x + tx^3 + txy \subset \mathbb{P}(4, 5, 3, 6)$ $\text{Diff} = (0, 0, 0, \frac{4}{5}) + \frac{2}{3}\Gamma_2 + \frac{1}{2}\Delta_3$	6

119	$z^2x + tx^4 + xy^5$	$t^2z + z^2x + tx^4 + xy \subset \mathbb{P}(5, 7, 3, 14)$ Diff $=(0, 0, 0, \frac{4}{5}) + \frac{6}{7}\Gamma_3$	7
120	$z^2x + tx^4 + azxy^3 + bxy^6$	$t^2z + z^2x + tx^4 + azxy + bxy^2 \subset \mathbb{P}(5, 7, 3, 7)$ Diff $=(0, 0, 0, \frac{2}{3}) + \frac{6}{7}\Gamma_3$	7
121	$z^2x + tx^4 + zy^4 + bx^4y^2$	$t^2z + z^2x + tx^4 + zy^2 + bx^4y \subset \mathbb{P}(5, 7, 3, 5)$ Diff $=(0, 0, 0, \frac{1}{2}) + \frac{4}{5}\Delta_3$	5
122	$z^2x + tx^4y^j f_{4-i-j}(x, y)$ $i = 0 \& j = 1$	$t^2z + g(z, x, y) \subset \mathbb{P}(5, 7, 3, 3)$ Diff $=\frac{2}{3}\Gamma_2$	3
123	$z^2x + tx^4 + ty^5$	$t^2z + z^2x + tx^4 + ty \subset \mathbb{P}(5, 7, 3, 12)$ Diff $=(0, 0, 0, \frac{4}{5}) + \frac{2}{3}\Gamma_2$	6
124	$z^2x + tx^4 + txy^4$	$t^2z + z^2x + tx^4 + txy \subset \mathbb{P}(5, 7, 3, 9)$ Diff $=(0, 0, 0, \frac{3}{4}) + \frac{2}{3}\Gamma_2$	9
125	$z^2x + tx^3y + xy^n$ $n = 5; 7$	$t^2z + g(z, x, y) \subset \mathbb{P}(4n - 2, 5n, 3n - 4, 10)$ Diff $=\frac{4}{5}\Gamma_3 + \frac{1}{2}\Delta_3$	6,10
126	$z^2x + tx^3y + azxy^3 + xy^6$	$t^2z + g(z, x, y) \subset \mathbb{P}(11, 15, 7, 5)$ Diff $=\frac{4}{5}\Gamma_3$	5
127	$z^2x + tx^3y + zy^4 + bx^3y^3$	$t^2z + g(z, x, y) \subset \mathbb{P}(8, 11, 5, 4)$ Diff $=\frac{3}{4}\Delta_3$	4
128	$z^2x + tx^3y + zy^5$	$t^2z + z^2x + tx^3y + zy^5 \subset \mathbb{P}(20, 27, 13, 8)$ Diff $=\frac{3}{4}\Delta_3$	8
129	$z^2x + tx^3y + ty^n$ $n = 5; 6$	$t^2z + g(z, x, y) \subset \mathbb{P}(4n - 1, 5n + 1, 3n - 3, 9)$ Diff $=\frac{2}{3}\Gamma_2$	6,9
130	$z^2x + tx^3y + txy^4$	$t^2z + g(z, x, y) \subset \mathbb{P}(14, 19, 9, 6)$ Diff $=\frac{2}{3}\Gamma_2 + \frac{1}{2}\Delta_3$	6
131	$z^2y + x^5y + aty^5 + bzy^4 + cy^7$	$t^2z + g(z, x^{1/5}, y) \subset \mathbb{P}(2, 3, 6, 1)$ Diff $=(0, 0, \frac{4}{5}, 0) + \frac{2}{3}\Gamma_4 + \frac{1}{2}\Delta_4$	5
132	$z^2y + x^5y + y^n$ $n = 8; 10$	$tz + z^2y + xy + y^n \subset \mathbb{P}(n + 1, n - 1, 2n - 2, 2)$ Diff $=(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	15,20
133	$z^2y + x^5y + azxy^5 + by^9$	$tz + z^2y + xy + azxy^5 + by^9 \subset \mathbb{P}(5, 4, 8, 1)$ Diff $=(0, 0, \frac{4}{5}, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	10
134	$z^2y + x^5y + xy^n$ $n = 6; 8$	$tz + g(z, x, y) \subset \mathbb{P}(5n + 3, 5n - 5, 2n - 2, 8)$ Diff $=\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	11,16
135	$z^2y + x^5y + ax^3y^4 + bxy^7$	$tz + g(z, x, y) \subset \mathbb{P}(19, 15, 6, 4)$ Diff $=\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_4$	8
136	$z^2y + x^5y + azxy^3 + bx^2y^5$	$tz + g(z, x, y) \subset \mathbb{P}(13, 10, 4, 3)$ Diff $=\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	6
137	$z^2y + x^5y + x^2y^6$	$tz + z^2y + x^5y + x^2y^6 \subset \mathbb{P}(31, 25, 10, 6)$ Diff $=\frac{1}{2}\Gamma + \frac{9}{10}\Gamma_4$	12
138	$z^2y + x^5y + ty^n$ $n = 6; 7$	$t^2z + z^2y + xy + ty^n \subset \mathbb{P}(n + 1, 2n - 1, 4n - 2, 3)$ Diff $=(0, 0, \frac{4}{5}, 0) + \frac{2n-2}{2n-1}\Gamma_4 + \frac{n-6}{n-5}\Delta_4$	11,15
139	$z^2y + x^5y + txy^n$ $n = 4; 5$	$t^2z + g(z, x, y) \subset \mathbb{P}(5n + 3, 10n - 5, 4n - 2, 11)$ Diff $=\frac{2n-2}{2n-1}\Gamma_4 + \frac{n-4}{n-3}\Delta_4$	7,11
140	$z^2y + x^5y + tx^2y^3$	$t^2z + z^2y + x^5y + tx^2y^3 \subset \mathbb{P}(16, 25, 10, 7)$ Diff $=\frac{4}{5}\Gamma_4 + \frac{1}{2}\Delta_4$	7

141	$z^2y + zx^3 + y^{10}$	$tz + z^2y + zx + y^{10} \subset \mathbb{P}(11, 9, 11, 2)$ Diff= $(\frac{1}{2}, 0, \frac{2}{3}, 0) + \frac{10}{11}\Delta_4$	12
142	$z^2y + zx^3 + aty^5 +$ $+bzy^4 + cx^3y^3 + dy^7 +$ $etx^3y, a + b + d \neq 0$	$t^2z + g(z, x^{1/3}, y) \subset \mathbb{P}(2, 3, 4, 1)$ Diff= $(0, 0, \frac{2}{3}, 0) + \frac{1}{2}\Delta_4$	3
143	$z^2y + zx^3 + azxy^3 +$ $+bx^4y^2 + cx^2y^5 + dy^8$	$tz + g(z, x, y) \subset \mathbb{P}(9, 7, 3, 2)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	4
144	$z^2y + zx^3 + azy^5 +$ $+bx^3y^4 + cy^9$	$tz + z^2y + zx + azy^5 + bxy^4 + cy^9 \subset \mathbb{P}(5, 4, 5, 1)$ Diff= $(\frac{1}{2}, 0, \frac{2}{3}, 0) + \frac{4}{5}\Delta_4$	6
145	$z^2y + zx^3 + atx^2y^n +$ $+bxy^{2n+1}, n = 2 \text{ } b \neq 0; 3$	$t^2z + g(z, x, y) \subset \mathbb{P}(3n + 3, 6n + 1, 2n + 2, 5)$ Diff= $\frac{n}{n+1}\Delta_4$	3,5
146	$z^2y + zx^3 + xy^n$ $n = 6; 8$	$tz + g(z, x, y) \subset \mathbb{P}(3n + 3, 3n - 2, n + 1, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{n}{n+1}\Delta_4$	7,10
147	$z^2y + zx^3 + x^2y^n$ $n = 4; 6$	$tz + g(z, x, y) \subset \mathbb{P}(3n + 3, 3n - 1, n + 1, 4)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{n}{n+1}\Delta_4$	5,8
148	$z^2y + zx^3 + ty^n$ $n = 4; 6; 7$	$t^2z + g(z, x^{1/3}, y) \subset \mathbb{P}(n + 1, 2n - 1, 2n + 2, 3)$ Diff= $(0, 0, \frac{2}{3}, 0) + \frac{n}{n+1}\Delta_4$	5,7,9
149	$z^2y + zx^3 + txy^n$ $n = 3; 4; 5$	$t^2z + g(z, x, y) \subset \mathbb{P}(3n + 3, 6n - 1, 2n + 2, 7)$ Diff= $\frac{n}{n+1}\Delta_4$	4,5,7
150	$z^2y + tx^4 + atx^2y^3 +$ $+bty^6$	$t^2z + z^2y + tx^2 + atxy^3 + bty^6 \subset \mathbb{P}(7, 11, 9, 3)$ Diff= $(0, 0, \frac{1}{2}, 0) + \frac{2}{3}\Gamma_2$	6
151	$z^2y + tx^4 + ty^7$	$t^2z + z^2y + tx + ty^7 \subset \mathbb{P}(8, 13, 21, 3)$ Diff= $(0, 0, \frac{3}{4}, 0) + \frac{2}{3}\Gamma_2$	12
152	$z^2y + tx^4 + txy^n$ $n = 4; 5$	$t^2z + g(z, x, y) \subset \mathbb{P}(4n + 3, 8n - 3, 3n, 9)$ Diff= $\frac{2}{3}\Gamma_2$	6,9

8. Singularity – $t^2x + g(z, x, y)$.

1	$z^4 + x^3y + xy^6$	$t^2x + z + x^3y + xy^6 \subset \mathbb{P}(6, 17, 5, 2)$ $\mathbb{P}(3, 5, 1)$, Diff= $\frac{3}{4}\Delta + \frac{7}{8}\Delta_3$	8
2	$z^4 + x^5 + xy^5$	$t^2x + z + x^5 + xy \subset \mathbb{P}(2, 5, 1, 4)$ $\mathbb{P}(1, 1, 2)$, Diff= $(0, 0, 0, \frac{4}{5}) + \frac{3}{4}\Delta + \frac{7}{8}\Delta_3$	16
3	$z^4 + x^4y + xy^5$	$t^2x + z^2 + x^4y + xy^5 \subset \mathbb{P}(15, 19, 8, 6)$ Diff= $\frac{1}{2}\Delta + \frac{5}{6}\Delta_3$	12
4	$z^4 + x^4y + zy^n$ $n = 4; 5$	$tx + g(z, x, y) \subset \mathbb{P}(12n + 3, 4n, 4n - 3, 12)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_3$	10,24
5	$z^4 + x^4y + tzy^2$	$t^2x + z^4 + x^4y + tzy^2 \subset \mathbb{P}(27, 17, 14, 12)$ Diff= $\frac{2}{3}\Delta_3$	6
6	$z^4 + zx^2y + xy^6$	$t^2x + z^4 + zx^2y + xy^6 \subset \mathbb{P}(15, 11, 14, 5)$ Diff= $\frac{4}{5}\Delta_3$	5
7	$z^4 + zx^2y + xy^n$ $n = 5; 7$	$tx + g(z, x, y) \subset \mathbb{P}(5n, 2n - 1, 3n - 4, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{4}{5}\Delta_3$	6,10
8	$z^4 + zx^2y + zy^n$ $n = 4; 8$	$tx + g(z, x, y) \subset \mathbb{P}(5n + 3, 2n, 3n - 3, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	6,12
9	$z^4 + zyx^if_{2-i}(x, y^2) +$ $atz^2y, i = 0 (a \neq 0 \& i \leq 1)$	$t^2x + g(z, x, y) \subset \mathbb{P}(7, 5, 6, 3)$ Diff= $\frac{2}{3}\Gamma_2$	3
10	$z^4 + zx^2y + azxy^4 +$	$tx + g(z, x, y) \subset \mathbb{P}(19, 7, 9, 3)$	6

	$+bzy^7$	$\text{Diff}=\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_2$	
11	$z^4+zx^4+xy^5$	$tx+zx^4+xy \subset \mathbb{P}(13,4,3,13)$ $\text{Diff}=(\frac{1}{2},0,0,\frac{4}{5})+\frac{12}{13}\Delta_3$	26
12	$z^4+zx^i y^j f_{4-i-j}(x,y)$ $i=0 \& j \leq 2$	$tx+g(z,x,y) \subset \mathbb{P}(13,4,3,3)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_2$	6
13	$z^4+zx^3y+xy^5$	$tx+g(z,x,y) \subset \mathbb{P}(45,14,11,9)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{8}{9}\Delta_3$	18
14	$z^4+zx^3y+tz y^2$	$t^2x+zx^4+zx^3y+tz y^2 \subset \mathbb{P}(21,13,10,9)$ $\text{Diff}=\frac{2}{3}\Delta_3$	9
15	$z^4+zx^2y^2+xy^5$	$tx+g(z,x,y) \subset \mathbb{P}(25,8,7,5)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{4}{5}\Delta_3$	10
16	$z^4+zx^2y^2+zy^5$	$tx+zx^4+zx^2y^2+zy^5 \subset \mathbb{P}(31,10,9,6)$ $\text{Diff}=\frac{1}{2}\Gamma+\frac{5}{6}\Gamma_2$	12
17	$z^3x+x^2y^2+y^9$	$tx+zx+x^2y^2+y^9 \subset \mathbb{P}(11,11,7,2)$ $\text{Diff}=(\frac{1}{2},\frac{2}{3},0,0)+\frac{10}{11}\Upsilon_4$	12
18	$z^3x+x^2y^2+az^4y+$ $+bz^2y^4+cy^7+dzxy^3$	$tx+g(z,x,y) \subset \mathbb{P}(9,3,5,2)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{2}{3}\Upsilon_4$	4
19	$z^3x+x^2y^2+az^3y^3+$ $+bxy^5+cy^8$	$tx+g(z^{1/3},x,y) \subset \mathbb{P}(5,5,3,1)$ $\text{Diff}=(\frac{1}{2},\frac{2}{3},0,0)+\frac{4}{5}\Upsilon_4$	6
20	$z^3x+x^2y^2+atz^2y+$ $+bz y^4, b \neq 0$	$t^2x+g(z,x,y) \subset \mathbb{P}(9,6,8,5)$ $\text{Diff}=\frac{2}{3}\Gamma_2$	3
21	$z^3x+x^2y^2+zy^n$ $n=5;7$	$tx+g(z,x,y) \subset \mathbb{P}(3n+6,n+2,3n-4,5)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{n+1}{n+2}\Upsilon_4$	7,10
22	$z^3x+x^2y^2+atz^2y^2+$ $+bzy^6$	$t^2x+g(z,x,y^{1/2}) \subset \mathbb{P}(6,4,7,5)$ $\text{Diff}=\frac{1}{2}\Omega+\frac{3}{4}\Upsilon_4$	5
23	$z^3x+x^2y^2+z^2y^n$ $n=3;5$	$tx+g(z,x,y) \subset \mathbb{P}(3n+6,n+2,3n-2,4)$ $\text{Diff}=(\frac{1}{2},0,0,0)+\frac{n+1}{n+2}\Upsilon_4$	5,8
24	$z^3x+x^2y^2+ty^5$	$t^2x+zx+x^2y^2+ty^5 \subset \mathbb{P}(7,14,8,3)$ $\text{Diff}=(0,\frac{2}{3},0,0)+\frac{6}{7}\Upsilon_4$	7
25	$z^3x+x^2y^2+ty^6$	$t^2x+zx+x^2y^2+ty^3 \subset \mathbb{P}(4,8,5,3)$ $\text{Diff}=(0,\frac{2}{3},0,0)+\frac{1}{2}\Omega+\frac{7}{8}\Upsilon_4$	9
26	$z^3x+x^2y^2+tz y^{2n}$ $n=1;2$	$t^2x+g(z,x,y^{1/2}) \subset \mathbb{P}(3n+3,2n+2,6n-1,7)$ $\text{Diff}=\frac{1}{2}\Omega+\frac{2n+1}{2n+2}\Upsilon_4$	4,7
27	$z^3x+x^2y^2+tz y^3$	$t^2x+zx^3+x^2y^2+tz y^3 \subset \mathbb{P}(15,10,16,7)$ $\text{Diff}=\frac{4}{5}\Upsilon_4$	5
28	$z^3y+x^i y^j (x+y)^k \cdot$ $f_{5-i-j-k}(x,y)+aty^3$ $j \leq 1 \& (a \neq 0 (i=0 \& k \leq 3))$	$t^2x+g(z^{1/3},x,y) \subset \mathbb{P}(2,4,1,1)$ $\text{Diff}=(0,\frac{2}{3},0,0)+\frac{1}{2}\Upsilon_4$	3
29	$z^3x+x^5+zx^2y^2+$ $+atz y^2+cy^6, a \neq 0$	$t^2x+g(z,x,y^{1/2}) \subset \mathbb{P}(6,4,3,5)$ $\text{Diff}=\frac{1}{2}\Omega+\frac{3}{4}\Upsilon_4$	6
30	$z^3x+x^5+y^7$	$t^2x+zx+x^5+y \subset \mathbb{P}(2,4,1,5)$ $\mathbb{P}(1,2,1), \text{Diff}=(0,\frac{2}{3},0,0)+\frac{6}{7}\Omega+\frac{13}{14}\Upsilon_4$	15
31	$z^3x+x^5+x^2y^4+$ $+ty^4$	$t^2x+zx+x^5+x^2y^2+ty \subset \mathbb{P}(2,4,1,3)$ $\text{Diff}=(0,\frac{2}{3},0,0)+\frac{3}{4}\Omega+\frac{7}{8}\Upsilon_4$	9

32	$z^3x + x^5 + zy^5$	$t^2x + z^3x + x^5 + zy \subset \mathbb{P}(6, 4, 3, 11)$ Diff= $\frac{4}{5}\Omega + \frac{9}{10}\Upsilon_4$	11
33	$z^3x + x^5 + z^2y^3$	$t^2x + z^3x + x^5 + z^2y \subset \mathbb{P}(6, 4, 3, 7)$ Diff= $\frac{2}{3}\Omega + \frac{5}{6}\Upsilon_4$	7
34	$z^3x + \frac{x^4y}{x^2y^4} + y^7$	$tx + zx + x^4y + x^2y^4 + y^7 \subset \mathbb{P}(11, 11, 3, 2)$ Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{10}{11}\Upsilon_4$	12
35	$z^3x + \frac{x^4y}{x^2y^2} + az^2y^3 + cxy^5$	$tx + g(z, x, y) \subset \mathbb{P}(15, 5, 4, 3)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_3 + \frac{4}{5}\Upsilon_4$	6
36	$z^3x + x^4y + zy^5$	$t^2x + z^3x + x^4y + zy^5 \subset \mathbb{P}(24, 16, 13, 9)$ Diff= $\frac{2}{3}\Delta_3 + \frac{7}{8}\Upsilon_4$	9
37	$z^3x + x^4y + ty^4$	$t^2x + zx + x^4y + ty^4 \subset \mathbb{P}(13, 26, 7, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{12}{13}\Upsilon_4$	13
38	$z^3x + x^4y + tzy^2$	$t^2x + z^3x + x^4y + tzy^2 \subset \mathbb{P}(21, 14, 11, 9)$ Diff= $\frac{2}{5}\Delta_3 + \frac{6}{7}\Upsilon_4$	7
39	$z^3x + x^3y^2 + y^7$	$t^2x + zx + x^3y^2 + y^7 \subset \mathbb{P}(8, 16, 5, 3)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{7}{8}\Upsilon_4$	9
40	$z^3x + x^3y^2 + ty^4 + bxy^5$	$t^2x + g(z^{1/3}, x, y) \subset \mathbb{P}(5, 10, 3, 2)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma_3 + \frac{4}{5}\Upsilon_4$	6
41	$z^3x + x^3y^2 + zy^5$	$t^2x + z^3x + x^3y^2 + zy^5 \subset \mathbb{P}(18, 12, 11, 7)$ Diff= $\frac{5}{6}\Upsilon_4$	7
42	$z^3x + x^3y^2 + tzy^2 + bzxxy^3$	$t^2x + g(z, x, y) \subset \mathbb{P}(9, 6, 5, 4)$ Diff= $\frac{1}{2}\Gamma_3 + \frac{2}{3}\Upsilon_4$	5
43	$z^3x + x^3y^2 + z^2y^3$	$t^2x + z^3x + x^3y^2 + z^2y^3 \subset \mathbb{P}(12, 8, 7, 5)$ Diff= $\frac{3}{4}\Upsilon_4$	5
44	$z^3x + x^2y^3 + y^8$	$tx + zx + x^2y^3 + y^8 \subset \mathbb{P}(11, 11, 5, 2)$ Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{10}{11}\Upsilon_4$	12
45	$z^3x + x^2y^3 + zy^6$	$tx + z^3x + x^2y + zy^2 \subset \mathbb{P}(9, 3, 4, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Omega + \frac{8}{9}\Upsilon_4$	10
46	$z^3x + x^2y^3 + atz^2y + bzy^5$	$t^2x + g(z, x, y) \subset \mathbb{P}(12, 8, 9, 5)$ Diff= $\frac{3}{4}\Upsilon_4$	5
47	$z^3x + x^2y^3 + z^2y^4$	$tx + z^3x + x^2y^3 + z^2y^4 \subset \mathbb{P}(21, 7, 9, 4)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Upsilon_4$	8
48	$z^3x + x^2y^3 + ty^n$ $n = 4; 5$	$t^2x + g(z^{1/3}, x, y) \subset \mathbb{P}(n+3, 2n+6, 2n-3, 3)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{n+2}{n+3}\Upsilon_4$	7,9
49	$z^3x + x^2y^3 + tzy^2$	$t^2x + z^3x + x^2y^3 + tzy^2 \subset \mathbb{P}(15, 10, 9, 7)$ Diff= $\frac{4}{5}\Upsilon_4$	5
50	$z^3x + x^2y^3 + tzy^3$	$t^2x + z^3x + x^2y + tzy \subset \mathbb{P}(6, 4, 5, 7)$ Diff= $\frac{2}{3}\Omega + \frac{5}{6}\Upsilon_4$	7
51	$z^3x + x^6 + y^7$	$tx + zx + x^6 + y \subset \mathbb{P}(5, 5, 1, 6)$ $\mathbb{P}^2$, Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{6}{7}\Omega + \frac{34}{35}\Upsilon_4$	36
52	$z^3y + x^iy^j(x+y)^kf_{6-i-j-k}(x,y), k \leq 4 \& i \leq 1 \& j \leq 2$	$tx + g(z^{1/3}, x, y) \subset \mathbb{P}(5, 5, 1, 1)$ Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{4}{5}\Upsilon_4$	6
53	$z^3x + x^6 + zy^5$	$tx + z^3x + x^6 + zy \subset \mathbb{P}(15, 5, 3, 13)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{4}{5}\Omega + \frac{24}{25}\Upsilon_4$	26

54	$z^3x + x^6 + z^2y^3$	$tx + z^3x + x^6 + z^2y \subset \mathbb{P}(15, 5, 3, 8)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Omega + \frac{14}{15}\Upsilon_4$	16
55	$z^3x + x^6 + ty^4$	$t^2x + zx + x^6 + ty \subset \mathbb{P}(5, 10, 2, 7)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{3}{4}\Omega + \frac{19}{20}\Upsilon_4$	21
56	$z^3x + x^6 + tzy^2$	$t^2x + z^3x + x^6 + tzy \subset \mathbb{P}(15, 10, 6, 11)$ Diff= $\frac{1}{2}\Omega + \frac{9}{10}\Upsilon_4$	11
57	$z^3x + x^5y + y^7$	$tx + zx + x^5y + y^7 \subset \mathbb{P}(29, 29, 6, 5)$ Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{28}{29}\Upsilon_4$	30
58	$z^3x + x^5y + zy^5$	$tx + z^3x + x^5y + zy^5 \subset \mathbb{P}(63, 21, 13, 11)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{20}{21}\Upsilon_4$	22
59	$z^3x + x^5y + z^2y^3$	$tx + z^3x + x^5y + z^2y^3 \subset \mathbb{P}(39, 13, 8, 7)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{12}{13}\Upsilon_4$	14
60	$z^3x + x^5y + ty^4$	$t^2x + zx + x^5y + ty^4 \subset \mathbb{P}(17, 34, 7, 6)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma_3 + \frac{16}{17}\Upsilon_4$	18
61	$z^3x + x^5y + tzy^2$	$t^2x + z^3x + x^5y + tzy^2 \subset \mathbb{P}(27, 18, 11, 10)$ Diff= $\frac{1}{2}\Gamma_3 + \frac{8}{9}\Upsilon_4$	10
62	$z^3x + x^4y^2 + y^7$	$tx + zx + x^4y^2 + y^7 \subset \mathbb{P}(23, 23, 5, 4)$ Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{22}{23}\Upsilon_4$	24
63	$z^3x + x^4y^2 + zy^5$	$tx + z^3x + x^4y^2 + zy^5 \subset \mathbb{P}(51, 17, 11, 9)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_3 + \frac{16}{17}\Upsilon_4$	18
64	$z^3x + x^4y^2 + z^2y^3$	$tx + z^3x + x^4y^2 + z^2y^3 \subset \mathbb{P}(33, 11, 7, 6)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_3 + \frac{10}{11}\Upsilon_4$	12
65	$z^3x + x^4y^2 + ty^4$	$t^2x + zx + x^4y + ty^2 \subset \mathbb{P}(7, 14, 3, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Omega + \frac{13}{14}\Upsilon_4$	15
66	$z^3x + x^4y^2 + tzy^2$	$t^2x + z^3x + x^4y + tzy \subset \mathbb{P}(12, 8, 5, 9)$ Diff= $\frac{1}{2}\Omega + \frac{2}{3}\Delta_3 + \frac{7}{8}\Upsilon_4$	9
67	$z^3x + x^3y^3 + y^7$	$tx + zx + x^3y^3 + y^7 \subset \mathbb{P}(17, 17, 4, 3)$ Diff= $(\frac{1}{2}, \frac{2}{3}, 0, 0) + \frac{16}{17}\Upsilon_4$	18
68	$z^3x + x^3y^3 + zy^5$	$tx + z^3x + x^3y^3 + zy^5 \subset \mathbb{P}(39, 13, 9, 7)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{12}{13}\Upsilon_4$	14
69	$z^3x + \frac{x^3y^3 + zx^4}{+z^2y^3}$	$tx + z^3x + \frac{x^3y}{+zx^4} + z^2y \subset \mathbb{P}(9, 3, 2, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Omega + \frac{8}{9}\Upsilon_4$	10
70	$z^3x + x^3y^3 + ty^4$	$t^2x + zx + x^3y^3 + ty^4 \subset \mathbb{P}(11, 22, 5, 4)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma_3 + \frac{10}{11}\Upsilon_4$	12
71	$z^3x + x^3y^3 + tzy^2$	$t^2x + z^3x + x^3y^3 + tzy^2 \subset \mathbb{P}(21, 14, 9, 8)$ Diff= $\frac{1}{2}\Gamma_3 + \frac{6}{7}\Upsilon_4$	8
72	$z^3x + x^2y^4 + zy^5$	$tx + z^3x + x^2y^4 + zy^5 \subset \mathbb{P}(27, 9, 7, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{8}{9}\Upsilon_4$	10
73	$z^3x + \frac{x^2y^4 + zx^3y}{+z^2y^3}$	$tx + g(z, x, y) \subset \mathbb{P}(21, 7, 5, 4)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Upsilon_4$	8
74	$z^3x + \frac{x^2y^4 + zx^4}{+tzy^2}$	$t^2x + z^3x + \frac{x^2y^2}{+zx^4} + tzy \subset \mathbb{P}(9, 6, 4, 7)$ Diff= $\frac{1}{2}\Omega + \frac{5}{6}\Upsilon_4$	7
75	$z^3x + zx^2y + atzy^3 + by^7$	$t^2x + g(z, x, y) \subset \mathbb{P}(12, 8, 11, 5)$ Diff= $\frac{3}{4}\Upsilon_4$	5

76	$z^3x + zx^2y + y^8$	$tx + z^3x + zx^2y + y^8 \subset \mathbb{P}(27, 9, 13, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{8}{9}\Upsilon_4$	10
77	$z^3x + zx^2y + atz^2y +$ $+bz^2y^3 + cxy^4, c \neq 0$	$t^2x + g(z, x, y) \subset \mathbb{P}(6, 4, 5, 3)$ Diff= $\frac{2}{3}\Delta_3 + \frac{1}{2}\Upsilon_4$	3
78	$z^3x + zx^2y + az^2y^4 +$ $+bxy^5$	$tx + g(z, x, y) \subset \mathbb{P}(15, 5, 7, 3)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_3 + \frac{4}{5}\Upsilon_4$	6
79	$z^3x + zx^2y + zy^6$	$tx + z^3x + zx^2y + zy^6 \subset \mathbb{P}(21, 7, 10, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{6}{7}\Upsilon_4$	8
80	$z^3x + zx^2y + az^3y^2 +$ $+bzx^3y^3 + cxy^5$	$tx + g(z, x, y) \subset \mathbb{P}(9, 3, 4, 2)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{2}{3}\Upsilon_4$	4
81	$z^3x + zx^2y + ty^n$ $n = 4; 5$	$t^2x + g(z, x, y) \subset \mathbb{P}(3n + 3, 2n + 2, 4n - 3, 7)$ Diff= $\frac{n}{n+1}\Upsilon_4$	5, 7
82	$z^3x + zx^4 + y^7$	$tx + z^3x + zx^4 + y \subset \mathbb{P}(9, 3, 2, 11)$ $\mathbb{P}(3, 1, 2)$, Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Omega + \frac{20}{21}\Upsilon_4$	22
83	$z^3y + zx^i y^j (x + y)^k f_{4-i-j-k}$ $(x, y), k \leq 2 \& i = 0 \& j \leq 1$	$tx + g(z, x, y) \subset \mathbb{P}(9, 3, 2, 2)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{2}{3}\Upsilon_4$	4
84	$z^3x + zx^4 + zy^5$	$tx + z^3x + zx^4 + zy \subset \mathbb{P}(9, 3, 2, 8)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{4}{5}\Omega + \frac{14}{15}\Upsilon_4$	16
85	$z^3x + zx^4 + ty^4$	$t^2x + z^3x + zx^4 + ty \subset \mathbb{P}(9, 6, 4, 13)$ Diff= $\frac{3}{4}\Omega + \frac{11}{12}\Upsilon_4$	13
86	$z^3x + zx^3y + y^7$	$tx + z^3x + zx^3y + y^7 \subset \mathbb{P}(45, 15, 11, 8)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{14}{15}\Upsilon_4$	16
87	$z^3x + zx^3y + tzy^2 +$ $+bxy^5$	$t^2x + g(z, x, y) \subset \mathbb{P}(15, 10, 7, 6)$ Diff= $\frac{1}{2}\Gamma_3 + \frac{2}{3}\Delta_3 + \frac{4}{5}\Upsilon_4$	6
88	$z^3x + zx^3y + z^2y^3 +$ $+ax^2y^4$	$tx + g(z, x, y) \subset \mathbb{P}(21, 7, 5, 4)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Upsilon_4$	8
89	$z^3x + zx^3y + zy^5$	$tx + g(z, x, y) \subset \mathbb{P}(33, 11, 8, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{10}{11}\Upsilon_4$	12
90	$z^3x + zx^3y + ty^4$	$t^2x + g(z, x, y) \subset \mathbb{P}(27, 18, 13, 10)$ Diff= $\frac{1}{2}\Gamma_3 + \frac{8}{9}\Upsilon_4$	10
91	$z^3x + zx^2y^2 + y^7$	$tx + z^3x + zx^2y^2 + y^7 \subset \mathbb{P}(27, 9, 8, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{8}{9}\Upsilon_4$	10
92	$z^3x + zx^2y^2 + zy^5$	$tx + g(z, x, y) \subset \mathbb{P}(21, 7, 6, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{6}{7}\Upsilon_4$	8
93	$z^3x + zx^2y^2 + ty^4$	$t^2x + z^3x + zx^2y + ty^2 \subset \mathbb{P}(9, 6, 5, 7)$ Diff= $\frac{1}{2}\Omega + \frac{5}{6}\Upsilon_4$	7
94	$z^3y + x^5 + azy^5 +$ $+by^7$	$t^2x + g(z, x, y) \subset \mathbb{P}(14, 10, 7, 5)$ Diff= $\frac{1}{2}\Upsilon_4$	5
95	$z^3y + x^5 + y^9$	$t^2x + zy + x^5 + y^9 \subset \mathbb{P}(18, 40, 9, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Upsilon_4$	15
96	$z^3y + x^5 + atzy^2 +$ $+bzx^2y^2 + cxy^5$	$t^2x + g(z, x, y) \subset \mathbb{P}(10, 7, 5, 4)$ Diff= $\frac{1}{2}\Delta_3$	4
97	$z^3y + x^5 + ax^3y^3 +$ $+xy^6$	$t^2x + zy + x^5 + ax^3y^3 + xy^6 \subset \mathbb{P}(6, 13, 3, 2)$ Diff= $\frac{2}{3}\Delta + \frac{5}{6}\Delta_3$	6

98	$z^3y + x^5 + xy^7$	$t^2x + zy + x^5 + xy^7 \subset \mathbb{P}(14, 31, 7, 4)$ Diff= $\frac{2}{3}\Delta + \frac{5}{6}\Delta_3$	12
99	$z^3y + x^5 + aty^5 + bx^2y^5$	$t^2x + zy + x^5 + aty^5 + bx^2y^5 \subset \mathbb{P}(10, 22, 5, 3)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Upsilon_4$	9
100	$z^3y + x^5 + zy^n$ $n = 4; 6$	$t^2x + g(z, x, y) \subset \mathbb{P}(6n - 2, 5n - 5, 3n - 1, 10)$ Diff= $\frac{1}{2}\Delta_3$	5,10
101	$z^3y + x^5 + zxy^4$	$t^2x + z^3y + x^5 + zxy^4 \subset \mathbb{P}(22, 16, 11, 7)$ Diff= $\frac{1}{2}\Upsilon_4$	7
102	$z^3y + x^4y + y^n$ $n = 6; 8; 12$	$tx + g(z^{1/3}, x, y) \subset \mathbb{P}(3n + 1, 4n - 4, n - 1, 4)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	10,15,24
103	$z^3y + yx^if_{4-i}(x, y^2)$	$tx + zy + yx^if_{4-i}(x, y^2) \subset \mathbb{P}(7, 8, 2, 1)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	6
104	$z^3y + x^4y + azy^7 + by^{10}$	$tx + g(z, x, y) \subset \mathbb{P}(31, 12, 9, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_4$	8
105	$z^3y + x^4y + ax^2y^6 + by^{11}$	$tx + g(z^{1/3}, x, y) \subset \mathbb{P}(17, 20, 5, 2)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_4$	12
106	$z^3y + x^4y + xy^n$ $n = 5; 9$	$tx + g(z^{1/3}, x, y) \subset \mathbb{P}(3n, 4n - 4, n - 1, 3)$ Diff= $\frac{1}{2}\Gamma + \frac{2}{3}\Delta + \frac{2n-3}{2n-2}\Gamma_4 + \frac{8}{9}\Delta_3$	9,18
107	$z^3y + x^4y + xy^{2n}$ $n = 3, 4$	$t^2x + g(z^{1/3}, x, y) \subset \mathbb{P}(3n, 8n - 4, 2n - 1, 3)$ Diff= $\frac{2}{3}\Delta + \frac{2n-2}{2n-1}\Gamma_4 + \frac{8}{9}\Delta_3$	9
108	$z^3y + x^4y + zy^n$ $n = 4; 6; 8$	$tx + g(z, x, y) \subset \mathbb{P}(9n - 1, 4n - 4, 3n - 3, 8)$ Diff= $\frac{1}{2}\Gamma + \frac{2n-3}{2n-2}\Gamma_4$	7,10,16
109	$z^3y + x^4y + zxy^5$	$tx + g(z, x, y) \subset \mathbb{P}(41, 16, 12, 5)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	10
110	$z^3y + x^4y + zxy^4$	$t^2x + g(z, x, y) \subset \mathbb{P}(16, 12, 9, 5)$ Diff= $\frac{2}{3}\Gamma_4 + \frac{3}{4}\Upsilon_4$	5
111	$z^3y + x^4y + ty^n$ $n = 4; 6; 7^*$	$t^2x + g(z^{1/3}, x, y) \subset \mathbb{P}(3n + 1, 8n - 4, 2n - 1, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{2n-2}{2n-1}\Gamma_4 + (\frac{1}{2}\Upsilon_4)^*$	7,15
112	$z^3y + x^4y + tzy^n$ $n = 2; 3$	$t^2x + g(z, x, y) \subset \mathbb{P}(9n - 1, 8n - 4, 6n - 3, 7)$ Diff= $\frac{2n-2}{2n-1}\Gamma_4 + \frac{n-2}{n-1}\Upsilon_4$	6,7
113	$z^3y + x^6 + xy^6$	$t^2x + zy + x^6 + xy^6 \subset \mathbb{P}(15, 31, 6, 5)$ Diff= $\frac{2}{3}\Delta + \frac{14}{15}\Delta_3$	15
114	$z^3y + x^5y + azy^5 + by^7$	$tx + g(z, x, y) \subset \mathbb{P}(29, 10, 6, 5)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	10
115	$z^3y + x^5y + y^8$	$tx + zy + x^5y + y^8 \subset \mathbb{P}(33, 35, 7, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{13}{14}\Gamma_4$	30
116	$z^3y + x^5y + xy^6$	$t^2x + zy + x^5y + xy^6 \subset \mathbb{P}(12, 25, 5, 4)$ Diff= $\frac{2}{3}\Delta + \frac{11}{12}\Delta_3 + \frac{4}{5}\Gamma_4$	12
117	$z^3y + x^5y + x^2y^5$	$tx + zy + x^5y + x^2y^5 \subset \mathbb{P}(19, 20, 4, 3)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4$	18
118	$z^3y + x^5y + zxy^4$	$tx + z^3y + x^5y + zxy^4 \subset \mathbb{P}(43, 15, 9, 7)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_4$	14
119	$z^3y + x^5y + ty^4$	$t^2x + zy + x^5y + ty^4 \subset \mathbb{P}(17, 35, 7, 6)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{6}{7}\Gamma_4$	9

120	$z^3y + x^5y + tzy^2$	$t^2x + z^3y + x^5y + tzy^2 \subset \mathbb{P}(22, 15, 9, 8)$ Diff= $\frac{1}{2}\Delta_3 + \frac{2}{3}\Gamma_4$	8
121	$z^3y + x^4y^2 + xy^6$	$t^2x + zy + x^4y^2 + xy^6 \subset \mathbb{P}(9, 19, 4, 3)$ Diff= $\frac{2}{3}\Delta + \frac{8}{9}\Delta_3$	9
122	$z^3y + x^4y^2 + xy^7$	$tx + zy + x^4y^2 + xy^7 \subset \mathbb{P}(21, 23, 5, 3)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta + \frac{8}{9}\Delta_3$	18
123	$z^3y + x^4y^2 + zy^6$	$tx + z^3y + x^4y^2 + zy^6 \subset \mathbb{P}(55, 20, 13, 8)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{4}{5}\Upsilon_4$	16
124	$z^3y + zx^4 + xy^5$	$t^2x + z^3y + zx^4 + xy^5 \subset \mathbb{P}(25, 17, 11, 10)$ Diff= $\frac{4}{5}\Delta_3$	5
125	$z^3y + zx^4 + xy^6$	$t^2x + z^3y + zx^4 + xy^6 \subset \mathbb{P}(30, 21, 13, 10)$ Diff= $\frac{9}{10}\Delta_3 + \frac{2}{3}\Upsilon_4$	10
126	$z^3y + zx^4 + x^2y^5$	$tx + z^3y + zx^4 + x^2y^5 \subset \mathbb{P}(51, 18, 11, 8)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Upsilon_4$	16
127	$z^3y + zx^4 + ax^3y^3 + tzy^2$	$t^2x + g(z, x, y) \subset \mathbb{P}(16, 11, 7, 6)$ Diff= $\frac{1}{2}\Delta_3$	6
128	$z^3y + zx^4 + zxy^4$	$tx + z^3y + zx^4 + zxy^4 \subset \mathbb{P}(37, 13, 8, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	12
129	$z^3y + zx^4 + ty^4$	$t^2x + z^3y + zx^4 + ty^4 \subset \mathbb{P}(39, 27, 17, 14)$ Diff= $\frac{2}{3}\Upsilon_4$	7
130	$z^3y + zx^3y + y^{2n}$ $n = 3; 4$	$t^2x + g(z, x, y) \subset \mathbb{P}(7n + 1, 6n - 3, 4n - 2, 9)$ Diff= $\frac{2n-2}{2n-1}\Gamma_4$	5,9
131	$z^3y + zx^3y + az^5y + bx^3y^3 + cy^7$	$tx + g(z, x, y) \subset \mathbb{P}(17, 6, 4, 3)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_4$	6
132	$z^3y + zx^3y + y^9$	$tx + g(z, x, y) \subset \mathbb{P}(65, 24, 16, 9)$ Diff= $\frac{1}{2}\Gamma + \frac{15}{16}\Gamma_4$	18
133	$z^3y + zx^3y + xy^n$ $n = 5; 7$	$tx + g(z, x, y) \subset \mathbb{P}(7n, 3n - 3, 2n - 2, 7)$ Diff= $\frac{1}{2}\Gamma + \frac{6}{7}\Delta_3 + \frac{2n-3}{2n-2}\Gamma_4$	8,14
134	$z^3y + zx^3y + xy^6$	$t^2x + z^3y + zx^3y + xy^6 \subset \mathbb{P}(21, 15, 10, 7)$ Diff= $\frac{6}{7}\Delta_3 + \frac{4}{5}\Gamma_4 + \frac{2}{3}\Upsilon_4$	7
135	$z^3y + zx^3y + atzy^2 + bx^2y^4, a \neq 0$	$t^2x + g(z, x, y) \subset \mathbb{P}(13, 9, 6, 5)$ Diff= $\frac{2}{3}\Gamma_4$	5
136	$z^3y + zx^3y + x^2y^5$	$tx + z^3y + zx^3y + x^2y^5 \subset \mathbb{P}(33, 12, 8, 5)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_4 + \frac{2}{3}\Upsilon_4$	10
137	$z^3y + zx^3y + zy^6$	$tx + z^3y + zx^3y + zy^6 \subset \mathbb{P}(41, 15, 10, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{9}{10}\Gamma_4$	12
138	$z^3y + zx^3y + zxy^4$	$tx + z^3y + zx^3y + zxy^4 \subset \mathbb{P}(25, 9, 6, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_4$	8
139	$z^3y + zx^3y + ty^n$ $n = 4^*; 5$	$t^2x + g(z, x, y) \subset \mathbb{P}(7n + 2, 6n - 3, 4n - 2, 11)$ Diff= $\frac{2n-2}{2n-1}\Gamma_4 + (\frac{2}{3}\Upsilon_4)^*$	7,11
140	$z^3y + z^2x^2 + xy^6$	$t^2x + z^3y + z^2x^2 + xy^6 \subset \mathbb{P}(15, 11, 8, 5)$ Diff= $\frac{4}{5}\Delta_3$	5
141	$z^3y + z^2x^2 + xy^n$ $n = 5; 7$	$tx + g(z, x, y) \subset \mathbb{P}(5n, 2n - 1, n + 2, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{4}{5}\Delta_3$	6,10

9. Singularity $-t^2y + g(z, x, y)$.

1	$z^4 + zx^4 + az^2xy^2 + bx^2y^4$	$ty + g(z, x, y) \subset \mathbb{P}(27, 8, 6, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta_4$	10
2	$z^4 + zx^4 + zy^5$	$t^2y + z^4 + zx^2 + zy^5 \subset \mathbb{P}(17, 10, 15, 6)$ Diff= $(0, 0, \frac{1}{2}, 0) + \frac{2}{3}\Gamma_2$	12
3	$z^4 + zx^4 + zxy^4$	$ty + z^4 + zx^4 + zxy^4 \subset \mathbb{P}(55, 16, 12, 9)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_2$	18
4	$z^3x + x^5 + azx^2y^3 + by^9$	$t^2y + g(z, x, y) \subset \mathbb{P}(20, 12, 9, 5)$ Diff= $\frac{3}{4}\Upsilon_4$	5
5	$z^3x + x^5 + y^{13}$	$t^2y + zx + x^5 + y^{13} \subset \mathbb{P}(30, 52, 13, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Upsilon_4$	15
6	$z^3x + x^5 + xy^n$ $n = 5; 7; 11$	$ty + zx + x^5 + xy^n \subset \mathbb{P}(5n - 4, 4n, n, 4)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	9,16,24
7	$z^3x + x^5 + azx^3y + bzxxy^4 + cx^3y^3 + dxy^6$ $ b + d \neq 0$	$ty + g(z, x, y) \subset \mathbb{P}(13, 4, 3, 2)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	4
8	$z^3x + x^5 + azxy^6 + bxy^9$	$ty + g(z, x, y) \subset \mathbb{P}(41, 12, 9, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8
9	$z^3x + x^5 + ax^3y^5 + bxy^{10}$	$ty + g(z^{1/3}, x, y) \subset \mathbb{P}(23, 20, 5, 2)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{3}{4}\Gamma_3$	12
10	$z^3x + x^5 + x^2y^7$	$t^2y + zx + x^5 + x^2y^7 \subset \mathbb{P}(16, 28, 7, 3)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{3}{4}\Upsilon_4$	9
11	$z^3x + x^5 + zy^{2n+1}$ $n = 2; 4^*$	$t^2y + g(z, x, y) \subset \mathbb{P}(15n + 2, 8n + 4, 6n + 3, 11)$ Diff= $\frac{3}{4}\Upsilon_4; (\frac{1}{2}\Upsilon_4)^*$	5,11
12	$z^3x + x^5 + zxy^n$ $n = 3; 5; 7$	$ty + g(z, x, y) \subset \mathbb{P}(15n - 8, 4n, 3n, 8)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3$	8,10,16
13	$z^3x + x^5 + z^2y^5$	$t^2y + z^3x + x^5 + z^2y^5 \subset \mathbb{P}(34, 20, 15, 7)$ Diff= $\frac{1}{2}\Upsilon_4$	7
14	$z^3x + x^6 + azxy^4 + bxy^6$	$ty + g(z, x, y) \subset \mathbb{P}(31, 10, 6, 5)$ Diff= $\frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	10
15	$z^3x + x^6 + xy^7$	$ty + zx + x^6 + xy^7 \subset \mathbb{P}(37, 35, 7, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Gamma + \frac{9}{10}\Gamma_3$	30
16	$z^3x + x^5y + y^{2n+1}$ $n = 3; 4$	$t^2y + g(z^{1/3}, x, y) \subset \mathbb{P}(5n, 8n + 5, 2n, 5)$ Diff= $\frac{2}{3}\Delta + \frac{3n-1}{3n}\Delta_4$	9,15
17	$z^3x + x^5y + azx^2y^3 + by^8$	$ty + g(z, x, y) \subset \mathbb{P}(35, 11, 7, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{6}{7}\Delta_4$	10
18	$z^3x + x^5y + y^{10}$	$ty + zx + x^5y + y^{10} \subset \mathbb{P}(45, 41, 9, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta + \frac{26}{27}\Delta_4$	30
19	$z^3x + x^5y + azxy^4 + bxy^6$	$ty + g(z, x, y) \subset \mathbb{P}(25, 8, 5, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Gamma_3 + \frac{4}{5}\Delta_4$	8
20	$z^3x + x^5y + ax^3y^4 + bxy^7$	$ty + g(z^{1/3}, x, y) \subset \mathbb{P}(15, 14, 3, 2)$ Diff= $\frac{1}{2}\Gamma + \frac{2}{3}\Delta + \frac{3}{4}\Gamma_3 + \frac{8}{9}\Delta_4$	12

21	$z^3x + x^5y + xy^8$	$ty + zx + x^5y + xy^8 \subset \mathbb{P}(35, 32, 7, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{2}{3}\Delta + \frac{7}{8}\Gamma_3 + \frac{20}{21}\Delta_4$	24
22	$z^3x + x^5y + x^2y^5$	$t^2y + zx + x^5y + x^2y^5 \subset \mathbb{P}(10, 19, 4, 3)$ Diff= $\frac{2}{3}\Delta + \frac{5}{6}\Delta_4$	9
23	$z^3x + x^5y + x^2y^6$	$ty + zx + x^5y + x^2y^6 \subset \mathbb{P}(25, 23, 5, 3)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Delta + \frac{14}{15}\Delta_4$	18
24	$z^3x + x^5y + zy^n$ $n = 5; 7$	$ty + g(z, x, y) \subset \mathbb{P}(15n - 10, 4n + 1, 3n - 2, 11)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{3n-3}{3n-2}\Delta_4$	14, 22
25	$z^3x + x^5y + zy^6$	$t^2y + z^3x + x^5y + zy^6 \subset \mathbb{P}(40, 25, 16, 11)$ Diff= $\frac{4}{5}\Upsilon_4 + \frac{7}{8}\Delta_4$	11
26	$z^3x + x^5y + zxy^5$	$ty + z^3x + x^5y + zxy^5 \subset \mathbb{P}(65, 20, 13, 8)$ Diff= $\frac{1}{2}\Gamma + \frac{7}{8}\Delta_3 + \frac{4}{5}\Upsilon_4$	16
27	$z^3x + x^5y + z^2y^3$	$t^2y + z^3x + x^5y + z^2y^3 \subset \mathbb{P}(20, 13, 8, 7)$ Diff= $\frac{3}{4}\Delta_4$	7
28	$z^3x + x^5y + z^2y^4$	$ty + z^3x + x^5y + z^2y^4 \subset \mathbb{P}(55, 17, 11, 7)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{10}{11}\Delta_4$	14
27	$z^3x + zx^4 + y^7$	$t^2y + z^3x + zx^4 + y^7 \subset \mathbb{P}(33, 21, 14, 11)$ Diff= $\frac{2}{3}\Upsilon_4$	7
28	$z^3x + zx^4 + y^9$	$t^2y + z^3x + zx^4 + y^9 \subset \mathbb{P}(44, 27, 18, 11)$ Diff= $\frac{1}{2}\Delta_4$	11
29	$z^3x + zx^4 + y^{10}$	$ty + z^3x + zx^4 + y^{10} \subset \mathbb{P}(99, 30, 20, 11)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Upsilon_4$	22
30	$z^3x + zx^4 + xy^{2n+1}$ $n = 2; 3$	$t^2y + g(z, x, y) \subset \mathbb{P}(11n + 1, 6n + 3, 4n + 2, 9)$ Diff= $\frac{2}{3}\Gamma_3 + \frac{n-2}{n-1}\Delta_4$	5, 9
31	$z^3x + zx^4 + axy^4 +$ $+bx^4y^2 + cxy^6$	$ty + g(z, x, y) \subset \mathbb{P}(19, 6, 4, 3)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	6
32	$z^3x + zx^4 + xy^8$	$ty + z^3x + zx^4 + xy^8 \subset \mathbb{P}(79, 24, 16, 9)$ Diff= $\frac{1}{2}\Gamma + \frac{5}{6}\Gamma_3$	18
33	$z^3x + zx^4 + x^2y^5$	$t^2y + z^3x + zx^4 + x^2y^5 \subset \mathbb{P}(24, 15, 10, 7)$ Diff= $\frac{1}{2}\Delta_4$	7
34	$z^3x + zx^4 + az^2y^3 +$ $+bx^3y^3, a \neq 0$	$t^2y + g(z, x, y) \subset \mathbb{P}(14, 9, 6, 5)$ Diff= $\frac{1}{2}\Delta_4$	5
35	$z^3x + zx^4 + az^2y^4 +$ $+bx^3y^4$	$ty + g(z, x, y) \subset \mathbb{P}(39, 12, 8, 5)$ Diff= $(\frac{1}{2}, 0, 0, 0) + \frac{2}{3}\Upsilon_4$	10
36	$z^3x + zx^4 + zy^n$ $n = 5; 7$	$ty + g(z, x, y) \subset \mathbb{P}(11n - 8, 3n, 2n, 8)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{n-5}{n-4}\Upsilon_4$	10, 16
37	$z^3x + zx^4 + ax^2y^3 +$ $+bzy^6$	$ty + g(z, x, y) \subset \mathbb{P}(29, 9, 6, 4)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2$	8
38	$z^3x + zx^4 + zxy^5$	$ty + z^3x + zx^4 + zxy^5 \subset \mathbb{P}(49, 15, 10, 6)$ Diff= $\frac{1}{2}\Gamma + \frac{3}{4}\Gamma_2 + \frac{5}{6}\Gamma_3$	12
39	$z^3x + tx^3 + ax^3y^4 +$ $+by^9$	$t^2y + g(z^{1/3}, x, y) \subset \mathbb{P}(12, 22, 5, 3)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{1}{2}\Upsilon_4$	9
40	$z^3x + tx^3 + xy^n$ $n = 5; 7$	$t^2y + g(z^{1/3}, x, y) \subset \mathbb{P}(3n - 2, 5n, n + 1, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{4}{5}\Gamma_3$	9, 12

41	$z^3x + tx^3 + azxy^4 + bxy^6$	$t^2y + g(z, x, y) \subset \mathbb{P}(16, 10, 7, 5)$ Diff= $\frac{4}{5}\Gamma_3 + \frac{1}{2}\Upsilon_4$	5
42	$z^3x + tx^3 + xy^8$	$t^2y + zx + tx^3 + xy^8 \subset \mathbb{P}(22, 40, 9, 5)$ Diff= $(0, \frac{2}{3}, 0, 0) + \frac{4}{5}\Gamma_3 + \frac{1}{2}\Upsilon_4$	15
43	$z^3x + tx^3 + zy^{2n+1}$ $n = 2; 3$	$t^2y + g(z, x, y) \subset \mathbb{P}(18n + 2, 10n + 4, 6n + 5, 13)$ Diff= $\frac{1}{2}\Upsilon_4$	8,13
44	$z^3x + tx^3 + zxy^n$ $n = 3; 5$	$t^2y + g(z, x, y) \subset \mathbb{P}(9n - 4, 5n, 3n + 2, 10)$ Diff= $\frac{4}{5}\Gamma_3$	5,10
45	$z^3x + tx^3 + zx^2y^3$	$t^2y + z^3x + tx^3 + zx^2y^3 \subset \mathbb{P}(26, 16, 11, 7)$ Diff= $\frac{1}{2}\Upsilon_4$	7

REFERENCES

- [1] *Iano-Fletcher A. R.* Working with weighted complete intersections, in “Explicit birational geometry of 3-folds”, 73–173, London Math. Soc. Lecture Note Ser., **281**, Cambridge Univ. Press, Cambridge, 2000.
- [2] *Ishii S.* The quotient of log-canonical singularities by finite groups, Advanced Studies in Pure Math. 29, (2000) 135–161
- [3] *Kudryavtsev S. A.* On purely log terminal blow-ups, Math. Notes **69** No. 6 (2001) e-print math.AG/0111278.
- [4] *Kudryavtsev S. A.* Classification of three-dimensional exceptional log canonical hypersurface singularities I, appear in Russian Acad. Sci. Izv. Math. (2002) e-print math.AG/0201025.
- [5] *Prokhorov Yu. G.* Blow-ups of canonical singularities, Algebra. Proc. Internat. Conf. on the Occasion of the 90th birthday of A. G. Kurosh, Moscow, Russia, May 25–30, 1998, Yu. Bahturin ed., Walter de Gruyter, Berlin (2000), 301–317
- [6] *Shokurov V. V.* 3-fold log flips, Russian Acad. Sci. Izv. Math. **40** (1993) 93–202 & **43** (1994) 527–558

DEPARTMENT OF ALGEBRA, FACULTY OF MATHEMATICS, MOSCOW STATE
LOMONOSOV UNIVERSITY, 117234 MOSCOW, RUSSIA

E-mail address: kudryav@mech.math.msu.su